

# Tire inflation pressure

In contrast to the values specified in the Owner's Manual of the vehicle, the following tire inflation pressures apply.

## Tire inflation pressures X5 xDrive30i/X5 xDrive48i/X5 xDrive835d with two rows of seats

| Tire size                                                     | Pressure specifications in psi/kPa                                                |        |                                                                                    |        |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------|--------|
|                                                               | Traveling speeds up to a max. of 100 mph/160 km/h                                 |        | Traveling speeds including those exceeding 100 mph/160 km/h                        |        |
|                                                               |  |        |  |        |
| Compact wheel*:<br>T 155/90 D 18 113 M<br>T 155/80 R 19 114 M | 60/420                                                                            | 60/420 | 60/420                                                                             | 60/420 |
| without sport package:                                        |                                                                                   |        |                                                                                    |        |
| 255/55 R 18 109 H M+S XL                                      | 32/220                                                                            | 35/240 | 35/240                                                                             | 41/280 |
| 255/50 R 19 107 H M+S XL                                      | 32/220                                                                            | 36/250 | 35/240                                                                             | 41/280 |
| Front: 255/50 R 19 107 V XL                                   | 32/220                                                                            | -      | 35/240                                                                             | -      |
| Rear: 285/45 R 19 111 V XL                                    | -                                                                                 | 32/220 | -                                                                                  | 36/250 |
| Front: 275/40 R 20 106 W XL                                   | 33/230                                                                            | -      | 35/240                                                                             | -      |
| Rear: 315/35 R 20 110 W XL                                    | -                                                                                 | 33/230 | -                                                                                  | 36/250 |
| Front: 285/35 R 21 105 W XL                                   | 33/230                                                                            | -      | 36/250                                                                             | -      |
| Rear: 325/30 R 21 108 W XL                                    | -                                                                                 | 36/250 | -                                                                                  | 39/270 |
| with sport package:                                           |                                                                                   |        |                                                                                    |        |
| 255/55 R 18 109 H M+S XL                                      | 32/220                                                                            | 35/240 | 35/240                                                                             | 41/280 |
| 255/50 R 19 107 H M+S XL                                      | 32/220                                                                            | 36/250 | 35/240                                                                             | 41/280 |
| Front: 255/50 R 19 107 V XL                                   | 32/220                                                                            | -      | 39/270                                                                             | -      |
| Rear: 285/45 R 19 111 V XL                                    | -                                                                                 | 32/220 | -                                                                                  | 41/280 |
| Front: 275/40 R 20 106 W XL                                   | 33/230                                                                            | -      | 38/260                                                                             | -      |
| Rear: 315/35 R 20 110 W XL                                    | -                                                                                 | 33/230 | -                                                                                  | 39/270 |
| Front: 285/35 R 21 105 W XL                                   | 33/230                                                                            | -      | 38/260                                                                             | -      |
| Rear: 325/30 R 21 108 W XL                                    | -                                                                                 | 36/250 | -                                                                                  | 42/290 |

© 2009 Bayerische Motoren Werke  
 Aktiengesellschaft  
 München, Deutschland  
 Nachdruck, auch auszugsweise,  
 nur mit schriftlicher Genehmigung der  
 BMW AG, München.  
 Bestell-Nr. 01 49 2 603 608  
 V/09  
 Gedruckt auf umweltfreundlichem Papier,  
 chlorfrei gebleicht, wiederverwertbar.



## Tire inflation pressures X5 xDrive30i/X5 xDrive48i/X5 xDrive35d with three rows of seats

| Tire size                                                                                                               | Pressure specifications in psi/kPa                                                |        |                                                                                   |        |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------|--------|
|                                                                                                                         | Traveling speeds up to a max. of 100 mph/160 km/h                                 |        | Traveling speeds including those exceeding 100 mph/160 km/h                       |        |
| All pressure specifications in the table are indicated in psi/kilopascal with cold tires.<br>Cold = ambient temperature |  |        |  |        |
|                                                                                                                         |                                                                                   |        |                                                                                   |        |
| without sport package:                                                                                                  |                                                                                   |        |                                                                                   |        |
| 255/55 R 18 109 H M+S XL                                                                                                | 33/230                                                                            | 41/280 | 38/260                                                                            | 45/310 |
| 255/50 R 19 107 H M+S XL                                                                                                | 36/250                                                                            | 44/300 | 41/280                                                                            | 48/330 |
| Front: 255/50 R 19 107 V XL                                                                                             | 32/220                                                                            | -      | 35/240                                                                            | -      |
| Rear: 285/45 R 19 111 V XL                                                                                              | -                                                                                 | 38/260 | -                                                                                 | 42/290 |
| Front: 275/40 R 20 106 W XL                                                                                             | 33/230                                                                            | -      | 35/240                                                                            | -      |
| Rear: 315/35 R 20 110 W XL                                                                                              | -                                                                                 | 39/270 | -                                                                                 | 42/290 |
| Front: 285/35 R 21 105 W XL                                                                                             | 35/240                                                                            | -      | 38/260                                                                            | -      |
| Rear: 325/30 R 21 108 W XL                                                                                              | -                                                                                 | 42/290 | -                                                                                 | 45/310 |
| with sport package:                                                                                                     |                                                                                   |        |                                                                                   |        |
| 255/55 R 18 109 H M+S XL                                                                                                | 33/230                                                                            | 41/280 | 38/260                                                                            | 45/310 |
| 255/50 R 19 107 H M+S XL                                                                                                | 36/250                                                                            | 44/300 | 41/280                                                                            | 48/330 |
| Front: 255/50 R 19 107 V XL                                                                                             | 32/220                                                                            | -      | 41/280                                                                            | -      |
| Rear: 285/45 R 19 111 V XL                                                                                              | -                                                                                 | 38/260 | -                                                                                 | 48/330 |
| Front: 275/40 R 20 106 W XL                                                                                             | 33/230                                                                            | -      | 41/280                                                                            | -      |
| Rear: 315/35 R 20 110 W XL                                                                                              | -                                                                                 | 39/270 | -                                                                                 | 48/330 |
| Front: 285/35 R 21 105 W XL                                                                                             | 35/240                                                                            | -      | 42/290                                                                            | -      |
| Rear: 325/30 R 21 108 W XL                                                                                              | -                                                                                 | 42/290 | -                                                                                 | 49/340 |

# Pression de gonflage des pneus

À l'inverse des valeurs spécifiées dans la Notice d'utilisation du véhicule, il faut utiliser les pressions suivantes pour les pneus.

## Pression de gonflage des pneus du véhicule X5 xDrive30i/X5 xDrive48i/ X5 xDrive35d avec deux rangées de sièges

| Dimensions des pneus                                                              | Pression recommandée, en kPa / psi                                                |          |                                                                                    |          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------------|----------|
|                                                                                   | Vitesse maximale<br>ne dépassant pas<br>160 km/h ou 100 milles/h                  |          | Vitesse maximale<br>supérieure à<br>160 km/h ou 100 milles/h                       |          |
| Pression en kilopascals/ psi sur pneus froids.<br>Froids = à température ambiante |  |          |  |          |
| Roue de secours compacte* :                                                       |                                                                                   |          |                                                                                    |          |
| T 155/90 D 18 113 M                                                               | 420 / 60                                                                          | 420 / 60 | 420 / 60                                                                           | 420 / 60 |
| T 155/80 R 19 114 M                                                               |                                                                                   |          |                                                                                    |          |
| sans équipement sport :                                                           |                                                                                   |          |                                                                                    |          |
| 255/55 R 18 109 H M+S XL                                                          | 220 / 32                                                                          | 240 / 35 | 240 / 35                                                                           | 280 / 41 |
| 255/50 R 19 107 H M+S XL                                                          | 220 / 32                                                                          | 250 / 36 | 240 / 35                                                                           | 280 / 41 |
| Avant : 255/50 R 19 107 V XL                                                      | 220 / 32                                                                          | -        | 240 / 35                                                                           | -        |
| Arrière : 285/45 R 19 111 V XL                                                    | -                                                                                 | 220 / 32 | -                                                                                  | 250 / 36 |
| Avant : 275/40 R 20 106 W XL                                                      | 230 / 33                                                                          | -        | 240 / 35                                                                           | -        |
| Arrière : 315/35 R 20 110 W XL                                                    | -                                                                                 | 230 / 33 | -                                                                                  | 250 / 36 |
| Avant : 285/35 R 21 105 W XL                                                      | 230 / 33                                                                          | -        | 250 / 36                                                                           | -        |
| Arrière : 325/30 R 21 108 W XL                                                    | -                                                                                 | 250 / 36 | -                                                                                  | 270 / 39 |
| avec équipement sport :                                                           |                                                                                   |          |                                                                                    |          |
| 255/55 R 18 109 H M+S XL                                                          | 220 / 32                                                                          | 240 / 35 | 240 / 35                                                                           | 280 / 41 |
| 255/50 R 19 107 H M+S XL                                                          | 220 / 32                                                                          | 250 / 36 | 240 / 35                                                                           | 280 / 41 |
| Avant : 255/50 R 19 107 V XL                                                      | 220 / 32                                                                          | -        | 270 / 39                                                                           | -        |
| Arrière : 285/45 R 19 111 V XL                                                    | -                                                                                 | 220 / 32 | -                                                                                  | 280 / 41 |
| Avant : 275/40 R 20 106 W XL                                                      | 230 / 33                                                                          | -        | 260 / 38                                                                           | -        |
| Arrière : 315/35 R 20 110 W XL                                                    | -                                                                                 | 230 / 33 | -                                                                                  | 270 / 39 |
| Avant : 285/35 R 21 105 W XL                                                      | 230 / 33                                                                          | -        | 260 / 38                                                                           | -        |
| Arrière : 325/30 R 21 108 W XL                                                    | -                                                                                 | 250 / 36 | -                                                                                  | 290 / 42 |

## Pression de gonflage des pneus du véhicule X5 xDrive30i/X5 xDrive48i/ X5 xDrive35d avec trois rangées de sièges

| Dimensions des pneus                                                              | Pression recommandée, en kPa / psi                                                |          |                                                                                   |          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------|----------|
|                                                                                   | Vitesse maximale<br>ne dépassant pas<br>160 km/h ou 100 milles/h                  |          | Vitesse maximale<br>supérieure à<br>160 km/h ou 100 milles/h                      |          |
| Pression en kilopascals/ psi sur pneus froids.<br>Froids = à température ambiante |  |          |  |          |
| sans équipement sport :                                                           |                                                                                   |          |                                                                                   |          |
| 255/55 R 18 109 H M+S XL                                                          | 230 / 33                                                                          | 280 / 41 | 260 / 38                                                                          | 310 / 45 |
| 255/50 R 19 107 H M+S XL                                                          | 250 / 36                                                                          | 300 / 44 | 280 / 41                                                                          | 330 / 48 |
| Avant : 255/50 R 19 107 V XL                                                      | 220 / 32                                                                          | -        | 240 / 35                                                                          | -        |
| Arrière : 285/45 R 19 111 V XL                                                    | -                                                                                 | 260 / 38 | -                                                                                 | 290 / 42 |
| Avant : 275/40 R 20 106 W XL                                                      | 230 / 33                                                                          | -        | 240 / 35                                                                          | -        |
| Arrière : 315/35 R 20 110 W XL                                                    | -                                                                                 | 270 / 39 | -                                                                                 | 290 / 42 |
| Avant : 285/35 R 21 105 W XL                                                      | 240 / 35                                                                          | -        | 260 / 38                                                                          | -        |
| Arrière : 325/30 R 21 108 W XL                                                    | -                                                                                 | 290 / 42 | -                                                                                 | 310 / 45 |
| avec équipement sport :                                                           |                                                                                   |          |                                                                                   |          |
| 255/55 R 18 109 H M+S XL                                                          | 230 / 33                                                                          | 280 / 41 | 260 / 38                                                                          | 310 / 45 |
| 255/50 R 19 107 H M+S XL                                                          | 250 / 36                                                                          | 300 / 44 | 280 / 41                                                                          | 330 / 48 |
| Avant : 255/50 R 19 107 V XL                                                      | 220 / 32                                                                          | -        | 280 / 41                                                                          | -        |
| Arrière : 285/45 R 19 111 V XL                                                    | -                                                                                 | 260 / 38 | -                                                                                 | 330 / 48 |
| Avant : 275/40 R 20 106 W XL                                                      | 230 / 33                                                                          | -        | 280 / 41                                                                          | -        |
| Arrière : 315/35 R 20 110 W XL                                                    | -                                                                                 | 270 / 39 | -                                                                                 | 330 / 48 |
| Avant : 285/35 R 21 105 W XL                                                      | 240 / 35                                                                          | -        | 290 / 42                                                                          | -        |
| Arrière : 325/30 R 21 108 W XL                                                    | -                                                                                 | 290 / 42 | -                                                                                 | 340 / 49 |