


2014 **NV1500**
NV2500 HD
NV3500 HD

QUICK REFERENCE GUIDE





- 01** LOW TIRE PRESSURE WARNING LIGHT
- 02** WINDSHIELD WIPER AND WASHER / HEADLIGHT BEAM SELECT / TURN SIGNAL CONTROL SWITCH
- 03** VEHICLE INFORMATION DISPLAY INFO BUTTON*
- 04** VEHICLE INFORMATION DISPLAY*

- 05** INSTRUMENT BRIGHTNESS CONTROL / TRIP ODOMETER RESET SWITCH*
- 06** STEERING WHEEL SWITCHES FOR AUDIO / BLUETOOTH®
- 07** CRUISE CONTROL
- 08** HEADLIGHT CONTROL SWITCH
- 09** TILT STEERING COLUMN*

- 10** OUTSIDE MIRROR CONTROL SWITCH
- 11** VEHICLE DYNAMIC CONTROL (VDC) OFF SWITCH*
- 12** PARKING BRAKE*
- 13** HOOD RELEASE*
- 14** AUDIO AND NAVIGATION SYSTEM
- 15** CLIMATE CONTROLS

- 16** HAZARD WARNING FLASHER SWITCH*
- 17** POWER OUTLET*
- 18** POWER INVERTER SWITCH
- 19** TOW MODE SWITCH*
- 20** REAR SONAR SYSTEM OFF SWITCH*
- 21** USB JACK*

*See your Owner's Manual for more information.

NEW SYSTEM FEATURES

Power Inverter Switch (if so equipped)	2
Tire Pressure Monitoring System (TPMS) Sensor Reset.	2
RearView Monitor (if so equipped).	2

ESSENTIAL INFORMATION

Tire Pressure Monitoring System (TPMS).	3
Loose Fuel Cap	3
Fuel-filler Door	4
Clock Set/Adjustment	4

FIRST DRIVE FEATURES

Remote Keyless Entry System (if so equipped)	5
Front Power Seat Adjustment (if so equipped).	5
Outside Mirror Control Switch (if so equipped)	5
Starting/Stopping the Engine.	6
Headlight Control Switch	6
Windshield Wiper and Washer Switch	6
Manual Climate Controls.	7
FM/AM/SiriusXM® Satellite Radio with CD Player (if so equipped).	8
Opening the Back Doors	9
Cruise Control (if so equipped)	9

SYSTEM GUIDE

Vehicle Information Display	10
Bluetooth® Hands-free Phone System (if so equipped)	11
System Operating Tips	11
Navigation System (if so equipped)	13



Please see your Owner's Manual for important safety information and system operation limitations.

- A cellular telephone should not be used for any purpose while driving so full attention may be given to vehicle operation.
- Always wear your seat belt.
- Supplemental air bags do not replace proper seat belt usage.
- Children 12 and under should always ride properly secured in child restraints or seat belts according to their age and weight.
- Never install a rear-facing child restraint in the front seat of this vehicle.
- Do not drink and drive.

For more information, refer to the **"Safety — Seats, seat belts and supplemental restraint system (section 1)"** of your Owner's Manual.



Additional information about your vehicle is also available in your Owner's Manual, Navigation System Owner's Manual and at www.nissanusa.com.



To view detailed instructional videos, go to
www.nissanownersinfo.mobi/2014/nvcargovan
 or snap this barcode with an appropriate barcode reader.

NEW SYSTEM FEATURES

POWER INVERTER SWITCH (if so equipped)

- The power inverter switch is located on the instrument panel below the climate controls. This switch controls power provided to the 120 volt outlets.
- To use the outlets for items requiring between 150W and 400W, stop your vehicle, place the shift lever in the **P (PARK)** position and push the power inverter switch.
- **400W** or **150W** will illuminate on the switch according to the mode selected.
- Only the 150W mode is available when the ignition switch is placed in the **ACC** or **ON** position or while the vehicle is being driven.



For more information, refer to the “**Instruments and controls (section 2)**” of your Owner’s Manual.

TIRE PRESSURE MONITORING SYSTEM (TPMS) SENSOR RESET

- The Tire Pressure Monitoring System (TPMS) has sensors that must be reset after tire rotation.
- After rotating the tires, a low tire pressure TPMS warning light **01** will illuminate. The TPMS sensor positions must be relearned.
- When the relearning process has been successfully performed, the TPMS warning light will extinguish.



For more information, refer to the “**Maintenance and do-it-yourself (section 8)**” of your Owner’s Manual.

REARVIEW MONITOR (if so equipped)

- When the shift lever is shifted into the **R (REVERSE)** position, the monitor display shows a rearward view from the vehicle.
- The colored guide lines on the display screen indicate vehicle width and approximate distances to objects with reference to the vehicle body line.
 - Red 1.5 ft (0.5 m); Yellow 3 ft (1 m); Green 7 ft (2 m) and 10 ft (3 m).



For more information, refer to the “**Display screen, heater, air conditioner, audio and phone systems (section 4)**” of your Owner’s Manual.

ESSENTIAL INFORMATION

TIRE PRESSURE MONITORING SYSTEM (TPMS)

- A **CHECK TIRE** pressure warning message will appear in the vehicle information display **01** and the TPMS light **02** will illuminate when one or more tires are low in pressure and air is needed.
 - The tire pressures should be checked when the tires are cold. The tires are considered cold after the vehicle has been parked for 3 hours or more or driven less than 1 mi (1.6 km) at moderate speeds.
- After tire pressures are adjusted, drive the vehicle at speeds above 16 MPH (25 km/h). The **CHECK TIRE PRES** warning message and low tire pressure warning light will extinguish.
- When the low tire pressure warning light **02** flashes for approximately 1 minute and then remains on, the TPMS is not functioning properly. Have the system checked by a NISSAN dealer.
- Tire pressure rises and falls depending on the heat caused by the vehicle's operation and the outside temperature. Low outside temperature can lower the temperature of the air inside the tire, which can cause a lower tire inflation pressure. This may cause the low tire pressure warning light **02** to illuminate. If the warning light illuminates, check the tire pressure in all four tires.



For more information, refer to the "**Instruments and controls (section 2)**" and the "**Starting and driving (section 5)**" of your Owner's Manual.

LOOSE FUEL CAP

- A **LOOSE FUEL CAP** warning message will appear in the vehicle information display **01** when the fuel-filler cap is not tightened correctly.
- The warning message will disappear when the vehicle detects the fuel-filler cap is properly tightened and the reset button **02** is pressed.
- If the cap is not properly tightened, the Malfunction Indicator Light  may illuminate.

For more information, refer to the "**Instruments and controls (section 2)**" and the "**Pre-driving checks and adjustments (section 3)**" of your Owner's Manual.



ESSENTIAL INFORMATION

FUEL-FILLER DOOR


- The fuel-filler door is located on the left, rear side of the vehicle.
- To open the fuel-filler door, pull the lid open.

For more information, refer to the “**Pre-driving checks and adjustments (section 3)**” of your Owner’s Manual.



CLOCK SET/ADJUSTMENT

- To adjust the time and the appearance of the clock on the display:
 1. Press the **SETUP** button **01**.
 2. Select the “System” key.
 3. Select the “Clock” key.
- The following settings can be adjusted:
 - **Time Format:** The clock can be set to 12 hours or 24 hours.
 - **Use GPS Clock:** When this setting is activated, the clock is set and continually updated via the GPS used by the Navigation System.
 - **Set Clock Manually:** When this setting is activated, the clock can be set manually. Touch the “+” or “-” key to adjust the hours and minutes up or down.
 - **Daylight Savings Time:** When this setting is activated, daylight savings time is on. Touch the “Daylight Savings Time” key to toggle the setting on or off.
 - **Time Zone:** Choose the applicable time zone from the list.



For more information, refer to the “**Instruments and controls (section 2)**” and the “**Display screen, heater, air conditioner, audio and phone systems (section 4)**” of your Owner’s Manual.

FIRST DRIVE FEATURES

REMOTE KEYLESS ENTRY SYSTEM (if so equipped)

The Remote Keyless Entry System allows you to lock or unlock your vehicle and turn on the interior lights.

- To lock the vehicle, press the **1** button on your key fob.
- To unlock the driver door, press the **2** button on your key fob.
- Press the **2** button again within 5 seconds and all doors will unlock.

For more information, refer to the **"Pre-driving checks and adjustments (section 3)"** of your Owner's Manual.



FRONT POWER SEAT ADJUSTMENT (if so equipped)

- Push the switch **01** forward or backward to slide the seat forward or backward.
- Push the switch **02** forward or backward to adjust the angle of the seatback.

SEAT LIFTER (driver's seat)

- To adjust the angle and height of the seat cushion, push the front or rear end of the switch **01** up or down.

LUMBAR SUPPORT (driver's seat)

- Turn the knob **03** to adjust the seat lumbar area.



For more information, refer to the **"Safety — Seats, seat belts and supplemental restraint system (section 1)"** of your Owner's Manual.

OUTSIDE MIRROR CONTROL SWITCH (if so equipped)

- The outside mirror control switch is located on the left side of the instrument panel.
- Move the switch **01** right or left to select the right or left mirror.
- Adjust each mirror to the desired position using the control switch **02**.
- Move the switch **01** to the center (neutral) position to prevent accidentally moving the mirror.



For more information, refer to the **"Pre-driving checks and adjustments (section 3)"** of your Owner's Manual.

FIRST DRIVE FEATURES

STARTING/STOPPING THE ENGINE

- Depress the brake pedal.
- Move the shift lever to the **P (PARK)** position.
- Turn the ignition switch to the **START** position.

TURNING THE ENGINE OFF

- Move the shift lever to the **P (PARK)** position and apply the parking brake.
- Turn the ignition switch to the **LOCK** position.



For more information, refer to the “**Starting and driving (section 5)**” of your Owner’s Manual.


HEADLIGHT CONTROL SWITCH

- Turn the headlight control switch to the $\equiv \square \equiv$ position to turn on the front parking, tail, license plate and instrument panel lights.
- Turn the control switch to the $\equiv \square$ position to turn on the headlights.



HIGH BEAM SELECT

- Push the lever forward **01** to select the high beam function. The blue indicator light $\equiv \square$ illuminates in the instrument panel. Pull the lever back to the original position to select the low beam function and the blue indicator light will extinguish.
- Pull **02** and release the lever to flash the headlight high beams on and off.





For more information, refer to the “**Instruments and controls (section 2)**” of your Owner’s Manual.


WINDSHIELD WIPER AND WASHER SWITCH

- Move the lever to the following positions to operate the windshield wipers:

- 01** Intermittent (**INT**) - Wipers operate intermittently by moving the lever down to the **INT** position and then rotating the control ring **02** to increase or decrease **INT** wiper speed.
- 03** Low (**LO**) - Wipers operate at a continuous low-speed.
- 04** High (**HI**) - Wipers operate at a continuous high-speed.
- 05** Mist (**MIST**) - One sweep operation of the wipers.
- 06** To activate the washer, press the button on the end of the lever. The wipers will operate several times.



For more information, refer to the “**Instruments and controls (section 2)**” of your Owner’s Manual.



MANUAL CLIMATE CONTROLS

01 FAN SPEED CONTROL DIAL

- Turn the fan speed control dial  to the left (low) or right (high) to control fan speed.

02 TEMPERATURE CONTROL DIAL

- Turn the temperature control dial to select the desired temperature. Turn the control dial to the left for cooler air or right for warmer air.

03 DEFROSTING/DEFOGGING FRONT AND SIDE WINDOWS

- Press the front window defroster button  to turn the system on or off.

04 REAR WINDOW AND OUTSIDE MIRROR (if so equipped) DEFROSTER SWITCH

- Push the rear window defroster switch  to turn the system on or off.
- The rear window defroster automatically turns off after approximately 15 minutes.

05 AIR RECIRCULATION BUTTON

- Press the air recirculation button to recirculate air inside the vehicle. The indicator light on the button will illuminate. This system is used to avoid certain outside odors and to help adjust the inside vehicle temperature more effectively.
- The air recirculation mode cannot be activated when the climate control system is in the front defroster mode  or the front defroster and foot outlet mode .

06 AIR FLOW CONTROL BUTTONS

- Press the preferred air flow control button to select the following air flow outlets:

 Air flows from the center and side vents.

 Air flows from the center, side and foot vents.

 Air flows mainly from the foot vents.

 Air flows from the defroster and foot vents.

07 A/C BUTTON

- Press the **A/C** or **08**, the **MAX A/C** button to manually turn the A/C on or off.

For more information, refer to the “**Instruments and controls (section 2)**” and the “**Display screen, heater, air conditioner, audio and phone systems (section 4)**” of your Owner’s Manual.

To view detailed instructional videos regarding these and other features, please go to www.nissanownersinfo.mobi.

FIRST DRIVE FEATURES



FM/AM/SiriusXM®* SATELLITE RADIO WITH CD PLAYER (if so equipped)

01 VOL/ON-OFF CONTROL KNOB

- Press the **VOL/ON-OFF** control knob to turn the system on or off.
- Turn the **VOL/ON-OFF** control knob to the right or left to increase or decrease the volume.

02 TUNE/SCROLL/AUDIO KNOB

- To manually tune the radio, turn the **TUNE/SCROLL/AUDIO** knob left or right.

03 STATION SELECT BUTTONS

- Twelve stations can be set for the FM band, six for the AM band and eighteen for satellite radio.
- To store a station in a preset, you must first select a radio band by pressing the **FM-AM** button **05** or **XM** button **06** then tune to the desired FM, AM or XM satellite radio station.
- Press and hold the desired station select button (**1-6**) until a beep is heard and the sound is briefly muted. The channel indicator will appear on the display and the sound will resume. Programming is now complete.
- To retrieve a previously set station, select the radio band where the preset was stored then press the corresponding station select button (**1-6**).

04 SEEK/CATEGORY BUTTONS

- To scan through each broadcasting station, press the **SEEK/CATEGORY** buttons.
- To skip from one track to another on a CD, press the **SEEK/CATEGORY** buttons.
- When the **SEEK/CATEGORY** buttons are pressed and held while a CD is playing, the CD will rewind or fast forward. When the button is released, the CD will play at normal speed.

*SiriusXM® Satellite Radio is only available on vehicles equipped with an optional satellite radio subscription service.

For more information, refer to the "**Display screen, heater, air conditioner, audio and phone systems (section 4)**" of your Owner's Manual.

OPENING THE BACK DOORS

- Unlock the vehicle by pressing the **?** button on your key fob twice.
- Pull the door handle **01** toward you to open the right back door.
- Lift the lever on the left back door **02** and pull the door to open.
- To open either door to the wide open position, pull the release latch **03** toward the back door to release the check link bar.
- Open the door slowly until the magnetic door stopper connects to the stop pad on the outside of the vehicle.

For more information, refer to the “**Pre-driving checks and adjustments (section 3)**” of your Owner’s Manual.



CRUISE CONTROL (if so equipped)

- The cruise control system enables you to set a constant cruising speed once the vehicle has reached 25 MPH (40 km/h).
- The system will automatically maintain the set speed until you tap the brake pedal, accelerate, cancel or turn the system off.
- To activate the cruise control, push the **CRUISE ON/OFF** switch **01**. The **CRUISE** indicator light in the instrument panel will illuminate.
- To set a cruising speed, accelerate the vehicle to the desired speed, push the **COAST/SET** switch **02** and release. Take your foot off the accelerator pedal. Your vehicle will maintain the set speed.
- To reset at a faster cruising speed, push and hold the **ACCEL/RES** switch **03**. When the vehicle attains the desired speed, release the switch.
- To reset at a slower cruising speed, push and hold the **COAST/SET** switch **02**. Release the switch when the vehicle slows to the desired speed.
- To cancel the preset speed, push the **CANCEL** switch **04**.
- To turn off cruise control, push the **CRUISE ON/OFF** switch **01**. The **CRUISE** indicator light in the instrument panel will extinguish.





For more information, refer to the “**Starting and driving (section 5)**” of your Owner’s Manual.

SYSTEM GUIDE

VEHICLE INFORMATION DISPLAY

- Turn the **INFO** knob **01** to display the following modes in the vehicle information display **02**:
 - **RANGE** – Displays the estimated distance the vehicle can be driven before refueling.
 - **AVG MPH** – Displays the average speed since the last reset.
 - **TIME** – Displays the time driven since the last reset.
 - **TIRE INFO** – Displays the specific tire pressure of each tire (except the spare).
 - **SETTINGS** – The setting mode allows you to set reminders or preferences for maintenance intervals, reset the TPMS after rotating the tires or change the unit of the display. In the setting mode screen, turn the **INFO** knob **01** to select settings. Press the **INFO** button **01** to select and change one of the menu items.
 - **WARNING** – Displays when a warning is present.
- To reset **TRIP A** or **TRIP B**, go to the desired mode on the trip computer and hold the **PUSH TRIP** knob **03** for more than 1 second.



For more information, refer to the "**Instruments and controls (section 2)**" of your Owner's Manual.

BLUETOOTH® HANDS-FREE PHONE SYSTEM (if so equipped)

- A cellular telephone should not be used while driving so full attention may be given to vehicle operation.*

SYSTEM OPERATING TIPS

- Press the  button to interrupt the voice prompts at any time and speak a command after the tone.
- To use the system faster, you may speak the second level commands with the main menu command on the main menu. For example, press the  button and after the tone say, "Call Redial".
- The "Help" command can be used to hear a list of available commands at any time.
- Reduce background noise as much as possible by closing windows and pointing HVAC vents away from the ceiling.
- Speak naturally without long pauses and without raising your voice.
- When speaking phonebook names, please be aware some phones require the last name to be spoken before the first name. For example, "Michael Smith" may be spoken as "Smith Michael".
- To cancel a voice recognition session, simply wait 5 seconds, say "Cancel" or "Quit", or press and hold the  button for 5 seconds.
- To increase or decrease the volume of the voice prompts, push the volume control switches **+** or **-** on the steering wheel or turn the control dial on the audio system while the voice recognition system is responding.
- If the Voice Recognition system does not recognize your voice commands, train the system using the Voice Adaptation Mode. See your Owner's Manual for detailed information.
- For more detailed information and instructions, refer to your cellular phone's Owner's Manual and visit **www.nissanusa.com/bluetooth**.

CONNECTING PROCEDURE

- The vehicle must be stationary when connecting the phone.
1. Press the  button on the steering wheel. The system announces the available commands.
 2. Say: "Connect phone". The system acknowledges the command and announces the next set of available commands.
 3. Say: "Add phone". The system acknowledges the command and asks you to initiate connecting from the phone handset.
 4. Initiate connecting from the phone:
 - The connecting procedure varies according to each cellular phone model. For detailed connecting instructions and compatible phones, please visit **www.nissanusa.com/bluetooth**.

*Some jurisdictions prohibit the use of cellular telephones while driving.

SYSTEM GUIDE

- When prompted for a PIN code, enter “1234” from the handset. (The PIN code is assigned by NISSAN and cannot be changed.)
- 5. Say a name for the phone when the system asks you to provide one. You can give the phone a name of your choice.

PHONEBOOK SETUP

- Depending on your cellular phone, the system may automatically download your cellular phone's entire phonebook to the vehicle's Bluetooth® system.
- If the phonebook does not download automatically, 40 entries can be individually downloaded.
- To manually download entries:
 1. Push the  button on the steering wheel.
 2. After the tone, say “Phonebook”.
 3. After the next tone, say “Transfer Entry”. The system acknowledges the command and asks you to initiate the transfer from the phone handset. The new contact phone number will be transferred from the cellular phone to the vehicle.
 - The transfer procedure varies according to each cellular phone. See your cellular phone's Owner's Manual for details. You can also visit www.nissanusa.com/bluetooth for instructions on transferring phone numbers from NISSAN recommended cellular phones.
 4. The system repeats the number and prompts you for the next command. When you have finished entering numbers or transferring an entry, choose “Store”.
 5. The system confirms the name, location and number.

MAKING A CALL

1. Press the  button. A tone will sound.
2. Say: “Call”. The system acknowledges the command and announces the next set of available commands.
3. Say: “Phone Number”. The system acknowledges the command and announces the next set of available commands.
4. Say the number you wish to call, starting with the area code in single digit format.
5. When you have finished speaking the phone number, the system repeats it back and announces the available commands.
6. Say: “Dial”. The system acknowledges the command and makes the call.

RECEIVING/ENDING A CALL

- When you receive a phone call, a ring tone sounds through the audio system.
- To accept the call, press the .
- To reject the call, press the .
- To hang up the phone at the end of a call or to disconnect during call placement, press the .

For more information, refer to the “**Display screen, heater, air conditioner, audio and phone systems (section 4)**” of your Owner's Manual or please visit www.nissanusa.com/bluetooth.



NAVIGATION SYSTEM (if so equipped)

- 01** ☀/☾ - Press to change the display brightness between day and night modes. Press and hold to turn the display off. Press again to turn the display on.
- 02** Touch screen display.
- 03** **MAP** - Press to display the current location map screen.
- 04** **NAV** - Press to access the functions of the Navigation System.
- 05** **TRAF** - Press to view traffic information on the route.
- 06** **SETUP** - Press to access the system settings.
- 07** ↶ **BACK** - Press to return to the previous screen.
- 08** **SCROLL** knob - Turn to scroll through the items in a list. Press to select a menu item.
- 09** SD-card location - An SD-card with map data must be inserted here for map functions to operate.
- 10** **Volume** control knob - Turn right to increase the volume or left to decrease the volume.

For more information, refer to your Navigation System Owner's Manual.

This Quick Reference Guide is intended to provide an overview of some of the unique features of your new vehicle. Please see your Owner's Manual for important safety information and system operation limitations. Features and equipment in your vehicle may vary depending on model, trim level, options selected, order, date of production, region or availability. Therefore, you may find information about features or equipment that are not included or installed on your vehicle.

All information, specifications and illustrations in this Quick Reference Guide are those in effect at the time of printing. NISSAN reserves the right to change specifications, performance, design or component suppliers without notice and without obligation. From time to time, NISSAN may update or revise this Quick Reference Guide to provide Owners with the most accurate information currently available. Please carefully read and retain with this Quick Reference Guide all revision updates sent to you by Nissan to ensure you have access to accurate and up-to-date information regarding your vehicle. Current versions of vehicle Quick Reference Guide, Owner's Manuals and any updates can also be found in the Owner section of the Nissan website at <https://owners.nissanusa.com/owners/navigation/manualsGuide>. If you have questions concerning any information in your Owner's Manual, contact NISSAN Consumer Affairs. See the NISSAN CUSTOMER CARE PROGRAM page in this Owner's Manual for contact information.



To view detailed instructional videos,
go to **www.nissanownersinfo.mobi/2014/nvcargovan**
or snap this barcode with an appropriate barcode reader.

