



Alen BreatheSmart 75i_V2 HEPA Air Purifier

USER MANUAL



We would love to hear from you. If you have any questions,
please contact us at **1 (800) 630-2396**.

TABLE OF CONTENTS

Air Purifier Safety 3

Using Your Air Purifier 4

Operating Your Unit

Identification Of Parts

Know Your Air Purifier 6

Care & Maintenance 6

Replacing The Filter

Why You Should Replace Your Filter

Alen's Filter Subscription Plans

How To Replace The Filter

Troubleshooting Tips 9

Warranty Information 10



The 8 hr TWA Ozone for this product is 0.001 ppmv when tested in a 30 m3 chamber. Refer to safety instructions in manual for more information. See back of unit for rating label and regulatory markings.

AIR PURIFIER SAFETY

This manual provides important safety messages regarding your electrical home appliance. Always read, follow, and, save all safety directions.

Location Requirements

- Use a level surface with at least 6" (15.2cm) from heat sources such as ranges, dryers, or heaters.
- Do not block air vent openings.
- Never insert fingers or foreign objects into air vents.
- Do not place air purifier on a soft or unstable surface such as a bed or sofa.
- Do not use in a window.
- Do not use near any source of water such as a sink, bath, shower, or swimming pool.
- Operate indoors only.

Electrical and Safety Requirements – Reduce the risk of fire or electrical shock.

Failure to follow these instructions can result in property damage, injury, or death.

- Do not connect the unit to any electrical socket that is damaged.
- Do not plug the air purifier into an outlet controlled by a dimmer switch.
- Do not insert or pull-out plug with wet hands, it may cause electric shock.
- Plug air purifier directly into outlet. Do not use an adapter or extension cord.
- Use only in the proper electrical socket type. Socket type (voltage & hertz) can be found on the unit's back panel label. Incorrect socket use can damage/destroy the unit.
- Do not exceed the rating of the power outlet or connection device. May cause electric shock or fire due to excess heat generation.
- Never try to take apart or repair the unit by yourself.
- Disconnect power immediately if you notice strange sounds, smells, or smoke.
- Change your filter at the recommended interval to avoid particle and dust buildup.
- Ensure filter is correctly installed before turning on unit. Do not run unit without a filter.
- Do not cover or impede the airflow.
- Do not drop the unit, as this can result in damage.
- Do not place heavy objects on the power cord and be sure the cord is not compressed as there is danger of fire or electric shock.
- Do not spray insecticides or any other flammable sprays near the unit. It may cause explosion or fire.
- **WARNING!** To reduce the risk of electric shock, this equipment has a grounding type plug that has a third (grounding) pin. This plug will only fit into a grounding type power outlet. If the plug does not fit into the outlet, contact qualified personnel to install the proper outlet. Do not alter the plug in any way.

USING YOUR AIR PURIFIER

PLEASE NOTE:

The BreatheSmart 75i_V2 has a capacitive touch panel. The buttons only operate with a quick, light touch. Holding the buttons down will not activate the controls properly. A chime will indicate that the control has registered your touch.

Operating Your Unit:

1. Plug your air purifier into a grounded outlet.
2. Touch  Power Button in the center to start the air purifier. When your unit is on, the lights will light up. To turn off the lights on your unit, touch the  Power Button. To turn off the air purifier, touch the  Power Button again after the lights have turned off within 5 seconds.
3. The Color Ring around the  Power Button indicates air quality.

COLOR	MEANING
Blue	Excellent - Very low level of airborne pollutants detected
Green	Good - Low level of airborne pollutants detected
Orange	Fair - Medium level of airborne pollutants detected
Red	Poor - Significant level of airborne pollutants detected
Purple	Very Poor - Very significant level of airborne pollutants detected

4. Press IONIZER to activate the ozone-safe ionizer. Activation of the ionizer enhances your unit's ability to remove airborne particles (similar to the way dust is attracted to a TV screen). Press the ionizer button again to turn it off.
5. FILTER life Indicator — There are three lights above the FILTER button: Green, Yellow and Red. The Green light will be illuminated for most of the life of the filter. The Yellow light will come on shortly before your filter should be replaced. This is the ideal time to order a new filter. The Red light will be illuminated when it is time to replace the filter.
 - The filter light will reset to green automatically when the old filter is replaced by a new one.

NOTE: A filter is required for normal operation of the purifier. The purifier will not function without a filter installed.



6. Press LIGHT to change from LO, HI and AUTO. AUTO adjusts lights based on the ambient light level, turning off the lights when the room is dark.

NOTE: If you cover the light sensor just above the LIGHT button, the lights will always be off if in the AUTO mode.

7. Sleep Mode - Press the Power button once to place the unit into Sleep. It will continue to work, but the lights will turn off. To wake the unit from Sleep, press any button.

NOTE: If you press the Power button again within 5 seconds, the unit will power off.

Identification of Parts – BreatheSmart 75i_V2 Control Panel



KNOW YOUR AIR PURIFIER

When using the air purifier for the first time in a room, we recommend that you use a higher fan speed like speed four (4) or Turbo (T), for at least two hours in order to clean the room's air initially. Then, we recommend that the air purifier run continuously on speed two (2) or three (3) or be set on Auto mode.

75i_V2 Features

- True HEPA filtration captures dust, allergens, and airborne pollutants.
- 5 fan speeds to control air circulation.
- Filter change indicator light keeps replacements on schedule.
- Simple and intuitive touch button controls.
- Auto-off safety feature when front cover is removed.
- LIGHT button with AUTO setting, senses light levels and dims or turns off lights in a darkened room.
- Alen Air app connects the air purifier to Wi-Fi via Bluetooth. Using your Android or iOS phone, the mobile app provides the ability to control your unit remotely and monitor PM2.5, CO2, TVOC, TEMP and HUMIDITY in your space. (Download the Alen Air app on the Apple App Store or Google Play Store.) Follow the instructions in the app for adding your purifier.
- Wi-Fi connection: Alen uses a dual band Wi-Fi module to connect the purifier via Bluetooth to the Alen Air app.
 - To start Wi-Fi connection via Bluetooth: Press the Auto button for 5 seconds. You will see the Wi-Fi symbol start blinking.
 - To override Wi-Fi connection: Long press the Auto button until it starts blinking. This will reset the purifier to its original factory settings.
 - To stop Wi-Fi connection: Long press the Auto button until it starts blinking, then pull the front panel off the purifier. Wait 5-10 seconds and put the panel back on the purifier.
 - At any time, you can remove your provisioned purifier from the Alen Air app and request your account be removed from the system.

Turn The Lights Off/On

To turn the lights off on your unit, touch the  Power Button. The lights will go out, but the unit will not turn off. Touch any button to turn the lights back on or touch the  Power Button a second time within 5 seconds of the first button touch to turn the unit off completely. You can control your lights by touching the LIGHT button and choosing between LO, HI, AUTO. AUTO adjusts control panel lights based on the ambient light level, dimming or turning off the lights.

CARE & MAINTENANCE

Cleaning Instruction: Control Panel

To avoid scratching the control panel, do not use abrasive/caustic cleaning solutions or scrubbing pads. With the unit unplugged, dampen a clean towel with soap and water to clean the control panel, then dry gently with a soft cloth or paper towel. Glass cleaner (e.g. Windex) is also OK. To avoid damaging electronic components ****DO NOT** allow liquid to seep into the unit.

Replacing The Filter

The Filter Indicator has 3 lights: Green, Yellow, and Red. The Green light will be illuminated for most of the life of the filter. The yellow light will come on shortly before your filter should be replaced. This is the ideal time to order a new filter. You may order a new filter at www.alen.com/filters or by calling 1-800-630-2396. The Red light will be illuminated when it is time to replace the filter.

The filters used in Alen Air Purifiers are not designed to be washed, cleaned, or otherwise reused. Over time, the filters become overloaded with particles, decreasing their filtration performance. We recommend regular filter replacements to extend the life of your air purifier and maximize performance.

To capture larger debris such as dust and hair, every filter comes with an attached screen layer, known as the pre-filter. This layer can be vacuumed periodically to maintain efficient operation of the unit.

Why You Should Replace Your Filter

- You purchased an Alen Air Purifier to improve the quality of your indoor air.
- Changing your filters on time is the only way to maintain an optimal level of air quality.
- Excessively dirty filters reduce airflow and compromise the clean air delivery rate performance of your unit.

ALEN'S FILTER SUBSCRIPTION PLAN — Pure Air Made Simple

Regular replacement of your filter will extend the life of your air purifier and keep your air clean. Alen filters provide efficient filtration depending on usage and conditions for the following:

- 12 to 15 months for the Pure filter
- 7 to 10 months for the Fresh and Odor filters

With Alen's convenient Filter Subscription Plan, your filters will be shipped right to your door, exactly when needed.

Savings — Save 10% over retail and get FREE SHIPPING on every filter.

Convenience — Choose your desired shipping frequency and never run out of filters.

Superior Coverage — Alen's exclusive Forever Guarantee begins when you complete Product Registration and activate your Filter Subscription.

To get started, simply visit www.alen.com/activate or call 1-800-630-2396

How To Replace The Filter

1. Always unplug the unit when installing a filter.
2. Distinguish the front side from the back side of the filter. The front side has a screen pre-filter and pull loop at the top.
3. Place the used filter in a plastic bag to prevent dust from re-entering the air.



1. With the unit standing upright, pull firmly on the cover near the intake vents with one or both hands to release the magnets.

2. After pulling the cover out, lift it away from the unit.



3. Remove used filter by pulling down and out on the pull loop. Place the used filter in a plastic bag to prevent dust from re-entering the air.

4. Take new filter out of the plastic bag, insert the bottom. Firmly push top of filter frame in until it clicks into place.

5. Insert the bottom hooks on the front cover first and then the upper part of the cover will snap into place.



WARNING! RISK OF ELECTRIC SHOCK - To reduce risk of electric shock, do not perform any servicing other than that contained in the operating instructions.

TROUBLESHOOTING TIPS

Unit will not power on.

Check that the power cord is properly seated into the back of the purifier. Firmly push the top of filter frame up and in until it clicks. Last, check that the front panel is on properly (fit snugly to the purifier).

How do I find out what electric specification my unit needs?

Please refer to the rating label on the back of the unit. Here you will find your unit's voltage, hertz, amps and outlet requirements.

Can I clean the filter?

The screen layer of the filter, known as the pre-filter, captures large dust and hair. This layer can be vacuumed to maintain efficient operation of the unit. No other layers or parts of the filter can be washed, cleaned, or otherwise reused. Please replace the filter regularly to maintain optimal performance.

I have an issue not listed in this manual.

Please visit www.alen.com and send us a message or call 1-800-630-2396 during business hours. An Alen Adviser will respond to your inquiry in a timely manner.

What information do I need when I contact customer service for warranty?

Please refer to the rating label on the back of the unit. This rating label has your unit's serial number and other important information we need to assist you.

WARRANTY AND EXTENDED COVERAGE

Please visit <https://alen.com/foreverguarantee> for all warranty information. For any questions, please contact customer service by calling 1-800-630-2396 or email service@alen.com

Alen Corporation
3801 N Capital of Texas Hwy, Ste E240-3460
Austin, TX. 78746

REGULATORY INFORMATION

FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC/ISED RF Exposure Information: This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

Canada

This Class B digital apparatus complies with Canadian ICES-003.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of this device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) L'appareil ne doit pas produire de brouillage; (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

FCC/ISED Informations sur l'exposition RF: Ce matériel doit être installé et exploité à une distance minimale de 20 cm entre le radiateur et votre corps.



Copyright © 2023 Alen Corp. All Rights Reserved.
BreatheSmart 75i_V2_April 02, 2025