



AEROTECH
INFLATABLE SYSTEM

OWNER'S MANUAL

FLOW AERO	FLOWRIDER AERO
BREEZE AERO	EASYRIDER AERO
HD AERO	LOWRIDER AERO
RACKHAM AERO	PRORIDER AERO

DEAR BÔTE NATION MEMBER,


CONGRATULATIONS ON YOUR PURCHASE OF A NEW INFLATABLE PADDLE BOARD. WE TAKE PRIDE IN BRINGING YOU A QUALITY PRODUCT WHICH WILL OFFER YOU YEARS OF PLEASURE. YOUR NEW BOARD IS AN INVESTMENT WHICH DESERVES YOUR CARE AND ATTENTION. PLEASE READ THIS ENTIRE MANUAL TO HELP YOU PROPERLY CARE FOR AND USE YOUR BOARD. IT CONTAINS DETAILS, FEATURES, AND INFORMATION ON THEIR OPERATION AND MAINTENANCE, AS WELL AS SOME SUGGESTED ACCESSORIES TO MAKE YOUR TIME SPENT ENJOYING IT THAT MUCH BETTER. READ IT CAREFULLY TO FAMILIARIZE YOURSELF WITH AERO TECHNOLOGY BEFORE USING IT TO ENSURE SAFETY AND PREVENT ACCIDENTS.



AEROTECH


TOSS THE WORD "INFLATABLE" OUT OF YOUR HEAD. INSTEAD THINK "AERO." IN THE SIMPLEST OF TERMS, OUR AERO TECHNOLOGY CONSISTS OF CONSTRUCTION MATERIALS THAT BY NATURE, CAN EXPAND AND CONTRACT IN VOLUME. BOTE HAS CREATED THIS PRODUCT WITH 4 PERFORMANCE DYNAMICS IN MIND: DURABLE, PORTABLE, STORABLE, AND LIGHTWEIGHT.

AEROBOTE CONSTRUCTION



THE **AEROBOTE** INFLATABLES ARE A GO-ANYWHERE, DO-ANYTHING GROUP OF PADDLE BOARDS. THEY HAVE AN UNCOMPROMISING DESIGN, BRINGING TOGETHER AN ARRAY OF FEATURES FROM OUR SOLID BOARDS. ALL AEROBOTES COME WITH THEIR OWN TRAVEL BAG, PUMP AND 3-PIECE PADDLE. THEY ALL UTILIZE MILITARY GRADE PVC AND DROP-STITCH CONSTRUCTION, MEANING THAT AEROBOTES CAN TAKE ABUSE AND DO IT IN STYLE.

AEROULTRA CONSTRUCTION



CONSTRUCTED WITH A SINGLE LAYER OF MILITARY-GRADE PVC SKIN, **AEROULTRA TECHNOLOGY** IS HIGHLY DURABLE BUT ALSO LIGHTER IN WEIGHT. THE INNER CORE OF OUR AEROULTRAS HAS TENS OF THOUSANDS OF COMPOSITE DROP-STITCH FIBERS THAT MARRY THE TOP AND BOTTOM HALVES OF THE CHAMBER. WHEN UNDER PRESSURE THE FIBERS BECOME TAUGHT AND CREATE AN EXTREMELY RIGID, SOLID PLATFORM.

INCLUDED

SHOWN BELOW ARE THE BASIC COMPONENTS THAT ARE INCLUDED WITH ALL THE AERO PADDLE BOARDS WE OFFER.

*ITEMS SHOWN BELOW MAY DIFFER SLIGHTLY FROM WHAT IS INCLUDED WITH YOUR BOARD



3-PIECE SUP OR
4-PIECE HYBRID PADDLE



TRAVEL BAG



HAND PUMP



REMOVABLE FIN




REPAIR KIT

READY TO USE

STEPS TO INFLATE YOUR BOARD



1. Take items out of the bag and lay the board on a clean surface to roll out your SUP.



2. Remove safety cap from the inflation / deflation valve and attach the pump hose end to the valve, turning to the right to tighten.



3. Stand on the pump and begin to move the handle up and down. Make sure you pump directly up and down to avoid damaging the pump. Air will be pumped into the board on up and down strokes. If you are finding it hard on upward strokes, undo the cap found in the middle of the pump to allow air to only be pumped into the board on downward strokes, making it easier to pump.



4. As the board begins to inflate, the pressure gauge will start to move. Once the pressure gauge reaches between 12 and 15 PSI, detach the pump hose from the air valve and replace the safety cap.

**The pressure gauge will not read until it has reached 10 PSI.*




5. Attach your fin and leash (not included - but recommended) and you are ready to hit the water! Enjoy!


**Always store your board in a cool, dry place or shady area out of reach of direct sunlight to avoid bursting or fading of colors. The sun both weakens the material and seams and increases the pressure beyond its design limits. If you must leave your inflated board out of the water and in direct sunlight or choose to store it partially inflated, reduce pressure until the board is compressible by hand.*

READY TO STORE

STEPS TO DEFLATE YOUR BOARD



1. When you are finished with the board, make sure to clean off any dirt, sand or salt water with fresh water. Then allow the board to dry or dry with a towel. Also remove accessories such as the fin and leash. When ready, remove safety cap and push down on the central valve head to release initial air.



2. After approximately 15 seconds, push down all the way and twist the valve head clockwise to lock air valve open for the remaining air to escape.



3. Begin to roll up the board from the end opposite the air valve making sure to push any remaining air towards the valve. Make sure to roll the board so that the deck pad is on the inside to keep main components safe during storage.



4. Once fully rolled up, use the compression strap to neatly store the SUP back in the carry bag.



5. When storing your SUP, keep it in a clean dry place.

ACCESSORIES

AEROPUMP MINI ELECTRIC PUMPS

WANT YOUR BOARD INFLATED FASTER? THE **AEROPUMP MINI ELECTRIC PUMPS*** ARE HIGH PRESSURE 12 VOLT ELECTRIC PUMPS. THE AEROPUMP MINI COMES WITH A CAR PLUG. THE RECHARGABLE AEROPUMP MINI COMES WITH A CAR PLUG AND USB-C CORD SO YOU CAN CHARGE UP AND INFLATE ON THE GO.



TRAVELINK™ CARRY SLING

THE **TRAVELINK™ CARRY SLING*** WAS DESIGNED TO GET YOU TO YOUR PADDLING SPOT MORE EASILY, COMFORTABLY, AND WITHOUT 'DEAD ARM' SYNDROME. BY SIMPLY CLICKING IN THE TRAVELINK™ ADJUSTABLE CARRY STRAP TO THE D-RINGS ON THE RAIL OF THE BOARD, YOU REMOVE ALL WEIGHT FROM YOUR HANDS AND CARRY THE BOARD MORE SAFELY AND ERGONOMICALLY WITH YOUR SHOULDERS AND BACK. AFTER A FEW SAND DUNE CLIMBS AND GUSTS OF WIND, YOU'LL WONDER HOW YOU EVER CARRIED YOUR SUP WITHOUT TRAVELINK™.



COILED LEASH

NEVER LOOSE YOUR BOARD, OUR 10' **COILED LEASH*** WILL PERFORM TO THE HIGHEST STANDARD IN ANY CONDITIONS, FEATURING A KEY POCKET AND PADDED VELCRO ANKLE CLASP.



BOTE PFDs

SAFETY MEETS FUNCTIONALITY AND COMFORT WHILE OUT ON THE WATER. WE'VE GOT A **BOTE PFD*** STYLE AND FIT FOR EVERY KAYAKER, ANGLER, BOATER, AND PADDLER OUT THERE.




*SOLD SEPARATELY

ACCESSORIES


PADDLE SHEATH

AS WITH THE BOTE SOLID BOARDS, WE FELT THE NEED TO FREE UP OUR HANDS WITH OUR INFLATABLES AS WELL. THE **PADDLE SHEATH** MOUNTS TO OUR COMPATIBLE MODELS. SIMPLY INSERT THE BLADE OF YOUR PADDLE INTO THE SLOT TO FREE UP YOUR HANDS FOR OTHER ACTIVITIES.



SANDSPEAR SHEATH

THE **SANDSPEAR SHEATH** IS ANOTHER COMPANION PRODUCT FOR OUR COMPATIBLE MODELS. IT MOUNTS DIRECTLY TO THE RAIL OF THE INFLATABLES, UTILIZING PRE-INSTALLED MOUNTING POINTS. PLACE THE SPIKE END OF THE SANDSPEAR* THROUGH THE HOLE TO ANCHOR YOUR BOARD IN PLACE.



*SOLD SEPARATELY


ACCESSORIES

RAC RECEIVERS


THESE RECEIVERS MAKE IT POSSIBLE FOR YOUR BOARD TO BE COMPATIBLE WITH OUR RACS*. SIMPLY SLIDE THE **RAC RECEIVERS** INTO YOUR RAC COMPATIBLE INFLATABLE BOARD (OPTIONALLY SCREW IN FOR MORE SECURITY), AND IT'S READY FOR THE TACKLE RAC, MINI ROCKET RAC, OR BUCKET RAC.



1/4-20 X 7/8" LENGTH SCREWS
ACTUAL SIZE - 4 QTY (EACH RECIEVER)



DO NOT USE LONG SCREWS.
BOARD WILL PUNCTURE.



*SOLD SEPARATELY



| BUCKET RAC



| TACKLE RAC



| MINI ROCKET RAC

MINOR REPAIRS

You can repair small punctures* with the included repair kit (A). Please note that in order for the repair to be successful, the humidity level should be less than 60%, temperature between 65°F/77°F or 18°C/25°C. Avoid carrying out repairs in the rain or in direct sunlight.

1. Draw the shape of the patch exactly where it will be applied, use a round patch from the supplied patch kit at least 2"/5 cm larger than the cut/damaged area.
 2. Clean the damaged area and the corresponding side of the patch with a grease remover of the alcohol type and allow for it to dry for 5 minutes.
 3. Apply 3 thin layers of glue on both the patch and the damaged area, allow for it to dry for 5 minutes between layers until the glue feels tacky.
 4. When the third layer of glue is dry, apply the patch without pressing and adjust the positioning if required, press the air bubbles which may have formed under the patch by smoothing the patch with a round object such as a spoon, do this procedure by starting in the center of the patch towards the outside, clean the excess glue with a solvent.
- Drying: 12 hours.



HOW TO:
REPAIR INFLATABLE



CAUTION

Perform all of your repairs in a well-ventilated area. Avoid inhaling glue vapors or swallowing.

Avoid contact with skin and eyes. Keep all repair materials (glue, solvents, etc.) away from children's reach.

*Repairs on the seams must not be glued.

WARRANTY

BOTE® makes every effort to produce boards to the highest quality and standards in the industry. We do quality checks in our factories and warehouses in an effort to guarantee each board's quality before shipping to Authorized BOTE Dealers or directly to the customer. Because of the nature of paddle boarding we cannot warranty the performance of any board or shape for individual riders and varying levels of skills and abilities. Furthermore, we cannot guarantee against damage or breakage and cannot protect or warranty against circumstances outside of our control.

WARRANTY REGISTRATION REQUIRED

The warranty registration form should be completed online within 30 days of original purchase to be activated. You should keep your sales receipt should it be required in the future for proof of purchase. The online Warranty Registration Form can be found at <https://www.boteboard.com/pages/bote-warranty>.

2 YEAR LIMITED WARRANTY

For the original retail purchaser ("Consumer"), BOTE® provides a limited 2-year warranty from date of purchase against material or manufacturing defects in the hull and deck for a registered product.

LIMITATIONS AND EXCLUSIONS

This limited warranty does not apply to the following. Please visit www.boteboard.com/support/warranty for the complete list of limitations and exclusions.

- Normal wear and tear and aging of product.
- AeroBOTE/AeroULTRA damaged while in possession of a freight carrier, a dealer, Consumer, or any party other than BOTE®.
- AeroBOTE/AeroULTRA sold as "demos" or in "as is" condition.
- Cosmetic flaws or colors may vary from those shown. Cosmetic flaws or variations in color are not covered by warranty.
- Does not cover any puncture, cut or abrasion sustained in normal use or damage from unreasonable uses or improper storage.

OBTAINING WARRANTY SERVICE

If you have a problem with your AeroBOTE/AeroULTRA and you suspect that it may be due to defective materials or workmanship, complete the online warranty claim form and await further instruction.

Please visit <https://www.boteboard.com/pages/bote-warranty> to read the complete BOTE Warranty before using your new AeroBOTE/AeroULTRA.



WARRANTY REGISTRATION
Scan the code for more information.

<https://www.boteboard.com/pages/bote-warranty>

WELCOME TO
BOTE NATION

You've always been loyal, but now you can get rewarded for it.
The more BOTE you buy, the more points you earn to redeem for exclusive discounts.

SCAN TO JOIN

- 1 SIGN UP** - CREATE AN ACCOUNT AND START EARNING POINTS
GO TO [BOTEBOARD.COM/BOTENATION](https://boteboard.com/botenation) TO JOIN.
- 2 EARN** - POINTS ARE EARNED EVERY TIME YOU PURCHASE BOTE PRODUCTS
- 3 REDEEM** - REDEEM POINTS FOR EXCLUSIVE DISCOUNTS



YOU INSPIRE US.

Share your adventures with us by tagging your photos. **#BOTEBoards**



BOTEBOARDS



@B0TEB0ARDS



WE'RE HERE TO HELP



If you have any questions, please email us at
support@boteboard.com

WARNING

Use of this product and participation in this activity involves inherent risks of injury or death

- Always wear a USCG approved TYPE III (PFD) Vest
- Never use in conditions that exceed the skill of the participant
- This watercraft IS NOT a personal floatation device
- This watercraft should never be used by children without adult supervision
- Avoid sharp objects that could puncture the watercraft
- Watercraft is inflatable; if there is a significant puncture or blowout, it will lose buoyancy and all ability to keep rider afloat.
- Never use or operate watercraft under the influence of alcohol or drugs
- Never use the watercraft if it is determined to have a leak
- Avoid impacts with floating objects or fixed structures



BOTEBOARD.COM

888.855.4450 | support@boteboard.com

12598 US Highway 98 W, Suite 200 | Miramar Beach, FL 32550 USA

PATENT PENDING