




HANGOUT™
BAR


GETTING STARTED GUIDE

HANGOUT BAR™

The Hangout Bar™ by BOTE is part of our Hangout suite of products and can function as a standalone item or be integrated with the Hangout 240™, Hangout 120™, and more. Featuring a port for your KULA 5™, soft non-slip BVA deck pad foam, and MAGNEPODs™ to keep your BOTE drinkware at your fingertips. Use it as a swim platform, a place to lounge on the water or at the beach, or pair it with other items in the Hangout suite to create the ultimate raft up party – the Hangout Bar™ is stable, versatile, durable, stylish, and sure to be a staple of all of your days on the water.

WELCOME TO BOTE.

FEATURES



A BVA Deck Pad

B MAGNEPOD™

C DockLink Connection Points


D Inflate/Deflate Port

E Grab Handles

F KULA 5 Port

INCLUDED ITEMS

Shown below are the basic components that are included with your Hangout Bar™.



ONE (1) HANGOUT BAR™
WITH MESH CARRY SLING



ONE (1) NANO HAND PUMP



FOUR(4) DOCKLINK CONNECTORS




REPAIR KIT



MESH BAG

HOW TO

Inflating and deflating the Hangout Bar™ is simple. First remove the folded Hangout Bar™ from the bag, unroll, attach the pump hose to the inflation valve and fill 'er up. The Hangout Bar™ is to be filled until the pressure reaches 6-8 PSI. When you are ready to pack it up, do everything in reverse.



CARE & STORAGE

Always store your Hangout Bar™ in a cool, dry place or shady area out of reach of direct sunlight to avoid bursting or fading of colors. The sun both weakens the material and seams and increases the pressure beyond its design limits. If you must leave your Hangout Bar™ out of the water and in direct sunlight, reduce pressure until the Hangout Bar™ is compressible by hand.

The Hangout Bar's™ recommended inflation is between 6-8 PSI.

HOW TO FOLD



1. When you are finished with your Hangout Bar™, make sure to clean off any dirt, sand or salt water with fresh water. Then allow the Hangout Bar™ to dry or dry with a towel.

Begin deflating the by removing the inflate/deflate port cap and pressing the push pin down until you can turn it clockwise to lock it open.

Remove excess air with a pump in deflate mode.



2. Fold the Hangout Bar™ in half.



3. Fold side **A** in toward the center.



4. Fold edge **B** in toward over side **A**.

WARRANTY

BOTE makes every effort to produce our Hangout Bar™ to the highest quality and standards in the industry. We do quality checks in our factories and warehouses in an effort to guarantee each Hangout Bar™ quality before shipping to Authorized BOTE Dealers or directly to the customer. We cannot warranty the performance of any Hangout Bar™ for individual users and varying skill levels and abilities. Furthermore, we cannot guarantee against damage or breakage and cannot protect or warranty against circumstances outside of our control.

WARRANTY REGISTRATION REQUIRED

The warranty registration form should be completed online within 30 days of original purchase to be activated. You should keep your sales receipt should it be required in the future for proof of purchase. The online Warranty Registration Form can be found at www.boteboard.com/support/warranty.

2 YEAR LIMITED WARRANTY

For the original retail purchaser ("Consumer"), BOTE provides a limited 2-year warranty from date of purchase against material or manufacturing defects in the hull and deck for a registered product.

LIMITATIONS AND EXCLUSIONS

This limited warranty does not apply to the following. Please visit www.boteboard.com/support/warranty for the complete list of limitations and exclusions.

- Normal wear and tear and aging of product.
- Hangout Bar™ damaged while in possession of a freight carrier, a dealer, Consumer, or any party other than BOTE.
- Hangout Bar™ sold as "demos" or in "as is" condition.
- Cosmetic flaws or colors may vary from those shown. Cosmetic flaws or variations in color are not covered by warranty.
- Does not cover any puncture, cut or abrasion sustained in normal use or damage from unreasonable uses or improper storage.

OBTAINING WARRANTY SERVICE

If you have a problem with your Hangout Bar™ and you suspect that it may be due to defective materials or workmanship, contact the dealer you purchased your BOTE from and arrange to have the problem inspected. Consumer is responsible for delivery to, and pickup from, the closest authorized dealer.

If you purchased the product directly from BOTE or a BOTE Retail Store, complete the online warranty claim form and await further instruction. Please visit www.boteboard.com/support/warranty to read the complete BOTE Warranty before using your new Hangout Bar™.



WARRANTY REGISTRATION
Scan the code for more information.

SUGGESTED ACCESSORIES

The Hangout Bar by BOTE is part of our Hangout suite of products and can function as a standalone item or be integrated with the Hangout 240, Hangout 120, and more using our DockLink System.



KULA 5 COOLER



HANGOUT 240



HANGOUT 120



MAGNETUMBLER

WE'RE HERE TO HELP



If you have any questions, please email us at
support@boteboard.com

WARNING

This is not a toy. Adult supervision is required.

- This is not a lifesaving device.
- Always wear a USCG approved Type III PFD when using this product.
- This product should never be towed.
- Never use this product in the surf zone or high rushing water.
- Do not swim under platform.
- Do not dive from platform.
- Failure to comply could lead to injury or death.



BOTEBOARD.COM

888.855.4450 | support@boteboard.com

12598 US Highway 98 W, Suite 200 | Miramar Beach, FL 32550 USA

Patent Pending