




HANGOUT™

LADDER


GETTING STARTED GUIDE

HANGOUT LADDER™

The Hangout Ladder™ by BOTE is part of our Hangout suite of products and can function as a standalone item or be integrated with the Hangout Docks™, Hangout Couches™, and more using our DockLink System. Pair it with other items in the Hangout suite to create the ultimate raft up party – the Hangout Ladder™ is stable, versatile, durable, stylish, and sure to be a staple of all your days on the water.

WELCOME TO BOTE.

FEATURES



A Weighted & Self Draining Submersible Steps

B DockLink Connection Points


C Grab Handles

D Inflation Valve

E BVA Deck Pad

INCLUDED ITEMS

Shown below are the basic components that are included with your Hangout Ladder™.



ONE (1) HANGOUT LADDER™



FOUR(4) DOCKLINK CONNECTORS




MESH SLING BAG



REPAIR KIT

HOW TO

Inflating and deflating the Hangout Ladder™ is simple. First remove the folded Hangout Ladder™ from the mesh sling bag, unroll, attach the pump hose to the inflation valve and fill 'er up. The Hangout Ladder™ is to be filled until the pressure reaches 6-8 PSI. When you are ready to pack it up, do everything in reverse.



CARE & STORAGE

Always store your Hangout Ladder™ in a cool, dry place or shady area out of reach of direct sunlight to avoid bursting or fading of colors. The sun both weakens the material and seams and increases the pressure beyond its design limits. If you must leave your Hangout Ladder™ out of the water and in direct sunlight, reduce pressure until the Hangout Ladder™ is compressible by hand.

The Hangout Ladder's™ recommended inflation is between 6-8 PSI.

HOW TO FOLD




1. When you are finished with your Hangout Ladder™, make sure to clean off any dirt, sand or salt water with fresh water. Then allow the Hangout Ladder™ to dry or dry with a towel.

Begin deflating by removing the inflate/deflate port cap and pressing the push pin down until you can turn it clockwise to lock it open.

Remove excess air with a pump in deflate mode.



2. Fold side **A** inward.



3. Fold side **B** inward over **A**.



4. Roll the back towards the front.


HOW TO FOLD



5. Continue to roll the back towards the front.



6. Secure with the included strap.



7. Finally, place inside of the Mesh Sling Bag.

WARRANTY

BOTE makes every effort to produce our Hangout Ladder™ to the highest quality and standards in the industry. We do quality checks in our factories and warehouses in an effort to guarantee each Hangout Ladder™ quality before shipping to Authorized BOTE Dealers or directly to the customer. We cannot warranty the performance of any Hangout Ladder™ for individual users and varying skill levels and abilities. Furthermore, we cannot guarantee against damage or breakage and cannot protect or warranty against circumstances outside of our control.

WARRANTY REGISTRATION REQUIRED

The warranty registration form should be completed online within 30 days of original purchase to be activated. You should keep your sales receipt should it be required in the future for proof of purchase. The online Warranty Registration Form can be found at www.boteboard.com/support/warranty.

2 YEAR LIMITED WARRANTY

For the original retail purchaser ("Consumer"), BOTE provides a limited 2-year warranty from date of purchase against material or manufacturing defects in the hull and deck for a registered product.

LIMITATIONS AND EXCLUSIONS

This limited warranty does not apply to the following. Please visit www.boteboard.com/support/warranty for the complete list of limitations and exclusions.

- Normal wear and tear and aging of product.
- Hangout Ladder™ damaged while in possession of a freight carrier, a dealer, Consumer, or any party other than BOTE.
- Hangout Ladder™ sold as "demos" or in "as is" condition.
- Cosmetic flaws or colors may vary from those shown. Cosmetic flaws or variations in color are not covered by warranty.
- Does not cover any puncture, cut or abrasion sustained in normal use or damage from unreasonable uses or improper storage.

OBTAINING WARRANTY SERVICE

If you have a problem with your Hangout Ladder™ and you suspect that it may be due to defective materials or workmanship, contact the dealer you purchased your BOTE from and arrange to have the problem inspected. Consumer is responsible for delivery to, and pickup from, the closest authorized dealer.

If you purchased the product directly from BOTE or a BOTE Retail Store, complete the online warranty claim form and await further instruction. Please visit www.boteboard.com/support/warranty to read the complete BOTE Warranty before using your new Hangout Lounge™.



WARRANTY REGISTRATION

Scan the code for more information.

WE'RE HERE TO HELP



If you have any questions, please email us at
support@boteboard.com

WARNING

This is not a toy. Adult supervision is required.

- This is not a lifesaving device.
- Always wear a USCG approved Type III PFD when using this product.
- This product should never be towed.
- Never use this product in the surf zone or high rushing water.
- Do not swim under platform.
- Do not dive from platform.
- Failure to comply could lead to injury or death.



BOTEBOARD.COM

888.855.4450 | support@boteboard.com

12598 US Highway 98 W, Suite 200 | Miramar Beach, FL 32550 USA

PATENT PENDING