


BÖTE



VÁLI


GETTING STARTED GUIDE

VALI OVERVIEW

The VALI Aero is BOTE's lightest inflatable kayak ever. Built for paddlers who want to go farther without the bulk, the weight, or the hassle. Whether you're sneaking in a sunrise paddle or venturing deep into the wild, VALI makes it easy to grab your gear and hit the water faster. It's freedom, packed tight.

VALI/FEATURES

VALI AERO KAYAK 13' SHOWN



A 3 Inflate/Deflate Ports **B** Front and Rear Splash Guards **C** Soft Grab Handles

D Ultralight AeroUltraX Technology **E** MAGNEPOD™ Magnetic Bases

F Bungee Storage **G** D-Ring Attachment Points **H** TPU Drop-Stitch Floor

INCLUDED ITEMS

Shown below are the basic components that are included with your VALI Aero Kayak.



ONE (1) VALI AERO KAYAK (11', 13', OR 15')

ONE (1) SOFTY SEAT (11' AND 13')

- TWO (2) SOFT SEATS (15')

ONE (1) FOOTREST (11' AND 13')

- TWO (2) FOOTRESTS (15')



ONE (1) TRAVEL BAG



ONE (1) AERO HAND PUMP




ONE (1) AERO REPAIR KIT

HOW TO

Inflating and deflating the Vali Aero Kayak is simple. First remove the folded kayak from the travel bag, unroll, insert the drop-stitch floor, attach the pump hose to the inflation valves and fill 'er up.

When you are ready to pack it up, do everything in reverse.



CARE & STORAGE

Always store your Vali Aero Kayak in a cool, dry place or shady area out of reach of direct sunlight to avoid bursting or fading of colors. The sun both weakens the material and increases the inflated air pressure beyond its designed limits. If you must leave your Vali Aero Kayak out of the water and in direct sunlight, reduce the inflated air pressure until the kayak is compressible by hand.

Recommended inflation for floor chamber between 5-6 PSI.

Recommended inflation for side chambers between 2-3 PSI.

HOW TO FOLD



1. When you are finished with your Vali Aero Kayak, make sure to clean off any dirt, sand or salt water with fresh water and allow the kayak to dry. Remove accessories such as the center fin, softy seat(s) and footrest(s).

Begin deflating by removing the inflate/deflate port cap and pressing the push pin down until you can turn it clockwise to lock it open. Remove excess air with a hand pump or electric pump in deflate mode.



2. For easier setup and storage, keep your deck inside the pontoon hull.

Tuck in the nose cone and begin folding the front of the kayak in toward the center.



3. Then, tuck in the rear cone and begin folding the rear of the kayak in toward the center.



4. Continue folding the rear, bringing the folded rear section over the folded front section.

Your kayak should be in burrito form.

HOW TO FOLD



- 5.** Place your rolled kayak into the travel bag.

Gather your accessories such as the center fin, kayak paddle(s), softy seat(s) and footrest(s).



- 6.** Pack your accessories into the travel bag.



- 7.** Zip up your travel bag and you're ready to go.

WARRANTY

BOTE makes every effort to produce our VALI Aero Kayak to the highest quality and standards in the industry. We do quality checks in our factories and warehouses in an effort to guarantee each VALI Aero Kayak quality before shipping to Authorized BOTE Dealers or directly to the customer. We cannot warranty the performance of any VALI Aero Kayak for individual users and varying skill levels and abilities. Furthermore, we cannot guarantee against damage or breakage and cannot protect or warranty against circumstances outside of our control.

WARRANTY REGISTRATION REQUIRED

The warranty registration form should be completed online within 30 days of original purchase to be activated. You should keep your sales receipt should it be required in the future for proof of purchase. The online Warranty Registration Form can be found at www.boteboard.com/support/warranty.

2 YEAR LIMITED WARRANTY

For the original retail purchaser ("Consumer"), BOTE provides a limited 2-year warranty from date of purchase against material or manufacturing defects in the hull and deck for a registered product.

LIMITATIONS AND EXCLUSIONS

This limited warranty does not apply to the following. Please visit www.boteboard.com/support/warranty for the complete list of limitations and exclusions.

- Normal wear and tear and aging of product.
- VALI Aero Kayak damaged while in possession of a freight carrier, a dealer, Consumer, or any party other than BOTE.
- VALI Aero Kayak sold as "demos" or in "as is" condition.
- Cosmetic flaws or colors may vary from those shown. Cosmetic flaws or variations in color are not covered by warranty.
- Does not cover any puncture, cut or abrasion sustained in normal use or damage from unreasonable uses or improper storage.

OBTAINING WARRANTY SERVICE

If you have a problem with your VALI Aero Kayak and you suspect that it may be due to defective materials or workmanship, contact the dealer you purchased your BOTE from and arrange to have the problem inspected. Consumer is responsible for delivery to, and pickup from, the closest authorized dealer.

If you purchased the product directly from BOTE or a BOTE Retail Store, complete the online warranty claim form and await further instruction. Please visit www.boteboard.com/support/warranty to read the complete BOTE Warranty before using your new VALI Aero Kayak.



WARRANTY REGISTRATION

Scan the code for more information.

WE'RE HERE TO HELP



If you have any questions, please email us at
support@boteboard.com

WARNING

This is not a toy. Adult supervision is required.

- This is not a lifesaving device.
- Always wear a USCG approved Type III PFD when using this product.
- This product should never be towed.
- Never use this product in the surf zone or high rushing water.
- Do not swim under platform.
- Do not dive from platform.
- Failure to comply could lead to injury or death.

BOTE® | www.boteboard.com

12598 Emerald Coast Pkwy. Suite 200 | Miramar Beach, Florida 32550



AR Experts B.V. | info@ar-experts.eu

Amerlandseweg 7 | 3621 ZC Breukelen | The Netherlands



UKCA Experts Ltd. | Dept 302, 43 Owston Road
Carcroft, Doncaster, DN6 8DA | United Kingdom



BOTEBOARD.COM

888.855.4450 | support@boteboard.com

12598 US Highway 98 W, Suite 200 | Miramar Beach, FL 32550 USA

PATENT PENDING