



Parts Manual

Mfg. No: 48G24G60X8A
96042005807, 24HP 48" Murray Lawn
Tractor (2010)


Model Components	Page
48" Mower Deck - Housing, Arbors & Blades Group (48G24G60X8A).....	4
48" Mower Deck -Lift Group (48G24G60X8A).....	8
Chassis Group (48G24G60X8A).....	10
Decals Group (48G24G60X8A).....	12
Drive Group (48G24G60X8A).....	14
Electrical Group (48G24G60X8A).....	18
Engine Group (48G24G60X8A).....	20
Seat Group (48G24G60X8A_48G24G22).....	22
Steering Group (48G24G60X8A).....	24
Wheels & Tires Group (48G24G60X8A).....	26
Torque Specification Chart.....	28

Not For
Reproduction

48" Mower Deck - Housing, Arbors & Blades Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



48" Mower Deck - Housing, Arbors & Blades Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	197216		Deck Weldment Mower -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
6	708295		Cover Mandrel LH
7	708332		Cover Mandrel RH
8	709258		Bolt 7/16 Asm.
11	180054		Blade High Lift -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
12	708349		Rod Anti-Sway
13	187291		Shaft Asm. w/Lower Bearing -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
14	705048		HOUSING, Mandrel
15	704992		Bearing, Ball, Mandrel
16	709227		Washer 13/32 x 13/16 x 12 Ga.
17	708483		Bolt 5/16-18 x 5/8
18	709422		Bolt RdHd 5/16-18 unc x 5/8
19	709276		Pin Cotter 5/16 Bow Tie Lock
20	708186		Baffle Vortex
21	709430		Nut, Crownlock 5/16-18 unc
22	708187		Stripper Mandrel Deck
24	709007		Cap Sleeve
25	708194		Spring, Torsion
26	709016		Nut, Push
27	708585		Deflector Shield
29	709051		Rod, Hinge
30	709158		Screw, Thdroll Washer Head
31	709215		Spacer, Mandrel
32	709096		Pulley, Mandrel
33	709296		Nut, Flg. Top Lock
39	708310		Pulley, Idler
43	708271		Arm, Idler
46	709067		Screw, Thdroll. 1/4-20 x 5/8
47	197242		Belt Drive Deck -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
48	705061		Pulley Idler Primary
49	709088		Nut, Lock Flg. 3/8-16 unc
50	708476		Screw 3/8-16 x 2-1/4 unc
52	705114		Pulley Idler
54	709417		Bolt Carr. 3/8-16 x 1-1/2 Gr. 5
97	709186		Washer Hardened
98	196105		Spring Drive -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
113	708484		Bolt Rdhd Sqnk 5/16-18 x 3/4
114	708311		Rod Tension Relief
116	708232		Bolt, Shoulder
117	174873		Gauge Wheel -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
120	19132012		Washer 13/32 x 1-1/4 x 12 Ga. -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
122	187557		Bushing Tension Relief -(This part is not serviced by Briggs & Stratton.) (Refer to Note**)
185	705354		Nut Lock Flange 7/16-14 Gr. 5


Footnotes:

Note** For Parts and service, please contact HOP via www.husqvarna.com.

48" Mower Deck - Housing, Arbors & Blades Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



48" Mower Deck - Housing, Arbors & Blades Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
187	705088		Stud Fastr. w/"D" Anti-Rotation
188	708491		Nut Lock Hex Flange
189	708254		Arm Susp. Mower Rear
190	705100		Bolt Shoulder
194	708487		Bolt Carr Sqnk 3/8-16 x 2-1/4
208	709191		Screw 3/8-16 x 1/2
--	708209		Mandrel Assembly -(Includes Ref. Nos. 13, 14 & 15 only; pulley/nut/washer & blade bolt/washers not included)
--	708343		Replacement Mower, Complete

Not For
Reproduction

Footnotes:

Note** For Parts and service, please contact HOP via www.husqvarna.com.

48" Mower Deck -Lift Group (48G24G60X8A)

48" Mower Deck -Lift Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
2	705239		Shaft Asm., Cross Lift
3	708258		Lever Asm., Lift
7	708632		Grip, Lever
10	705098		Spring Torsion
87	709277		Pin Cotter 7/16 Bow Tie Lock
88	708262		Spring Lift Assist
89	770313		Washer Clear Zinc
90	709276		Pin Cotter 5/16 Bow Tie Lock
91	708322		Link Lift Susp Mower Rear
97	709148		Screw 3/8-16 x .75 Smgml Tap/R.Z
98	708260		Link Lift Susp. Front Mower

Not For
Reproduction


Footnotes:

Note* See your local Murray distributor for parts and service.

Chassis Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Chassis Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
5	708622		Dash
14	708580		Hood
18	708581		Grille
34	708274		Plate Engine
36	709152		Screw 5/16-18 x 3/4
37	708646		Fender
58	708237		Bracket Fender
68	709162		Screw Thdrol 5/16-18 x 1/2
122	708223		Screw WSHD Hex 10-32 x 5/8
130	709330		Screw 10 x .750 BOS Thread
139	708181		Bolt Shoulder
148	708174		Bumper
150	708191		Duct Heat Hood
152	705129		Shield Browning/Debris
153	179761		Lens Bar -(This part is not serviced by Briggs & Stratton.)
161	708600		Console Fuel Window
162	709081		Screw Hex Wsh Hi-Lo 1/4 x 1/2
165	705101		Bracket Support Tank
175	708230		Crossmember
176	705137		Screw #10-24 x 5/8 Rnd Qudrx
177	705091		Bushing Steering
178	708266		Cargo Asm. Net
180	708264		Chassis
181	705433		Bushing Mtg. Fender Crgo.
182	708224		Dash Lower
183	74780520		Bolt Fin Hex 5/16-18 unc x 1-1/4
189	705321		Screw 5/16-18 x 3/4
194	708491		Nut Lock Hex Flange 5/16-18
196	196379X428		Console Asm. Deck Lift -(This part is not serviced by Briggs & Stratton.)
198	197300X505		Indicator Deck Lift -(This part is not serviced by Briggs & Stratton.)
199	708285		Plate Deck Lift
205	708576		Skirt Hood RH
206	708577		Skirt Hood LH
222	709067		Screw Thd Roll 1/4-20 x 5/8
228	705088		Stud Fastener
235	705173		Spacer Fender
236	705355		Nut Center Lock 5/16-18 unc
278	708286		Bracket Pickoff Hood
289	708635		Phone Plug

Footnotes:


Note** For Parts and service, please contact HOP via www.husqvarna.com.

Note* See your local Murray distributor for parts and service.

Decals Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Decals Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	709078		Decal, Saddle Brake Parking
2	709284		Decal, Warning Eng. Sym.
3	429033		Decal, PNL SD -(This part is not serviced by Briggs & Stratton.)
4	709282		Decal, Cutfinger Warning
5	708396		Decal, Engine HP
6	709364		Decal, Fender
7	708432		Decal, Steering Wheel
8	708329		Decal, B-Belt Schematic
9	709084		Decal, Battery Dnge/Poi
10	709111		Decal, Brake/Clutch Symbol
11	709297		Decal, Warning CE
12	709203		Decal, Cutfinger
14	709365		Decal, Hood
--	708602		Pad, Footrest, LH
--	708601		Pad, Footrest, RH
--	709114		Decal, Load Limit
--	427133		Manual, Operator's (E/S)
--	429012		Manual, Operator's Portuguese
--	429015		Manual, Parts

Footnotes:


Note** For Parts and service, please contact HOP via www.husqvarna.com.

Note* See your local Murray distributor for parts and service.

Drive Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Drive Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	-----		TRANSAXLE, Peerless P820-40 -(Order Parts from Transaxle Mfgr.)
2	708686		Key 1/4 x 2.5
7	708341		Hub Asm. Wheel Rear
9	708017		Bolt Hub Wheel Rear
15	709228		Washer 13/32 x 13/16 x 16 Ga.
17	708307		Spring, Brake
22	708351		Shift Shaft Asm.
23	709014		Knob
26	708312		Spring Brake Return
29	708302		Rod, Brake
33	708470		Ring E #5133-100
35	708303		Rod, Brake, Park
42	709453		Cover, Foot Pedal
49	709418		Bolt
50	770315		Pulley Idler Flat
51	709088		Lock Nut 3/8-16
52	770314		Idler V-Groove 910" Offset
56	708337		V-Belt, Drive
61	708268		Pulley Transaxle
64	708277		Shaft Asm. Pedal Brake Control
67	709227		Washer 13/32 x 13/16 x 12 Ga.
69	708569		Washer
70	708599		Console
74	709081		Screw 1/4 x 1/2
93	708305		Link Shift
116	708491		Nut Lock Hex Flange 5/16-18
125	705321		Screw 5/16-18 x 3/4
139	709437		Bolt 1/4-28
140	709001		Washer Lock Hvy Helical
141	709222		Washer 9/32 x 3/4 x 10
143	709162		Screw 5/16-18 x 1/2
144	708345		Washer Spacer Axle
155	708469		Ring Retainer
157	709008		Washer Plate
158	708267		Belt Keeper
159	709446		Pin Cotter 1/8 x 3/4
160	705029		RETAINER CLIP
161	704989		Spring, Return, Clutch
165	708279		Busing Shaft Brake Hand Control
166	708429		Nut Push .625
167	705165		Latch Brake Parking
169	705359		Bolt 5/16-18 x Gr. 5
172	708282		Strap Torque LH
173	708283		Torque Strap RH
174	708304		Nut Push
175	708281		Shaft Asm. Shift Gear Drive
176	708280		Arm Clevis Rod Shift
178	708313		Spring Shift


Footnotes:

Note* See your local Murray distributor for parts and service.

Drive Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Drive Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
184	708623		Handle Parking Brake
185	709420		Bolt
186	705070		Spacer Retainer
187	709233		Washer
188	705078		Link Clutch Ground Drive
189	705068		Bellcrank Ground Drive
190	705069		Keeper Bellcrank Ground
192	709092		Nut Lock Center 1/4-28
194	709152		Screw 5/16-18 x 3/4
195	708308		Bracket Brake Rod
196	709149		Screw 3/8-16 x 1
197	708339		Bracket Anti-Rotation Clutch
202	708477		Washer
216	705096		Bracket Pulley Idler
221	705155		Retainer Spring Clip Handle
228	708354		Bracket Anti-Sway
229	708473		Screw 5/16-18 x 1
232	708504		Bolt 7/16-14 x 1 Gr. 5
233	708379		Washer Serrated


Footnotes:

Note* See your local Murray distributor for parts and service.

Electrical Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Electrical Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	709116		BATTERY
2	709438		Bolt Hex Head 1/4-20 x 3/4
8	705046		Box Battery
16	705042		Switch Interlock Push-In
21	709179		Harness Socket Light w/4152J
22	709329		Bulb Light
24	705135		Battery Cable
25	708403		Cable Starter
26	705040		Fuse
27	709428		Nut Keps Hex 1/4-20 unc
28	708043		Cable, Ground
29	770337		Switch, Seat
30	705064		SWITCH, IGNITION
33	704428		Key/Chain
34	709017		Switch Light/Reset
40	708358		Harness Ign. Dash
41	709192		Screw Thd Cut 1/4-20 x 1/2
42	709053		Cover, Terminal
43	705055		Solenoid
46	705146		Gauge Hourmeter
50	708023		Switch, PTO
55	709152		Screw Thdrol 5/16-18 x 3/4
59	708348		Outlet 12-Volt
71	705067		HARNESS, Ignition Chassis
79	709171		Bulbholder Asm. Incandescent
90	708352		Cover Terminal Battery
91	705053		Strap Battery Mount Front
92	709283		Harness Pigtail Console
93	709245		Screw Plastite 10-14 x 2.0
94	709238		Module Reverse
99	709189		Screw Hexwsh Thdrol 1/4-20 x 3/4
100	709223		Washer 9/32 x 7/8 x 16 Ga.
103	708389		Pigtail


Footnotes:

Note* See your local Murray distributor for parts and service.

Engine Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Engine Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	445677-1201-B1		ENGINE, 24HP Briggs & Stratton -(Engine Model: 445677-1201-B1)
2	707983		Muffler
9	708240		Keeper Asm. Belt Engine
11	708195		Clutch Electric
12	194342		Pulley Engine -(This part is not serviced by Briggs & Stratton.)
15	708233		Tank Fuel 4.0
18	195951		Cap Asm -(This part is not serviced by Briggs & Stratton.)
20	708673		Control TH/CK
21	709330		Screw 10 x .750 BOS Thread
28	705141		Fuel Line
29	709065		Spark Arrester Kit
37	709034		Clamp Hose
41	708571		Washer 1-1/2 OD x 15/32 ID x .250
42	709004		Washer Lock 7/16
45	709428		Nut Keps 1/4-20 unc
62	708045		Shield Heat Muffler
69	705028		Gasket (Order from Eng. Mfgr.)
70	159955		Tube Exhaust LH -(This part is not serviced by Briggs & Stratton.)
71	160589		Tube Exhaust RH -(This part is not serviced by Briggs & Stratton.)
79	705044		Screw Socket Head 5/16-18 x 1
81	770311		Tube Drain Oil Easy
84	709153		Screw 3/8-16 x 1-1/4
85	708198		Bolt Hex 7/16-20 x 3.75 Gr. 5
87	708324		Bolt 5/16-18 unc x 1 w/Sems
90	709149		Screw 3/8-16 x 1
91	187495		Bushing -(This part is not serviced by Briggs & Stratton.)

Footnotes:

Note** For Parts and service, please contact HOP via www.husqvarna.com.


Note* See your local Murray distributor for parts and service.

* For service and replacement parts, call Briggs & Stratton at 1-800-233-3723

Seat Group (48G24G60X8A_48G24G22)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Seat Group (48G24G60X8A_48G24G22)

REF NO	PART NO	QTY	DESCRIPTION
1	705174		Seat
2	705043		BRACKET, Pivot
3	708024		Strap, Asm Fender
6	709433		Nut, Lock w/Ins. 3/8-16 unc
7	709040		Spring, Seat Cprsn
8	705031		Bolt 5/16-18 unc x 3/4 w/Sems
10	705102		Pan, Seat
21	709154		Bolt, Shoulder 5/16-18
37	705350		NUT, LOCK 5/16-18 UNC
40	708319		Handle Slide Seat
41	705122		Spring Latch Seat
43	705365		Bolt 3/8-16 x 3/4
44	705337		Washer 13/32 x 2-3/8 x 12 Ga.

Not For
Reproduction


Footnotes:

Note* See your local Murray distributor for parts and service.

Steering Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Steering Group (48G24G60X8A)

REF NO	PART NO	QTY	DESCRIPTION
1	770342		Wheel, Steering
2	705095		Axle Asm., Front
4	708367		Spindle Asm., LH
5	708368		Spindle Asm., RH
6	705006		Bearing, Race Thrust Harden
7	709030		Washer 25/32 x 1-5/8 x 16 Ga.
8	709023		Ring, Clip #T5304-75
9	709026		Cap, Spindle
13	709031		Washer 25/32 x 1-1/4 x 16 Ga.
14	709003		Washer, Lock Hvy Hlcl Spr 3/8
15	709429		Nut, Crown Lock 3/8-24 unf
16	194746		Shaft Steering -(This part is not serviced by Briggs & Stratton.)
19	705081		Plate Steering
20	708626		Boot, Steering
21	709208		Adapter, Wheel Steering
22	708251		Bushing, Strg. Blk
26	705242		Insert, Wheel Steering
28	709148		Screw 3/8-16 x 3/4
35	770316		Gear, Sector Plate
45	708480		Washer 9/16 x 2-3/8 x 12 Ga.
51	705357		Nut Hex Jam Toplock 1/2-20 unf
53	709218		Washer Hardened .793 x 1.637 x .060
57	708294		Bracket Upstop
58	770319		Bolt Shoulder Sector Pivot CFM
59	705087		Washer Thrust Sector Steering
60	708497		Nut Flange Lock 5/8-11
61	770317		Draglink, LH
62	770318		Draglink, RH
63	705321		Screw 5/16-18 x 3/4
64	705132		Retainer Clip Spring Steering
66	708481		Bolt Hex Fghd 7/16-14 x 3 Serr
67	705083		Bushing PM Front Axle
68	705354		Nut Lock Flange 7/16-14 Gr. 5
69	705125		Washer 1.5 x .505 x .118
70	705097		Bracket Deck Susp. Front

Footnotes:


Note** For Parts and service, please contact HOP via www.husqvarna.com.

Note* See your local Murray distributor for parts and service.

Wheels & Tires Group (48G24G60X8A)

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 48G24G60X8A



Wheels & Tires Group (48G24G60X8A)




REF NO	PART NO	QTY	DESCRIPTION
1	709406		Cap, Valve, Tire
2	709408		Stem, Valve
3	708566		Rim Assembly, Front
4	708688		Tube, Front
5	708567		Tire, Front
6	709293		Fitting, Grease
7	709454		Bearing, Flange
8	709006		Cap, Axle (Front Wheel Only)
9	708565		Tire, Rear
10	708687		Tube, Rear
11	708568		Rim Assembly, Rear
- -	709082		Sealant, Tire (10 oz. Tube)

Not For
Reproduction

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	 Class 5.6		 Class 8.8		 Class 10.9		 Class 12.9	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150

The guides and ruler furnished below are designed to help you select the appropriate hardware.



Standard Hardware Sizing

When a washer or nut is identified as 1/2" (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).


When bolt or capscrew is identified as 1/2 - 16 x 2" (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (*distance between threads*). The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	 SAE Grade 2		 SAE Grade 5		 SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types



Wrench & Fastener Size Guide

 1/4" Bolt or Nut Wrench—7/16"	 5/16" Bolt or Nut Wrench—1/2"	 3/8" Bolt or Nut Wrench—9/16"	 7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	 1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22mm

