

Parts Manual

Mfg. No: 5601564

61" iCD TURBO-Pro; 3-Bag Hard Top
Grass Collection System (700/125XT)

Model Components	Page
2-Bag & 3-Bag Catcher & Cover Group - Hard Top System.	4
2-Bag & 3-Bag Mount Group - Hard Top System.	6
Blower Group, TURBO-Pro.	8
Blower Mount Group, TURBO-Pro.	10
Blower Pulley Group, TURBO-Pro.	12
Decal Group - Hard Top Collection System.	16
Decal Group - Turbo Pro Blower S/N: 07/2014 & Above.	18
Mower Deck Guards and Spindle Pulleys - Single & 2-Belt Driven Mower Decks.	20
Weight Mount Group, 66/100 LBS.	22
Torque Specification Chart.	24


Not For
Reproduction

2-Bag & 3-Bag Catcher & Cover Group - Hard Top System

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5104362
5104363





2-Bag & 3-Bag Catcher & Cover Group - Hard Top System

REF NO	PART NO	QTY	DESCRIPTION
1	5104363X1	1	TOP ASSEMBLY / P3B / FERRIS - NET -(3-Bag Collection System)
2	5104363X3	2	RED REFLECTOR DECAL - NET
3	5104363X2	2	RUBBER STRAP W/HOOKS - NET
4	5104363X5	1	P2B INLET / 6 INCH / CUT -(Fits Collection Systems with 6" or 7" Hose)
5	5104362X2	1	P2B INLET / 6 INCH / CUT -(Fits Collection Systems w/ 6" Hose)
6	5025396	2	NUT, Hex Flange, Nylock, 1/2-13
7	5025158	2	WASHER, 1/2 SAE
8	5025017X20	2	BOLT, 1/2-13 X 2-1/2" GD5 CZ
9	5104362X1	1	TOP ASSEMBLY / P2B+ / FERRIS - NET -(2-Bag Collection System)
10	5104363X7	1	VAC KIT HW / P3B / FERRIS - NET
11	5104363X8	3	PART B0227 BAG RING / GENERIC - NET -(Qty: 2 - 2-Bag Collection System)
12	5104363X9	6	PART J0274 VINYL CAP - NET -(Qty: 4 - 2-Bag Collection System)
13	5104878	3	BAG COLLECTION SYSTEM SMALL -(Qty: 2 - 2-Bag Collection System)
14	5022876	1	CLAMP, HOSE, LOWER -(FAST-Vac & TURBO-Pro MAX Systems)
15	5103646	1	HOSE, FLEXIBLE, 7" DIA. X 58" -(FAST-Vac & TURBO-Pro MAX Systems)
16	5022875	1	CLAMP, HOSE, UPPER -(FAST-Vac & TURBO-Pro MAX Systems)
17	5103469	2	CLAMP, 6" UPPER & LOWER, COLLECTORS -(TURBO-Pro Systems)
18	5103471	1	HOSE, FLEXIBLE, 6" DIA X 54" -(TURBO-Pro Systems)

2-Bag & 3-Bag Mount Group - Hard Top System

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564



2-Bag & 3-Bag Mount Group - Hard Top System


REF NO	PART NO	QTY	DESCRIPTION
1	5412691A	2	WELD, HARD TOP, MOUNTING POST - BLK
2	5402665A	4	BRACKET, BAGGER MOUNT - BLK
3	5400149AYP	1	WELD, BAGGER MNT,1500 -(3-Bag Collection System)
4	5100009	3	U-BOLT, 3/8" X 1-1/4"
5	5100013	2	PIN, HITCH, .50 X 3.25 W/ LAY (SV)
6	5025394	6	NUT, 3/8 - 16 HEX NYLOCK FLANGE
7	5025158	2	WASHER, 1/2 SAE
8	5025017X20	2	BOLT, 1/2-13 X 2-1/2" GD5 CZ
9	5025396	2	NUT, Hex Flange, Nylock, 1/2-13
10	5025013X8	9	BOLT, 3/8-16 X 1" GD5 CZ
11	5025156	9	WASHER, 3/8 SAE
12	5025394	9	NUT, 3/8 - 16 HEX NYLOCK FLANGE
13	5412980A	1	WELD, 2 BAG MOUNT - BLK -(2-Bag Collection System)
14	5412688A	1	PLATE, PECO MOUNT - BLK -(Flat Tube Bumpers, 52" Decks, 2-Bag Collection System)
15	5025013X10	2	BOLT, 3/8-16 X 1-1/4" GD5 CZ
16	5401514A	1	WELD, BAGGER MOUNT, IS3100Z - BLK -(IS3100Z Models Only)

Blower Group, TURBO-Pro

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5303070



Blower Group, TURBO-Pro


REF NO	PART NO	QTY	DESCRIPTION
1	5412569	1	ASSM, HOUSING W/ INTERNAL RING, TURBO
2	5409207	1	WELD, FAN ASSEMBLY, TURBO
3	5409023A	1	PLATE, BLOWER TURBO - BLK
4	1705267	1	PLATE-COVER, BLACK POLY FOR LTH MDVS
5	1665982	4	RETAINER, BEARING CLEAR ZINC
6	2108202	2	BEARING-BALL 0.750ID 1.780OD 0.610LG
7a	5409525A	1	WELD, ANCHOR ASSEMBLY, 48/52 - BLK -(52" & 48" Mower Decks)
7b	5409524A	1	WELD, ANCHOR ASSEMBLY, 44 - BLK -(44" Mower Decks)
7c	5410286A	1	WELD, SPRING ANCHOR, 61 TP - BLK -(61" Mower Decks)
8	5025145X6	6	BOLT, 5/16-18 X 3/4, CARRIAGE
9	5025498	6	5/16 PUSH-ON NUT RETAINER, STL, CZ
10	5025127	6	NUT, 5/16-18 HEX SERRATED FLANGE (SMALL)
11	-----	4	HHCS, 1/4-20 X 0.625, GR5, ZINC/CLEAR
12	5025010X8	2	BOLT, 1/4-20 X 1" GD5 CZ
13	5025391	6	NUT, 1/4-20 HEX NYLOCK FLANGE
14	80003518	5	BOLT, 1/4-20X0.750, GR5, STD NECK, SQ, ZC/CL
15	1927429	2	SCREW-HEX WSHR HD TAPTT 1/4-20X0.625 BLK
16	1925003	1	SCREW-HEX WSHR HD TAPTT 1/4-20X0.500 BLK
17	5025126	3	NUT, 1/4-20 HEX SERR. FLANGE
18	-----	1	REPLACE WITH PART LABELLED #1

Blower Mount Group, TURBO-Pro

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5303097



Blower Mount Group, TURBO-Pro


REF NO	PART NO	QTY	DESCRIPTION
1a	5409608A	1	WELD, 52" ADAPTER, BLOWER - BLK -(52" Mower Decks)
1b	5409646A	1	WELD, 48ICD ADAPTER, BLOWER - BLK -(48" iCD Mower Decks)
1c	5409681A	1	WELD, 48FN ADAPTER, BLOWER - BLK -(48" Standard Mower Decks)
1d	5409665A	1	WELD, 44FN ADAPTER, BLOWER - BLK -(44" Mower Decks)
1e	84007756	1	ADAPTER, Mounting -(61" Mower Decks)
2a	5409384A	1	WELD, NERF BAR, 52" ICD - BLK -(52" Mower Decks)
2b	5409283A	1	WELD, NERF BAR, 44 & 48 - BLK -(48" & 44" Mower Decks)
3a	5409607A	1	DECK WEDGE, 52" - BLK -(52" Mower Decks)
3b	5410117A	1	DECK WEDGE 61" TP - BLK -(61" Mower Decks)
4	5100847	2	SNAPPERPIN, 5/16 X 2
5	5025145X6	4	BOLT, 5/16-18 X 3/4, CARRIAGE
6	5025392	4	NUT, 5/16-18 HEX NYLOCK FLANGE
7	5025010X8	2	BOLT, 1/4-20 X 1" GD5 CZ
8	5025154	2	WASHER, 1/4 SAE
9	5025391	9	NUT, 1/4-20 HEX NYLOCK FLANGE
10	80003518	7	BOLT,1/4-20X0.750,GR5,STD NECK,SQ,ZC/CL
11	5025288	3	WASHER, 1/4 FENDER

Blower Pulley Group, TURBO-Pro

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5303091



Blower Pulley Group, TURBO-Pro

REF NO	PART NO	QTY	DESCRIPTION
1	5600614	1	HOOD W/ DECALS - TURBO VAC
2a	5409534A	1	GUARD, DECK, 48/52 - BLK -(All 48" Decks; All other 52" Decks)
2b	5409633A	1	GUARD, DECK, 52" -BLK -(S175XY20-52"; IS1500ZX-52"; IS2000Z-52", IS2500ZY20-52"; IS2100Z-52")
2c	5409545A	1	GUARD, DECK, TRBO-VAC, 44 - BLK -(44" Mower Decks)
2d	84012937	1	GUARD, PULLEY -(61" Mower Decks)
3a	5409536A	1	PLATE, TOP GUARD, 48/52 - BLK -(All 48" Decks; All other 52" Decks)
3b	5409634A	1	PLATE, TOP GUARD, 52 - BLK -(S175XY20-52"; IS1500ZX-52"; IS2000Z-52", IS2500ZY20-52"; IS2100Z-52")
3c	5409546A	1	PLATE, TOP GUARD, 44 - BLK -(44" Mower Decks)
3d	5410223AA	1	PLATE, TOP GUARD, 61" - BLK -(61" Mower Decks)
4a	5103468	1	PULLEY, DOUBLE, 52" DECK -(52" Mower Decks)
4b	5023176	1	PULLEY, BLOWER 48" DECK -(48" & 44" Mower Decks)
4c	5103682	1	DOUBLE PULLEY, DECK, 61" TP -(61" Mower Decks)
5	5101731	5	KNOB, 5/16-18 X 1.00, ROSETTE BLACK
6	1935255	5	NUT, Speed, Lug Type, 5/16-18
7a	5409888	1	ASSEMBLY, PULLEY PLATE, 52" -(52" Mower Decks)
7b	5409887	1	ASSEMBLY, PULLEY PLATE, 48" -(48" Mower Decks)
7c	5409886	1	ASSEMBLY, PULLEY PLATE, 44" -(44" Mower Decks)
7d	5417340	1	ASSEMBLY, PULLEY PLATE, 61 - TURBO -(61" Mower Decks)
8	5409892	1	ASSEMBLY, IDLER ARM - TURBO-VAC -(Includes Bushings and Fitting)
9	5409609AA	1	RETAINER, BELT, WIDE - BLK
10	5409610AA	1	RETAINER, BELT -(Refer to Note: *)
11a	5101193	1	PULLEY-IDLER, 5.00OD, .385ID, .75W, STL -(52" Mower Decks)
11b	1725408	1	PULLEY-IDLER 04.00 OD 0.378ID 1.06 W BRG -(48", 44", & 61" Mower Decks)
12	5103456	1	PULLEY-IDLER-V, 4.85OB, .38ID
13	5022847	1	SPRING-EXT, 1.04 ODX6.935LGX.148WR, BLK
14	5103488	1	BELT KEEP, .19 X 1.25 - BK
15	1922755	1	WASHER-0.375(0.41IDX1.00ODX.13THK)BLK
16	5046860	1	SPACER, .39 X 1.00 X .50, PM, CZ
17	1706644	1	SPACER,3/8X3/4X15/16
18	1931353	1	BOLT-RD HD SH SQ NK 3/8-16X1.750 G5 BLK
19	5101933	1	SPACER, .39 X .63 X 1.00, YZ
20	5102322	1	SPACER, .38 X .625 X 1.62, YZ
21	1676148	2	BUSHING-0.628IDX0.751ODX0.400LG PWDR MTL
22	5020095	1	GREASE FITTING, 1/4-28 Straight
23	5025145X6	1	BOLT, 5/16-18 X 3/4, CARRIAGE, GD5, CZ

Footnotes:


Note: *The hole closest to the bend is for models with 44", 48" or 61" decks. The hole furthest from the bend is for models with 52" decks.

Blower Pulley Group, TURBO-Pro

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5303091



Blower Pulley Group, TURBO-Pro

REF NO	PART NO	QTY	DESCRIPTION
24	5025011X8	2	BOLT, 5/16-18 X 1" GRD5 YZ
25	80003522	1	HHCS, 3/8-16 X 2.00, GR5, ZINC/CLEAR
26	5025013X18	1	BOLT, 3/8-16 X 2-1/4" GD5 CZ
27	5025013X28	1	BOLT, 3/8-16 X 3-1/2" GD5 CZ
28	5025155	1	WASHER, 5/16" SAE
29	5025156	2	WASHER, 3/8 SAE
30	5025394	5	NUT, 3/8 - 16 HEX NYLOCK FLANGE
31	5025392	2	NUT, 5/16-18 HEX NYLOCK FLANGE NUT
32	5025127	4	NUT, 5/16-18 HEX SERRATED FLANGE (SMALL)
33a	5022931	1	BELT, HA-SEC, 72.4EL, ARAMID, WRPD -(52" Mower Decks)
33b	5105189	1	BELT, SPA-SEC, 66.26" EL, ARAMID, WRAPED -(48" Mower Decks)
33c	5022918	1	BELT, HA-SEC, 70.40EL, ARAMID, WRPD -(44" Mower Decks)
33d	5103805	1	BELT, A SEC, 80.1"EL, ARAMID, WRPD -(61" Mower Decks)
34	5103454	1	PULLEY, 4.3"OB X 3/4"ID, BLOWER
35	1919381	1	WASHER-0.312(0.34IDX1.00ODX.13THK)BLK
36	5025170	1	WASHER, 5/16 LOCK CZ
37	5050403X4	1	KEY, 3/16" SQ. X 3/4
38	5025141X26	1	EYE BOLT,5/16-18 X3.5,2.13THRD,.55EYE,CZ
39	5025165	1	WASHER, 3/8" Fender -(48", 44", & 61" Mower Decks)
40	1667811	1	SPACER-0.390ID 0.90 OD 0.34 LG P'MTL YEL -(48", 44", & 61" Mower Decks)


Footnotes:

Note: *The hole closest to the bend is for models with 44", 48" or 61" decks. The hole furthest from the bend is for models with 52" decks.

Decal Group - Hard Top Collection System

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564



Decal Group - Hard Top Collection System

REF NO	PART NO	QTY	DESCRIPTION
10	5104315FS	1	DECAL


Not For Reproduction

Decal Group - Turbo Pro Blower S/N: 07/2014 & Above



Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564


5303095A



1 — **TURBO-ProTM**



Model Number: 5901250	
Blower Drive Belt	
Deck Size	Part Number
44"	5022918
48"	5022173
52"	5022931
61"	5103805



Decal Group - Turbo Pro Blower S/N: 07/2014 & Above

REF NO	PART NO	QTY	DESCRIPTION
1	5103559	1	DECAL, TURBO-PRO
2	5104313	1	DECAL, BLOWER, SMALL, ICONS
3	5103804	1	DECAL, BELT, TURBO-PRO, ALL
4	5104314	1	DECAL, BLOWER, MAIN, LARGE, ICONS

Not For Reproduction


Mower Deck Guards and Spindle Pulleys - Single & 2-Belt Driven Mower Decks

Note: Unless noted otherwise, use the standard torque specifications


Mfg. No: 5601564

5303071 5303259


52" Mower Decks
(5303071)



61" Mower Decks - Turbo-Pro Collection Systems
(5303259)



Mower Deck Guards
(5303071, 5303259)



Mower Deck Guards and Spindle Pulleys - Single & 2-Belt Driven Mower Decks


REF NO	PART NO	QTY	DESCRIPTION
1	5105339	1	SPACER, 1.00"ID X 1.50"OD X 1.48", BZ -(52" Mower Decks)
2	5103468	1	PULLEY, DOUBLE, 52" DECK -(TURBO-Pro Units)
3	5022726	1	KEY 1/4 SQ X 1 1/2 LONG
4	5025406	1	WASHER, 3/4 BELLEVILLE CL/ZC -(Existing Components on Deck)
5	5025405	1	NUT, 3/4-16 Hex -(Existing Components on Deck)
6	5105334	1	PULLEY, V SPINDLE, 6.18"OB X .985"ID
7	5022726	1	KEY 1/4 SQ X 1 1/2 LONG
8	-----	0	EXISTING MOWER DECK PULLEY
9	5416220AA	1	GUARD, DECK PULLEY - BLK -(52" Mower Decks)
10	5416221AA	1	PLATE, BELT GUARD - BLK -(52" Mower Decks)
11	5416223AA	1	GUARD, BLOWER BELT - BLK -(61" Mower Decks)
12	5416224AA	1	GUARD, DECK PULLEY, IS3200-61, RH - BLK -(61" Mower Decks)
13	5101731	2	KNOB, 5/16-18 X 1.00, ROSETTE BLACK -(TURBO-Pro Units)
14	5022308	2	BODY CLIP, 5/16-18-7GA MATERIAL
15	5025155	3	WASHER, 5/16" SAE
16	5025011X6	3	BOLT, 5/16-18 X 3/4 GD5

Weight Mount Group, 66/100 LBS

Note: Unless noted otherwise, use the standard torque specifications

Mfg. No: 5601564

5300189






Weight Mount Group, 66/100 LBS

REF NO	PART NO	QTY	DESCRIPTION
1	5049082ASM	1	HOLDER ASSEMBLY, Weight
2	5025158SM	2	WASHER, 1/2" SAE
3	5025018X10SM	2	BOLT, 1/2-20 X 1-1/4" GD8 CZ
4	5025098SM	2	NUT, 1/2-20 HEX NYLON
5	5049143SM	1	ROD-.500DIA 13.75LG Y
6	1692939SM	2	WEIGHT, QUICK ATTACH -(3-Bag Collection System)
6	1691319SM	2	WEIGHT - 33LBS -(2-Bag Collection System)
7	5025210YP	2	PIN, HAIR, .0915 X 1-7/8
8	5025324X10YP	2	BOLT
9	770225	2	NUT

Hardware Identification & Torque Specifications

Torque Specification Chart								
FOR STANDARD METRIC MACHINE HARDWARE (Tolerance ± 20%)								
Property Class	 Class 5.6		 Class 8.8		 Class 10.9		 Class 12.9	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
M3	5.88	.56	13.44	1.28	19.2	1.80	22.92	2.15
M4	13.44	1.28	30.72	2.90	43.44	4.10	52.56	4.95
M5	26.4	2.50	60.96	5.75	5.97	8.10	7.15	9.7
M6	44.64	4.3	7.3	9.9	10.3	14	12.1	16.5
M7	5.2	7.1	12.1	16.5	16.9	23	19.9	27
M8	7.7	10.5	17.7	24	25	34	29	40
M10	15	21	35	48	50	67	59	81
M12	26	36	61	83	86.2	117	103	140
M14	42	58	101	132	136	185	162	220
M16	64	88	147	200	210	285	250	340
M18	89	121	202	275	287	390	346	470
M20	126	171	290	390	405	550	486	660
M22	169	230	390	530	559	745	656	890
M24	217	295	497	375	708	960	840	1140
M27	320	435	733	995	1032	1400	1239	1680
M30	435	590	995	1350	1401	1900	1681	2280
M33	590	800	1349	1830	1902	2580	2278	3090
M36	759	1030	1740	2360	2441	3310	2935	3980
M39	988	1340	2249	3050	3163	4290	3798	5150

The guides and ruler furnished below are designed to help you select the appropriate hardware.



Standard Hardware Sizing

When a washer or nut is identified as 1/2" (M8), this is the *Nominal size*, meaning the *inside diameter* is 1/2 inch (8mm metric thread diameter); if a second number is present it represents the *threads per inch* (distance between threads).


When bolt or capscrew is identified as 1/2 - 16 x 2" (M8 - 1.25 x 50), this means the *Nominal size*, or body diameter is 1/2 inch (8mm metric thread diameter), the second number, 16, represents the *threads per inch*, (*distance between threads*). The final number is the body length of the bolt or screw, 2 inches (50mm).

Torque Specification Chart						
FOR STANDARD MACHINE HARDWARE (Tolerance ± 20%)						
Hardware Grade	 SAE Grade 2		 SAE Grade 5		 SAE Grade 8	
Size Of Hardware	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.	in/lbs ft/lbs	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.0
5/16-18	11	15.0	17	23.1	25	34.0
5/16-24	12	16.3	19	25.8	29	34.0
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.0
7/16-14	30	40.8	50	68.0	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.0	75	102.0	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.0
9/16-18	75	102.0	120	163.2	170	231.2
5/8-11	90	122.4	150	204.0	220	299.2
5/8-18	100	136	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.0
3/4-16	180	244.8	300	408.0	420	571.2
7/8-9	140	190.4	400	544.0	600	816.0
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,244.0
1-12	240	326.4	640	870.4	1,000	1,360.0

NOTES

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- Recommended seating torque values for locknuts:
 - for prevailing torque locknuts - use 65% of grade 5 torques.
 - for flange whizlock nuts and screws - use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings, all torque values must meet this specification.

Common Hardware Types



Wrench & Fastener Size Guide

 1/4" Bolt or Nut Wrench—7/16"	 5/16" Bolt or Nut Wrench—1/2"	 3/8" Bolt or Nut Wrench—9/16"	 7/16" Bolt or Nut Wrench (Bolt)—5/8" Wrench (Nut)—11/16"	 1/2" Bolt or Nut Wrench—3/4"
M6 Bolt or Nut Wrench—10mm	M8 Bolt or Nut Wrench—13mm	M10 Bolt or Nut Wrench—17mm	M12 Bolt or Nut Wrench—19mm	M14 Bolt or Nut Wrench—22mm

