Chrysler Voyager

QUICK START GUIDE




Headlight Switch
Ignition Switch
Radio
USB/AUX Ports
Hood Release

Homelink®

GARAGE DOOR OPENER (IF EQUIPPED)



1. While the car is ON, hold the handheld garage door transmitter 1-3 inches from the Homelink® button you want to program in the vehicle.

2. Push and hold both the Homelink® button being programmed and the button on the garage door transmitter.

TO ERASE ALL SET CHANNELS:

Push and hold the two outside Homelink® buttons for 20 seconds until the orange indicator flashes. An individual channel cannot be erased.

ROLLING OR NON-ROLLING?

Check your garage door opener motor in your garage for a "LEARN" or "TRAIN" button by the hanging antenna. If you have one of these, you have a Rolling Code garage door opener.

3. **For Non-Rolling Code** garage door openers, watch for the indicator light to go constant.

   For Rolling Code garage door openers, watch for the indicator light to go from a slow blink to blinking rapidly.

4. **For Rolling Code** garage door openers only, firmly push and release the "LEARN" or "TRAIN" button on your garage door opener motor in your garage, then push the Homelink® button in your vehicle for two long holds.

5. If the programming was successful, your garage door should open and close with your chosen Homelink® button.

For more detailed instructions, see "Universal Garage Door Opener (Homelink®)" in your Owner's Manual. Please call 1-800-355-3515 if you require assistance.

Scan me

LINK YOUR GARAGE DOOR

Head Restraints

FRONT SEATS FOUR-WAY HEAD RESTRAINTS

FORWARD/REARWARD ADJUSTMENT

To **tilt forward**, pull the top of the head restraint toward the front of the vehicle to the desired position.

To **tilt rearward**, pull the top of the head restraint to the furthest forward position and the head restraint will return to the upright position.

UPRIGHT



TILTED





ADJUSTMENT BUTTON

RELEASE BUTTON

TIP:

The seatback angle may need to be adjusted to fully remove the head restraint.

UP/DOWN ADJUSTMENT

Pull up on the head restraint to raise it.

Push the adjustment button while pushing down on the head restraint to lower it.

REMOVAL

With the head restraint raised up all the way, push the release and adjustment buttons while pulling up on the head restraint.

INSTALLATION

Insert the head restraint posts into the holes and push downward.

Mopar® YOUR Way

REAP THE BENEFITS OF YOUR OWNER'S PROFILE

Get an online experience all on your own—tailored to you and your vehicle—accessible anytime, anywhere.

24/7 ACCESS TO EVERYTHING YOU NEED

- Custom dashboard for every vehicle in your garage
- Access to your vehicle's Owner's Manual, warranty & more
- Ability to set preferred dealer & schedule service with ease
- Maintenance records and up-to-date vehicle health reports
- Special offers on exceptional Mopar® service at your dealership



*Canadian residents are not required to create a profile.

Scan me
(U.S. Residents Only)*

UTILIZE YOUR SERVICES & OWNER PROFILE

Pair A Phone

Scan me

1. Make sure Bluetooth® is enabled on your mobile device.
2. With the vehicle in the ACC or ON/RUN position, press the Phone button in the vehicle's touchscreen menu bar.
3. Press "Pairing" and then press "Paired Phones and Audio Devices".
4. Select "Add Device" then follow the prompts on your phone and in the touchscreen.

KEEP IN MIND:

Some mobile phones will require you to enter a PIN as part of the connection process.

For more detailed connecting instructions, refer to "Phone Operation" in your Uconnect radio book.

READY TO REMOVE A PHONE OR AUDIO DEVICE?



1. Press the "Pairing" button on the touchscreen.
2. Press "Paired Phones and Audio Devices".
3. Press "Settings" next to the phone or device you want to remove.
4. Press "Delete Device".
5. Press "X" to exit the settings screen. The device should be removed.

YOU MAY ALSO BE ABLE TO CONNECT YOUR APPS

If your vehicle is equipped with Android Auto™ & Apple CarPlay®, connect your unlocked smartphone to one of the media USB ports in your vehicle.

Once connected and recognized, the Android Auto™ or CarPlay icon will replace the phone icon on your personalized menu bar.

KEEP IN MIND:

For Android™ Users, if the Android Auto™ App was not previously downloaded, it will download the first time you plug in your device.

For Apple® Users, Apple CarPlay® is only compatible with iPhone5® or later and requires Siri being enabled in Settings.

Stow 'N Go Seating

STOW YOUR SECOND ROW SEATS FOR EXTRA CARGO SPACE

1. Place the **LOCK KNOB** in the unlocked position.
2. Pull the **FLOOR LATCH** and push the panel forward.
3. Pull the **STRAP** and guide the seat into the storage area.



FLOOR LATCH



PULL STRAP

4. Push down on the **SEAT** to lock it into the storage area.
5. Close the **FLOOR PANEL** and push down to lock it into place.

Scan me

PUSH TO LOCK



STOWED SEAT



Uconnect 4 With 7-Inch Display

ACCESS YOUR MEDIA, PHONE, VEHICLE SETTINGS, AND CLIMATE CONTROL THROUGH SEVERAL MODES:

RADIO — Listen to all of your favorite radio stations, including SiriusXM®.

MEDIA — Play music from your USB or Bluetooth® device.

PHONE — Pair your smartphone and make hands-free calls or send hands-free messages to any of your contacts.

COMFORT — Too hot? Too cold? Set your vehicle's temperature through several climate control options. Activate automatic climate control to keep your vehicle at the temperature you want.

SETTINGS — Access all of the available settings for your Uconnect system and vehicle. You can set up your vehicle, your way.

INSTRUMENT CLUSTER SCREEN SETUP:

Customize displayed information such as the time:

1. Use the Up and Down Arrows to select Screen Setup in the Instrument Cluster Display.
2. Select the area of the Cluster you'd like to display the time. Once selected, pick "Time". The current time will now display in that area of the Cluster.



Scan me

FEATURES EQUIPPED:

- 7-inch Touchscreen Display
- Android Auto™/Apple CarPlay®
- Reconfigurable Menu Bar
- SiriusXM® Capabilities
- Hands-Free Phone Calling

Warning & Indicator Lights

	Air Bag		Battery Charge		Brake		Door Open		Electric Power Steering Fault
	Electronic Throttle Control (ETC)		Engine Coolant Temperature		Hood Open		Liftgate Open		Oil Pressure
	Oil Temperature		Seat Belt Reminder		Transmission Temperature		Vehicle Security		Anti-Lock Brake System (ABS)
	Electronic Park Brake		Electronic Stability Control (ESC) Active		Electronic Stability Control (ESC) OFF		Engine Check/ Malfunction Indicator		Forward Collision Warning (FCW) Off
	Low Fuel		Low Washer Fluid		Service Forward Collision Warning (FCW)		Service Stop/ Start System		Cruise Control Set
	Front Fog		KeySense		Parking Lights/ Headlights On		Stop/Start Active		Turn Signal
	Cruise Control Ready		Set Speed Display		High Beam				

For additional information on any of the topics in this publication, please refer to your Owner's Manual.

©2020 FCA US LLC. All Rights Reserved. Tous droits réservés.
Chrysler is a registered trademark of FCA US LLC or FCA Canada Inc., used under license.
Chrysler est une marque déposée de FCA US LLC ou FCA Canada Inc., utilisée sous le permis.
App Store is a registered trademark of Apple Inc. Google Play Store is a registered trademark of Google.

RUV_QSG_EN_US_AA
Second Edition