


---

# ***Cub Cadet®***

## **ILLUSTRATED PARTS MANUAL**



### **Hydrostatic Garden Tractor — GT/X1054**

---

**CUB CADET LLC, P.O. BOX 361131 CLEVELAND, OHIO 44136-0019**

---

# To The Owner

Thank you for purchasing a Cub Cadet Garden Tractor. It was carefully engineered to provide excellent performance when properly operated and maintained.

All information in this manual is relative to the most recent product information available at the time of printing. Please be aware that this Illustrated Part's Manual may cover a range of product specifications for various models.

Components listed and/or illustrated in this manual may not be applicable to all models. We reserve the right to change product specifications, designs and equipment without notice and without incurring obligation.

Throughout this manual, all references to *right* (RH) and *left* (LH) are observed from the operating position.

## Table of Contents

|                                        |       |                                        |       |
|----------------------------------------|-------|----------------------------------------|-------|
| <b>Axle, Front</b> .....               | 4-7   | <b>Hood</b> .....                      | 12    |
| <b>Battery</b> .....                   | 8     | <b>Deck Lift Handle/Linkage</b> .....  | 10    |
| <b>Head Lamps</b> .....                | 12    | <b>Labels</b> .....                    | 24-25 |
| <b>Mower Deck</b> .....                | 16    | <b>Meter, Systems Indicator</b> .....  | 12    |
| <b>Pedal Controls</b> .....            | 14    | <b>Muffler</b> .....                   | 18    |
| <b>Dash Panel</b> .....                | 12    | <b>PTO</b> .....                       | 8     |
| <b>Drive System</b> .....              | 14    | <b>Seat</b> .....                      | 10    |
| <b>Electrical Schematic</b> .....      | 19-20 | <b>Solenoid</b> .....                  | 8     |
| <b>Engine Accessories</b> .....        | 18    | <b>Steering</b> .....                  | 4-7   |
| <b>Engine, Kohler SV740-3024</b> ..... | 26-40 | <b>Switches, Interlock</b> .....       | 8     |
| <b>Fender</b> .....                    | 10    | <b>Throttle Control</b> .....          | 12    |
| <b>Frame</b> .....                     | 8     | <b>Transmission, Hydrostatic</b> ..... | 21    |
| <b>Fuel Tank</b> .....                 | 12    | <b>Wheels, Front &amp; Rear</b> .....  | 3     |

## Record Product Information

To ease in ordering replacement parts, please locate the model plate on the equipment and record the information in the provided area to the right. You can locate the model plate by looking beneath the seat.

### MODEL NUMBER

|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|


### SERIAL NUMBER

|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|

## Painted Parts


When ordering painted service parts, a four digit color suffix must be added to the part number (e.g. 783-XXXX-0637). Please refer to the table below for current color codes:

|      |                    |      |                                   |
|------|--------------------|------|-----------------------------------|
| 0637 | Black              | 0685 | Blue (Cub Cadet)                  |
| 4021 | Yellow (Cub Cadet) | 0691 | Black Jack (Cub Cadet Commercial) |
| 0499 | Beige (Cub Cadet)  |      |                                   |




| Ref. | Part Number    | Description                            |
|------|----------------|----------------------------------------|
| 1.   | —              | Wheel Ass'y, Complete, 16 x 6 x 5.8    |
| 2.   | 934-04082-0499 | Rim Ass'y, 8.0 x 5.3, Plastic Bearings |
| 3.   | 741-0990B      | Bearing, Flange, .760 ID w/ Fitting    |
| 4.   | 741-0516B      | Bearing, Flange, .760 x 1.00 x 1.20    |
| 5.   | 934-0255       | Valve, Tubeless Air                    |
| 6.   | 734-1727       | Tire, 16 x 6.5 x 8 Sq Shoulder         |
| 7.   | —              | Wheel, Complete, 23 x 10.5 x 12        |
| 8.   | 634-04238-0499 | Rim Ass'y, 12.0 x 7.0                  |
| 9.   | 734-04147-0901 | Tire, 23 x 10.5 x 12 Sq Shoulder       |
| 10.  | 712-3050       | Nut, Lug, 7/16-14                      |

## Steering w/ Power Steering



| Ref. | Part Number | Description                           |
|------|-------------|---------------------------------------|
| 1.   | 710-04095   | Hex Screw, 3/8-16, 1.00, Gr5, Spec    |
| 2.   | 710-0514    | Hex Screw, 3/8-16, 1.00, Gr5, Std     |
| 3.   | 710-0650    | Hex Screw, 5/16-18, .875, Gr5, Lock   |
| 4.   | 711-04998   | Link, Drag LH                         |
| 5.   | 711-04999   | Link, Drag RH                         |
| 6.   | 912-0240    | Nut, Jam, 7/16-20, Gr2                |
| 7.   | 712-04065   | Nut, Flange Lock, 3/8-16, Grf,        |
| 8.   | 712-0459    | Nut, Flange Lock, 7/16-20, Grb, Lock  |
| 9.   | 712-3004A   | Nut, Flange Lock, 5/16-18, Gr5, Sd Lk |
| 10.  | 717-1550F   | Gear, Steering, 11/90 Ratio           |
| 11.  | 717-1554    | Gear, Pinion, Steering                |
| 12.  | 923-0448A   | Ball Joint, 7/16-20, Lock             |
| 13.  | 936-3004    | Washer, Flat, .406 x .875 x .105      |
| 14.  | 736-3084    | Washer, Flat, .51 x 1.12 x .06        |
| 15.  | 738-04421   | Shaft, Steering, .625 OD x 14, Cub    |
| 16.  | 738-04363   | Spacer, Shoulder, .385x 1.25 x .3025  |
| 17.  | 731-04039   | Cover, Steering Wheel, Cub Cadet      |
| 18.  | 741-04237B  | Bearing, Flange, Hex 5/8 Pm           |
| 19.  | 783-06043   | Bracket, Support, Steering            |
| 20.  | 938-04040   | Axle Ass'y, RH .750 Dia.              |
| 21.  | 938-04041   | Axle Ass'y, LH .750 Dia.              |
| 22.  | 710-0395    | Hex Screw, 5/16-18, 2.25, Gr5, Std    |
| 23.  | 710-0859    | Hex Screw, 3/8-16, 2.50, Gr5, Std     |
| 24.  | 710-3180    | Hex Screw, 5/16-18, 1.75, Gr5, Std    |
| 25.  | 912-0214    | Nut, Hex Lock, 3/8-24, Grb            |
| 26.  | 712-04063   | Nut, Flange Lock, 5/16-18, Grf        |
| 27.  | 714-0162    | Pin, Cotter, 5/32, 1.25               |
| 28.  | 719-04413A  | Axle, Pivot Bar, Cast                 |
| 29.  | 748-04065   | Steering, Block                       |
| 30.  | 748-04068   | Spacer, .71 ID x .125 OD x .56        |
| 31.  | 750-05280   | Spacer, .385 x 1.00 x 1.5075          |
| 32.  | 731-08049   | Cap, Bumper                           |
| 33.  | 736-04228A  | Washer, Flat, .350 x 1.559 x .062     |
| 34.  | 631-04556   | Wheel, Steering, 3 Spoke, Softgrip    |
| 35.  | 738-04364B  | Spacer, .38 x 1.375, Spec             |
| 36.  | 918-05084   | Transmission Assembly, EPS            |
| 37.  | 710-1652    | Screw, Self-tapping, 1/4-20 x .625    |
| 38.  | 710-3083    | Hex Screw, 5/16-18 x 1.375, Gr5, Std  |
| 39.  | 750-05402   | Spacer, .625 x .750 x 3.11            |
| 40.  | 710-04484   | Screw, Self-tapping, 5/16-18, .750,   |


# Steering



## Steering


| Ref. | Part Number | Description                           |
|------|-------------|---------------------------------------|
| 1.   | 710-04095   | Hex Screw, 3/8-16, 1.00, Gr5, Spec    |
| 2.   | 710-0514    | Hex Screw, 3/8-16, 1.00, Gr5, Std     |
| 3.   | 710-0650    | Hex Screw, 5/16-18, .875, Gr5, Lock   |
| 4.   | 711-04998   | Link, Drag LH                         |
| 5.   | 711-04999   | Link, Drag RH                         |
| 6.   | 912-0240    | Nut, Jam, 7/16-20, Gr2                |
| 7.   | 712-04065   | Nut, Flange Lock, 3/8-16, Grf,        |
| 8.   | 712-0459    | Nut, Flange Lock, 7/16-20, Grb, Lock  |
| 9.   | 712-3004A   | Nut, Flange Lock, 5/16-18, Gr5, Sd Lk |
| 10.  | 717-1550F   | Gear, Steering, 11/90 Ratio           |
| 11.  | 717-1554    | Gear, Pinion, Steering                |
| 12.  | 923-0448A   | Ball Joint, 7/16-20, Lock             |
| 13.  | 936-3004    | Washer, Flat, .406 x .875 x .105      |
| 14.  | 736-3084    | Washer, Flat, .51 x 1.12 x .06        |
| 15.  | 738-04262   | Shaft, Steering, .625 OD x 25, Cub    |
| 16.  | 738-04363   | Spacer, Shoulder, .385x 1.25 x .3025  |
| 17.  | 731-04532B  | Cover, Steering Wheel, Cub Cadet      |
| 18.  | 741-04237B  | Bearing, Flange, Hex 5/8 Pm           |
| 19.  | 783-06043   | Bracket, Support, Steering            |
| 20.  | 938-04040   | Axle Ass'y, RH .750 Dia.              |
| 21.  | 938-04041   | Axle Ass'y, LH .750 Dia.              |
| 22.  | 710-0395    | Hex Screw, 5/16-18, 2.25, Gr5, Std    |
| 23.  | 710-0859    | Hex Screw, 3/8-16, 2.50, Gr5, Std     |
| 24.  | 710-3180    | Hex Screw, 5/16-18, 1.75, Gr5, Std    |
| 25.  | 912-0214    | Nut, Hex Lock, 3/8-24, Grb            |
| 26.  | 712-04063   | Nut, Flange Lock, 5/16-18, Grf        |
| 27.  | 714-0162    | Pin, Cotter, 5/32, 1.25               |
| 28.  | 719-04413A  | Axle, Pivot Bar, Cast                 |
| 29.  | 748-04065   | Steering, Block                       |
| 30.  | 748-04068   | Spacer, .71 ID x .125 OD x .56        |
| 31.  | 750-05280   | Spacer, .385 x 1.00 x 1.5075          |
| 32.  | 731-08049   | Cap, Bumper                           |
| 33.  | 736-04228A  | Washer, Flat, .350 x 1.559 x .062     |
| 34.  | 631-04008A  | Wheel, Steering, 3 Spoke, Softgrip    |
| 35.  | 738-04364B  | Spacer, .38 x 1.375                   |
| 36.  | 710-04484   | Screw, Self-tapping, 5/16-18, .750,   |

## Frame, Electrical and PTO



| Ref. | Part Number | Description                                         |
|------|-------------|-----------------------------------------------------|
| 1.   | 710-04379A  | Hex Screw, 7/16-20, 3.50, Gr5, Lock                 |
| 2.   | 917-1774C   | Clutch, Electric PTO                                |
| 3.   | 725-0157    | Cable, Tie, 3/16 X .05 X 7.4                        |
| 4.   | 936-0171    | Washer, Lock, 7/16 , Regular Duty                   |
| 5.   | 736-0277    | Washer, Flat, 1.031 X1.620 X.095                    |
| 6.   | 925-1707D   | Battery, 260CCA                                     |
| 7.   | 756-0978B   | Engine Pulley, Electric PTO                         |
| 8.   | 710-04666   | Hex Flange Screw, 1/4-20, .75, Gr5                  |
| 9.   | 712-0271    | Nut, Sems, 1/4-20                                   |
| 10.  | 725-04363   | Switch, Interlock                                   |
| 11.  | 710-0653    | Screw, Self-tapping, 1/4-20, 0.375                  |
| 12.  | 712-04064   | Nut, Flange Lock, 1/4-20, Nylon                     |
| 13.  | 747-05195   | Rod, Keeper                                         |
| 14.  | 738-04237A  | Screw, Shoulder, #10-32, .50                        |
| 15.  | 683-04469B  | Frame Assembly, Lower                               |
| 16.  | 710-04484   | Screw, Self-tapping, 5/16-18, .750                  |
| 17.  | 710-05097   | Hex Screw, 3/8-16, 1.50, Gr2                        |
| 18.  | 712-04065   | Nut, Flange Lock, 3/8-16, Nylon                     |
| 19.  | 738-04058   | Spacer, Shoulder, .38 X 1.0 X .70                   |
| 20.  | 747-04121A  | Rod, Battery                                        |
| 21.  | 783-0349    | Tray, Battery                                       |
| 22.  | 783-06089   | Bracket, Frame, Seat                                |
| 23.  | 725-04439   | Solenoid, 12V, 100 Amp, 4 term                      |
| 24.  | 683-04219B  | Bumper Assembly, Universal                          |
| —    | 683-04218   | Bumper Assembly, (International)                    |
| 25.  | 912-3000    | Nut, Hex Lock, 3/8-16, GrB                          |
| 26.  | 731-05674   | Cap, Bumper                                         |
| —    | 731-05368   | Cap, Bumper (International)                         |
| 27.  | 738-0143    | Bolt, Shoulder, .496 x .336, 3/8-16                 |
| 28.  | 732-0814    | Spr, Extn, .56 Dia X 5.52                           |
| 29.  | 714-04061   | Pin, Quick Release, 1/2 Dia x .50                   |
| —    | 710-04484   | Screw, Self-tapping, 5/16-18, .750, (International) |
| —    | 925-04093   | Harness Assembly, Main (Not Shown)                  |

## Seat, Fender and Lift




## Seat, Fender and Lift

| Ref. | Part Number | Description                           |
|------|-------------|---------------------------------------|
| 1.   | 683-04301   | Shaft Ass'y, Lift                     |
| 2.   | 712-04063   | Nut, Flange Lock, 5/16-18, Grf        |
| 3.   | 712-04065   | Nut, Flange Lock, 3/8-16, Grf         |
| 4.   | 914-0104    | Pin, Cotter, .072 Dia. x 1.13         |
| 5.   | 714-04040   | Pin, Cotter, Bow-Tie 72               |
| 6.   | 716-0106A   | Ring, E Type, .625 Dia. Shaft         |
| 7.   | 720-04139B  | Grip, Handle, Cub, .50 ID             |
| 8.   | 732-0874    | Spring, Torsion                       |
| 9.   | 736-0105    | Washer, Spring, .401 x .870 x .063    |
| 10.  | 738-0138A   | Screw, Shoulder, .437 x .470, 5/16-18 |
| 11.  | 938-0380    | Bolt, Shoulder, .50, 3/8-16           |
| 12.  | 941-0225    | Bearing, Hex Flange                   |
| 13.  | 746-0968    | Cable, Lift, 16.16                    |
| 14.  | 747-04962A  | Handle, Lift,                         |
| 15.  | 756-04331   | Pulley, Roller, Cable                 |
| 16.  | 783-05546A  | Link, Lift                            |
| 17.  | 731-06584   | Door, Cover, Fender                   |
| 18.  | 710-04484   | Screw, Self-tapping, 5/16-18, .750,   |
| 19.  | 712-3004A   | Nut, Flange Lock, 5/16-18, Gr5, Sd Lk |
| 20.  | 732-04563   | Spring, Compr', .68 x 1.065 x .055    |
| 21.  | 725-0157    | Cable, Tie, 3/16 x .05 x 7.4          |
| 22.  | 732-04849   | Spring, Compr's, 1.50 x 3.90 x .200   |

| Ref. | Part Number | Description                           |
|------|-------------|---------------------------------------|
| 23.  | 938-0296    | Screw, Shoulder, .437 x .268, 5/16-18 |
| 24.  | 783-06049   | Bracket, Mounting, Seat               |
| 25.  | 783-06088   | Bracket, Pivot, Seat                  |
| 26.  | 783-06050   | Lever, Seat Adjustment                |
| 27.  | 783-06448   | Clip, Retaining, Switch               |
| 28.  | 710-1260A   | Hex Screw, 5/16-18, .75, Gr5, Std     |
| 29.  | 710-0599    | Screw, Self-tapping, 1/4-20, 0.500,   |
| 30.  | 710-0895    | Screw, HL, 1/4-15, 0.750,             |
| 31.  | 731-06700   | Cover, Fender, RH                     |
| 32.  | 731-06676   | Cover, Fender, LH                     |
| 33.  | 747-05039   | Pin, Door                             |
| 34.  | 736-3078    | Washer, Flat .344 x 1.00 x .063       |
| 35.  | 710-04482   | Hex Flange Screw, 3/8/16, .875, Gr5   |
| 36.  | 783-06118   | Fender, Cub Hydro                     |
| 37.  | 726-3046    | Clip, Ratchet, .250 Dia               |
| 38.  | 735-04137   | Pad, Foot, LH                         |
| 39.  | 735-04139   | Pad, Foot, RH                         |
| 40.  | 757-04132   | Seat, High Back Cloth w/o Arm Rest    |
| —    | 757-04091   | Seat, High Back, (International)      |
| 41.  | 925-05013   | Switch, Seat                          |
| 42.  | 783-06181   | Bracket, Lift                         |
| 43.  | 757-04073   | Arm Rest Kit                          |

# Fuel Tank, Hood and Dash




## Fuel Tank, Hood and Dash

| Ref. | Part Number | Description                          | Ref. | Part Number | Description                             |
|------|-------------|--------------------------------------|------|-------------|-----------------------------------------|
| 1.   | 710-04484   | Screw, Self-tapping, 5/16-18, .750   | 27.  | 931-06559   | Lens, Hood, LH A-Style                  |
| 2.   | 710-0599    | Screw, Self-tapping, 1/4-20, 0.500   | 28.  | 931-06634   | Hood, A-Style                           |
| 3.   | 710-0895    | Screw, HL, 1/4-15, 0.750             | 29.  | 936-0222    | Washer, Lock, 1/4, External             |
| 4.   | 710-1017    | Screw, Ab, 1/4-14, 0.625,            | 30.  | 936-3020    | Washer, Flat, .271, .630, .065          |
| 5.   | 710-1611B   | Screw, Self-tapping, 5/16-18, 0.750, | 31.  | 738-04091A  | Screw, Shoulder, .43x.29, 5/16-18       |
| 6.   | 710-1652    | Screw, Self-tapping, 1/4-20 x .625   | 32.  | 777X44055   | Reflector, Cub A Style, LH              |
| 7.   | 710-3217    | Screw, Mach, #8-32, 0.375            | 33.  | 777X44056   | Reflector, Cub A Style, RH              |
| 8.   | 712-0142    | Nut, Hex, #8-32                      | 34.  | 783-06114   | Bracket, Pivot, Hood A-Style            |
| 9.   | 714-04040   | Pin, Cotter, Bow-Tie 72              | 35.  | 951-04311   | Tank, Fuel, 3.30 Gal.                   |
| 10.  | 726-3046    | Clip, Ratchet, .250 Dia              |      | 751-10879B  | Tank, Fuel, 3.75 Gal. (International)   |
| 11.  | 731-05447A  | Lever, Dash, Cruise/Brake            | 36.  | 710-0642    | Screw, Self-tapping, 1/4-20, .75        |
| 12.  | 731-06593   | Knob, Throttle                       | 37.  | 747-05040A  | Rod, Support, Fuel Tank                 |
| 13.  | 931-07911   | Dash Panel, A-Style                  | 38.  | 731-1999    | Plug, Choke                             |
|      | 931-06554 † | Dash Panel, A-Style                  | 39.  | 925-04227B  | Module Switch, Ignition                 |
| 14.  | 735-0271A   | Bumper, .62 Dia X .3                 |      | 925-04230B  | Module Switch, Ignition (International) |
| 15.  | 735-04076   | Net                                  | 40.  | 946-04556   | Cable, Throttle/Choke, 38"              |
| 16.  | 747-05009B  | Rod, Control, Latch Cub              | 41.  | 925-04022B  | Meter, Indicator                        |
| 17.  | 747-1196    | Rod, Lever, Bent                     | 42.  | 725-04258   | Switch, Electric PTO, Yellow            |
| 18.  | 783-06792   | Support, Dash, Plate LH              | 43.  | 751-12118   | Valve, Rollover Grommet                 |
|      | 783-06098 † | Support, Dash, Plate LH              | 44.  | 735-04081   | Grommet, Rubber, 23.0 ID                |
| 19.  | 783-06793   | Support, Dash, Plate RH              | 45.  | 951-12179A  | Cap, Fuel                               |
|      | 783-06099 † | Support, Dash, Plate RH              |      | 751-0603A   | Cap, Fuel (Internatioanl)               |
| 20.  | 925-1649    | Socket, Lamp                         | 46.  | 925-2054A   | Key, Ignition                           |
| 21.  | 710-05108   | Screw, 1/4 Dia, .750                 | 47.  | 735-04170   | Gasket, Fuel Tank                       |
| 22.  | 926-0154    | Tie, Cable, Push Mount 7.5 Lg        | 48.  | 925-0963    | Lamp, 12v                               |
| 23.  | 931-04322   | Grille Ass'y (Incl. 26, 27, 32 & 33) | 49.  | 731-07759   | Cover, Power Steering Motor             |
| 24.  | 931-06542A  | Scoop, Hood, RH A-Style              | 50.  | 732-04580   | Spring, .500 Dia. x 2.733               |
| 25.  | 931-06543A  | Scoop, Hood, LH A-Style              | —    | 725-05113   | Switch, Plunger, Snap Fit               |
| 26.  | 931-06558   | Lens, Hood, RH A-Style               |      |             |                                         |

† Units w/o Power Steering

# Drive System




| Ref. | Part Number | Description                          |
|------|-------------|--------------------------------------|
| 1.   | 918-04317   | Wheel Assembly Hub                   |
| 2.   | 918-04917   | Transmission                         |
| 3.   | 710-0189    | Hex Screw, 5/16-18:3.00              |
| 4.   | 710-0227    | Screw, #8-18:0.500                   |
| 5.   | 710-04484   | Taptite Screw, 5/16-18:.750          |
| 6.   | 710-0599    | Taptite Screw, 1/4-20:0.500          |
| 7.   | 710-0909A   | Taptite Screw, 5/16-18:1.750         |
| 8.   | 710-1007    | Taptite Sems Screw, 3/8-16:1.500     |
| 9.   | 710-1008    | Taptite Sems Screw, 3/8-16:1.875     |
| 10.  | 710-1189    | Screw, #12-24:0.625                  |
| 11.  | 710-1325    | Taptite Screw, 1/4-20:1.625          |
| 12.  | 710-3011    | Hex Screw, 3/8-16:2.25               |
| 13.  | 710-3119    | Hex Screw, 3/8-16:.750               |
| 14.  | 912-0240    | Jam Nut, 7/16-20                     |
| 15.  | 712-04063   | Flangelock Nut, 5/16-18              |
| 16.  | 712-04065   | Flangelock Nut, 3/8-16               |
| 17.  | 914-0104    | Cotter Pin, .072 DIA. x 1.13 LG      |
| 18.  | 914-0111    | Cotter Pin, 3/32:1.0                 |
| 19.  | 725-0157    | Cable Tie, 3/16 x .05 x 7.4          |
| 20.  | 725-04791A  | Jumper Harness                       |
| 21.  | 725-1644    | Short Spring Switch                  |
| 22.  | 926-0154    | Push Mount Cable Tie 7.5 LG          |
| 23.  | 926-0320    | Insulator Nut Plate                  |
| 24.  | 931-1449A   | Blade Fan                            |
| 25.  | 732-04528   | Extension Spring, .50 DIA x 5.0 LG   |
| 26.  | 732-04792   | Extension Spring, 1.00 DIA x 4.75    |
| 27.  | 732-0716D   | Extension Spring, .59 OD x 4.00 LG   |
| 28.  | 732-0932    | Extension Spring, .38 DIA x 5.6      |
| 29.  | 732-3118    | Extension Spring, .375 OD x 1.44 LG  |
| 30.  | 936-0227    | Flat Washer, .390 x 1.500 x .134     |
| 31.  | 936-0264    | Flat Washer, .330 x .630 x .0635     |
| 32.  | 936-3008    | Flat Washer, .344 x .750 x .120      |
| 33.  | 736-3010    | Flat Washer, .407 x .812 x .135      |
| 34.  | 647-04152D  | Brake Control Assembly               |
| 35.  | 738-04420   | Shoulder Spacer, 1.375 x .380 x .183 |

| Ref. | Part Number  | Description                             |
|------|--------------|-----------------------------------------|
| 36.  | 747-04957A   | Footpedal Bypass Transmission Rod       |
| 37.  | 747-05124    | Brake Rod                               |
| 38.  | 747-05125A   | Control Rod                             |
| 39.  | 747-05130    | Disengage Rod                           |
| 40.  | 747-05181    | Belt Keeper, 5/16                       |
| 41.  | 750-04456    | Spacer, 260 x .372 x 1.420 LG           |
| 42.  | 954-04244A   | V Belt, 4L x 77.0                       |
| 43.  | 756-04224    | Flat Idler Pulley, 2.75 OD              |
| 44.  | 756-04325    | V Idler Pulley, 3.06                    |
| 45.  | 783-05443A   | Torque Bracket                          |
| 46.  | 783-05841A   | Switch Bracket                          |
| 47.  | 783-06027A   | Center Idler Bracket                    |
| 48.  | 783-06501A   | Deck Bracket                            |
| 49.  | 783-06503    | Plate Bracket                           |
| 50.  | 783-0693A    | Axle Bracket                            |
| 51.  | 683-04571    | Hydro Pedal Bracket Assembly            |
| 52.  | 710-0604A    | Taptite Screw, 5/16-18:0.625            |
| 53.  | 711-05068    | Clevis Pin, 5/16 x 3.985                |
| 54.  | 714-04040    | Bow-Tie Cotter Pin                      |
| 55.  | 726-0214     | Push Cap                                |
| 56.  | 732-04587    | Extension Spring, .63 DIA x 4.95 LG     |
| 57.  | 735-04118A   | Pad, Pedal, Forward                     |
| 58.  | 735-04135    | Pad, Pedal, Reverse                     |
| 59.  | 735-04136    | Pad, Pedal, Brake                       |
| 60.  | 938-0380     | Shoulder Bolt, .500 x .270:3/8-16       |
| 61.  | 741-0495     | Flange Bearing, .630 ID x .695 OD x .60 |
| 62.  | 748-04203    | Cruise Latch                            |
| 63.  | 783-05914    | Pedal Support Bracket                   |
| 64.  | 783-05940    | Pedal Support Bracket, 5/8              |
| 65.  | 783-06059    | Bracket, Pedal, Drive Hydro             |
| 66.  | 783-06103A   | Brake Pedal Bracket                     |
| 67.  | 738-0430     | Scr, Shldr, .50 x .685 3/8-16           |
| 68.  | 936-0344     | Washer, Flat, .385 x 1.0 x .030         |
| 69.  | 710-1026 †   | Taptite Screw, 1/4-20:1.75              |
| 70.  | 725-04791A † | Jumper Harness, Ground & Reverse        |

† Units w/o Power Steering


# 54-inch Deck




| Ref. | Part Number | Description                      |
|------|-------------|----------------------------------|
| 1.   | 12650       | Height Adjust Bracket            |
| 2.   | 96606       | Retainer Hook Bracket            |
| 3.   | 918-04608A  | Spindle Assembly                 |
| 4.   | 683-0254B   | Deck Hanger Bracket Assembly     |
| 5.   | 983-04652   | Deck Assembly                    |
| 6.   | 683-0459    | Idler Assembly                   |
| 7.   | 703-2093B   | Inner Baffle                     |
| 8.   | 703-3279    | Deflector Chute Stop             |
| 9.   | 710-04095   | Hex Screw, 3/8-16 x 1.00         |
| 10.  | 710-04484   | Taptite Screw, 5/16-18 x .750    |
| 11.  | 710-0521    | Hex Screw, 3/8-16 x 3.00         |
| 12.  | 710-0528    | Hex Screw, 5/16-18 x 1.25        |
| 13.  | 710-0599    | Hex Screw, 1/4-20 x .500         |
| 14.  | 710-0623    | Taptite Screw, 3/8-16 x 0.750    |
| 15.  | 710-0859    | Hex Screw, 3/8-16 x 2.50         |
| 16.  | 710-3103    | Hex Screw, 5/16-18 x 2.00        |
| 17.  | 710-3168    | Carriage Bolt, 3/8-16 x 1.00     |
| 18.  | 710-3178    | Carriage Bolt, 3/8-16 x 0.75     |
| 19.  | 911-0332    | Clevis Pin, .50 DIA x .78 LG     |
| 20.  | 911-3314    | Roller Pin, 1/2 DIA x 7.31 LG    |
| 21.  | 712-0229    | Push Nut, 3/8                    |
| 22.  | 712-04063   | Flangelock Nut, 5/16-18          |
| 23.  | 703-3511A   | Finger Guard                     |
| 24.  | 712-04065   | Flangelock Nut, 3/8-16           |
| 25.  | 712-0417A   | Flange Nut, 5/8-18               |
| 26.  | 712-04243   | Flexlock Nut, 1/2-13             |
| 27.  | 912-0641    | Hex Nut, M16-1.5 DIN 936         |
| 28.  | 912-3010    | Hex Nut, 5/16-18                 |
| 29.  | 712-3022    | Hexlock Nut, Counterlock, 1/2-13 |
| 30.  | 914-0111    | Cotter Pin, 3/32 x 1.0           |
| 31.  | 914-0145    | Click Pin, .092 x 1.64 LG        |
| 32.  | 714-0162    | Cotter Pin, 5/32 x 1.25          |
| 33.  | 753-04070   | Lynch Pin, .1875                 |
| 34.  | 736-0317    | Washer, .630 x 1.25 x .180       |
| 35.  | 914-0470    | Cotter Pin, 1/8 x 1.25           |
| 36.  | 715-0108    | Spring Pin, 1/4 DIA x 1.00 LG    |
| 37.  | 917-04074   | Deck Gear                        |
| 38.  | 921-04041   | Water Nozzle Adaptor             |
| 39.  | 731-0335    | Deck Roller                      |
| 40.  | 731-05679   | Front Roller                     |

| Ref. | Part Number | Description                            |
|------|-------------|----------------------------------------|
| 41.  | 732-04652   | Compression Spring, .535 OD x 1.751 LG |
| 42.  | 732-04692   | Extension Spring, .85 OD x 5.915 LG    |
| 43.  | 732-0934    | Extension Spring, 1.15 OD x 5.99 LG    |
| 44.  | 734-04155   | Deck Wheel                             |
| 45.  | 936-0119    | Lock Washer, 5/16                      |
| 46.  | 936-0179    | Flat Washer, .531 x 1.25 x .100        |
| 47.  | 736-0225    | Lock Washer, 5/8                       |
| 48.  | 936-0300    | Flat Washer, .406 x .875 x .059        |
| 49.  | 936-0921    | Lock Washer, 1/2                       |
| 50.  | 737-04003D  | Deck Water Nozzle                      |
| 51.  | 738-0295    | Shaft, .750 x .4712                    |
| 52.  | 738-1229A   | Shield Screw, .625 x 2.50:1/2-13       |
| 53.  | 938-3056    | Shoulder Bolt, .496 x 2.50:3/8-16      |
| 54.  | 942-0677B   | Blade                                  |
| 55.  | 747-04938   | Belt Keeper Rod                        |
| 56.  | 747-05141A  | Deck Lift Rod                          |
| 57.  | 937-3000    | Lube Fitting                           |
| 58.  | 747-05462   | Deck Sway Rod                          |
| 59.  | 747-1116    | Deck Release Handle Rod                |
| 60.  | 950-0212    | Spacer, .82 ID x 1.00 OD x .53         |
| 61.  | 750-04597   | Spacer, .380 x .900 x 1.313            |
| 62.  | 750-0933    | Spacer, .385 ID x .88 x .64            |
| 63.  | 954-04083   | V Belt                                 |
| 64.  | 756-04129B  | Idler Pulley, 4.25"DIA                 |
| 65.  | 783-04013A  | Pulley Stabilizer Bracket              |
| 66.  | 783-04690B  | Deck Skirt                             |
| 67.  | 783-04726   | Stationary Idler Bracket               |
| 68.  | 738-1197    | Spindle Shaft, 6.95 LG                 |
| 69.  | 783-1470A   | RH Spindle Cover                       |
| 70.  | 783-1471    | LH Spindle Cover                       |
| 71.  | 941-0919    | Ball Bearing, .787 ID x 1.85 OD x .551 |
| 72.  | 748-0160A   | Spacer, .790 ID x 1.25 OD x .175       |
| 73.  | 750-1000    | Spacer, .80 x 1.10 x 1.322 LG          |
| 74.  | 750-1349A   | Spacer, .79 x 1.82 x .55 LG            |
| 75.  | 756-04216   | Deck Pulley                            |
| 76.  | 631-04070A  | Chute Assembly                         |
| —    | 631-04092B  | Chute Assembly (International)         |
| 77.  | 711-04565   | Hinge Pin                              |
| 78.  | 732-04372   | Torsion Spring, .44 ID x 2.0           |
| 79.  | 783-05030   | Chute Bracket                          |


## Engine Accessories




| Ref. | Part Number    | Description                         |
|------|----------------|-------------------------------------|
| 1.   | 683-04549      | Shield Ass'y, Muffler               |
| 2.   | 710-0227       | Screw, Ab, #8-18, 0.500,            |
| 3.   | 710-04683      | Screw, Self-tapping, 3/8-16, 1.000, |
| 4.   | 710-0599       | Screw, Self-tapping, 1/4-20, 0.500, |
| 5.   | 710-1314A      | Screw, Socket Head, 5/16-18, .750   |
| 6.   | 712-0271       | Nut, Sems, 1/4-20                   |
| 7.   | 751-3141-14    | Hose, Extension, Oil Drain          |
| 8.   | KH-24-041-49-S | Gasket, Exhaust                     |
| 9.   | 725-0157       | Cable, Tie, 3/16 x .05 x 7.4        |
| 10.  | 726-0205       | Clamp, Hose, .490 Dia.              |
| 11.  | 728-04000      | Rivet, Pop, .188 Dia x .300         |
| 12.  | 751-10528A     | Muffler, Kohler Twin                |
| 13.  | 751-0564B      | Deflector, Muffler                  |
| 14.  | 751-10349      | Hose, Fuel, Low Permeation, 1/4     |
| 15.  | 751-11053      | Deflector, Muffler, Long            |
| 16.  | 951-10517A     | Drain, Oil                          |
| 17.  | 751-12089-28   | Hose, Vent                          |



## Electrical Schematic w/ Power Steering





# Hydro-Gear Transmission

| Ref. No. | Part No.        | Description                                                                                                                                                      |
|----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1        | HG-71629        | Kit, Housing, Main<br>Housing, Main<br>Pin, Standard Headless<br>Bushing, .624 x .719 x .562<br>Bushing, .865 x .985 x .790<br>Bearing, Flange 1.0 x 1.376 x .99 |
| 2        | HG-71630        | Kit, Housing, Side<br>Housing, Side<br>Bushing, .624 x .729 x .562<br>Bushing, .865 x .985 x .790<br>Bearing, Flange 1.0 x 1.376 x .99                           |
| 4        | HG-9005110-5600 | Plug, 9/16-18 (Metal)                                                                                                                                            |
| 7        | HG-53246        | HFHCS 1/4-20 x 1.25                                                                                                                                              |
| 10       | HG-70719        | Seal, Lip .625 x 1.0                                                                                                                                             |
| 12       | HG-52558        | Assembly, Fitting, Metal                                                                                                                                         |
| 13       | HG-50928        | Gasket Material (Not Shown)                                                                                                                                      |
| 22       | HG-51448        | Plate, Bypass                                                                                                                                                    |
| 23       | HG-52114        | Filter, Oil                                                                                                                                                      |
| 26       | HG-52162        | Seal, Plug 1.250 x .250                                                                                                                                          |
| 27       | HG-52137        | HFHCS 3/8-16 x 1.5 (Patch)                                                                                                                                       |
| 30       | HG-51626        | Seal, Lip .375 x .75 x .25                                                                                                                                       |
| 31       | HG-51628        | Ring, Retaining .375 External                                                                                                                                    |
| 32       | HG-52136        | Rod, Bypass                                                                                                                                                      |
| 33       | HG-51627        | Ring, Retaining .750 Internal                                                                                                                                    |
| 34       | HG-51910        | Arm, Bypass                                                                                                                                                      |
| 35       | HG-51630        | Ring, Retaining .375 Internal                                                                                                                                    |
| 40       | HG-51048        | Trunnion, Swashplate                                                                                                                                             |
| 41       | HG-51140        | Seal, Lip 18 x 32 x 7                                                                                                                                            |
| 45       | 736-0371        | Washer, .24 x .88 x .05                                                                                                                                          |
| 46       | HG-51812        | TWHCS 5.16-24 x 1.00 (Patch)                                                                                                                                     |
| 55       | HG-50951        | Washer, 1.23 x 1.56 x .04                                                                                                                                        |
| 56       | HG-51161        | Seal, Lip 17 x 40 x 17                                                                                                                                           |
| 57       | HG-50329        | Ring, Retaining 1.575 Internal                                                                                                                                   |
| 60       | HG-51462        | Bearing, Thrust                                                                                                                                                  |
| 64       | HG-70735        | Assembly, Cylinder Block, 16cc                                                                                                                                   |
| 65       | HG-50551P       | Bearing, Thrust Ball 30 x 52 x 13                                                                                                                                |
| 69       | HG-70723        | Assembly, Block 7 Piston                                                                                                                                         |
| 70       | HG-44371        | Washer, .63 x 1.0 x .05                                                                                                                                          |
| 71       | HG-44145        | Ring, Retaining .625 External                                                                                                                                    |

| Ref. No. | Part No. | Description                        |
|----------|----------|------------------------------------|
| 72       | HG-52109 | Gear, 14T                          |
| 73       | HG-52585 | Shaft, Motor                       |
| 74       | HG-51069 | Washer, .72 x 1.16 x .04           |
| 80       | HG-50132 | Washer, .5 x 1.0 x .03             |
| 81       | HG-52110 | Gear, 45T                          |
| 82       | HG-52583 | Gear, 11T                          |
| 83       | HG-51083 | Pin, Jackshaft                     |
| 90       | HG-50859 | Ring, Retaining 2.06 Internal      |
| 91       | HG-52577 | Gear, 60T                          |
| 92       | HG-51939 | Spacer, 1.04 x 1.65 x .22          |
| 94       | HG-53547 | Shaft, Axle 1.00 x 13.37, DD       |
| 95       | HG-53656 | Bearing, Ball 1.0 x 52 x 15        |
| 96       | HG-53699 | Seal, Lip 25 x 52 x 10 TC (Gray)   |
| 105      | HG-50752 | HFHCS 1/4-20 x .75                 |
| 106      | HG-52247 | Guard, Filter, LH                  |
| 121      | HG-51585 | Pulley, 4.0"                       |
| 122      | 912-0346 | Hex Lock Nut 1/2-20 (Nylon Insert) |
| 123      | HG-51076 | Screw Hex 1/4-20 x .875            |
| 130      | HG-52157 | Tube, Connecting                   |
| 140      | HG-52527 | Spacer, .320 x 1.005 x .179        |
| 141      | HG-52921 | Assembly, RTN, Neutral Arm         |
| 142      | HG-71341 | SHCS 5/16-24 x 1 Patch             |
| 146      | HG-51950 | Washer, .343 x 1.500 x .062        |
| 147      | HG-51605 | Spring, Extension RTN - 44 LBS     |
| 152      | HG-52599 | Gear, Bevel 14T Spline ID          |
| 153      | HG-52600 | Gear, Bevel 10T                    |
| 154      | HG-52608 | Pin, .499 x 1.20                   |
| 155      | HG-52531 | Ring, Spiral Retaining - 87        |
| 170      | 917-0678 | Puck, Brake                        |
| 171      | HG-52582 | Rotor, Brake                       |
| 172      | 917-0682 | Plate, Puck                        |
| 175      | HG-44433 | Bolt, Hex Head 1/4-20 x 1 w/ Patch |
| 176      | HG-51146 | Bolt, Hex Head 1/4-20 x 2 w/ Patch |
| 177      | 941-0343 | Pin, Brk .31 x .73 Plated          |
| 178      | HG-50919 | Spring, Comp Brake Anti-Drag       |
| 179      | HG-50911 | Arm, Brake                         |
| 181      | 912-0273 | Nut, Castle 5/16-24 PL             |
| 182      | 914-0507 | Pin, Cotter 3/32 x 3/4             |
| 183      | HG-23711 | Spacer, .26 x .57 x .87            |

| Ref. No. | Part No.        | Description                      |
|----------|-----------------|----------------------------------|
| 184      | 736-0371        | Washer, .27 x .88 x .12          |
| 185      | HG-50884        | Spring, Brake Arm Bias           |
| 190      | HG-51687        | Cap, Barbed                      |
| 191      | HG-52474        | Hose, .28 x .15 x 10.00          |
| 196      | HG-52922        | Fitting, Barbed                  |
| 200      | HG-71632        | Kit, Seal (Not Shown)            |
| 006      |                 | Pin, Standard Headless           |
| 010      |                 | Seal, Lip .625 x 1.0             |
| 026      |                 | Seal, Plug 1.250 x .250          |
| 030      |                 | Seal, Lip .375 x .75 x .25       |
| 031      |                 | Ring, Ret .375 External          |
| 033      |                 | Ring, Ret .750 Internal          |
| 035      |                 | Ring, Ret .375 External          |
| 041      |                 | Seal, Lip 18 x 32 x 7            |
| 046      |                 | TWHCS 5.16-24 x 1.00 (Patch)     |
| 054      |                 | Ring, Ret Wire .561 ID           |
| 056      |                 | Seal, Lip 17 x 40 x 7            |
| 057      |                 | Ring, Ret 1.575 Internal         |
| 071      |                 | Ring, Ret .625 x External        |
| 090      |                 | Ring, Ret .206 Internal          |
| 096      |                 | Seal, Lip 25 x 52 x 10 TC (Gray) |
| 130      |                 | Tube, Connecting                 |
| 132      |                 | O-Ring - 137, .103 x 2.050       |
| 155      |                 | Ring, Sprial Ret .875            |
| 201      | HG-71639        | Kit, Center Section, LH, CHRG    |
| 020      | —               | Center Section, LH, CHRG         |
| 022      | HG-51448        | Plate, Bypass                    |
| 024      | HG-50564        | Check Plug                       |
| 025      | HG-50564        | Check Plug                       |
| 026      | HG-52162        | Seal, Plug 1.250 x .250          |
| 027      | HG-52137        | HFHCS 3/8-16 x 1.5 (Patch)       |
| 028      | HG-2003071      | Brg, Jrnl                        |
| 135      | HG-9001214-4400 | Ball, Steel 7/16"                |
| 136      | HG-51157        | Spring, Relief .42 x .75         |
| 137      | HG-51805        | Pin, Spring .125 x .875          |
| 202      | HG-71436        | Kit, Charge Relief               |
| 135      | HG-9001214-4400 | Ball, Steel 7/16"                |
| 136      | HG-51157        | Spring, Relief .42 x .75         |
| 137      | HG-51805        | Pin, Spring .125 x .875          |

| Ref. No. | Part No.   | Description                      |
|----------|------------|----------------------------------|
| 203      | HG-71411   | Kit, Charge                      |
| 131      | HG-50273   | Gerorter Assembly (1.9cc/REV)    |
| 132      | HG-52250   | O-Ring - 137, .103 x 2.050       |
| 133      | HG-52688   | Cover, Charge Pump               |
| 134      | HG-52768   | Screw, Pan Head 1/4-20 x .75     |
| 210      | HG-71442   | Kit, Input Shaft                 |
| 052      | HG-52155   | Shaft, Input                     |
| 053      | HG-50315   | Brg, Ball 17 x 40 x 12 Open 6203 |
| 054      | HG-2000022 | Ring, Ret Wire .561 ID           |
| 211      | HG-71827   | Kit, RTN Bidirectional           |
| 044      | —          | Arm, Control                     |
| 046      | HG-51812   | Screw 5/16-24 x 1.00 (Patch)     |
| 145      | —          | Assembly, RTN Bidirectional      |
| 212      | HG-70633   | Kit, Brake-Yoke                  |
| 173      | N/A        | Bolt, Square Head                |
| 174      | HG-50879   | Brake Yoke                       |

# GT Labels

777D15460



777I22679



777D12864



777D15459




777I23293

777D15269




777I23323



777D15468



777S33836



777D15268



777D15409



777D15402



777I23491



777I23531



777D15453




777D15454



777S33183



777I22265



777X44924

| MODEL GT 1054 REPLACEMENT PARTS          |               |  |
|------------------------------------------|---------------|--|
| Use only Cub Cadet genuine factory parts |               |  |
| Blades                                   | 942-0677B (3) |  |
| Lower Drive Belt                         | 954-04244A    |  |
| Engine To Deck Belt                      | 954-04083     |  |
| Deck Spindles                            | 919-04608A    |  |
| Ignition Key                             | 925-2054A     |  |
| Solenoid                                 | 725-04439     |  |


777D15407



777S30503



777D15466



777I23133



777D15460



777I22679



777D12864



777D15459



777I23293



777D15269




777I23323



777D15468



777S33233



777D15268




777D15409



777D15402



777I23490



777I23294



777D16172




777D16171



777S33183



777I22265



777X45152

| MODEL GTX 1054 REPLACEMENT PARTS         |               |                           |                 |
|------------------------------------------|---------------|---------------------------|-----------------|
| Use only Cub Cadet genuine factory parts |               |                           |                 |
| Blades                                   | 942-0677B (3) | Oil Filter                | KH-12-050-01-S  |
| Lower Drive Belt                         | 954-04244A    | Air Filter w/ Pre-Cleaner | KH-32-883-03-S1 |
| Engine To Deck Belt                      | 954-04083     | Spark Plug                | 759-3336        |
| Deck Spindles                            | 919-04608A    | Fuel Filter               | KH-25-050-22-S1 |
| Ignition Key                             | 925-2054A     | Oil Capacity              | 57.6 oz         |
| Solenoid                                 | 725-04439     |                           |                 |

www.cubcadet.com

777S30503




777D16173



777I23133




# Kohler SV740-3024 Crankcase



| Ref. | Part Number    | Description                                 |
|------|----------------|---------------------------------------------|
| 1    | KH-12-402-02   | Breather Reed                               |
| 2    | KH-24-018-04-S | Breather Reed Retainer                      |
| 3    | KH-24-380-16-S | Locating Pin                                |
| 4    | KH-24-032-19-S | Oil Seal, 1.78 x 1.26                       |
| 5    | KH-12-422-07-S | Camshaft Shim (White, .028)                 |
| —    | KH-12-422-08-S | Camshaft Shim (Blue, .03)                   |
| —    | KH-12-422-09-S | Camshaft Shim (Red, .032)                   |
| —    | KH-12-422-10-S | Camshaft Shim (Yellow, .034)                |
| —    | KH-12-422-11-S | Camshaft Shim (Green, .036)                 |
| —    | KH-12-422-12-S | Camshaft Shim (Gray, .038)                  |
| —    | KH-12-422-13-S | Camshaft Shim (Black, .04)                  |
| 6    | KH-24-018-01-S | Piston Pin Retainer                         |
| 7    | KH-24-067-28-S | Connecting Rod (STD)                        |
| 8    | KH-24-018-09-S | Ring Retainer                               |
| 9    | KH-24-468-15-S | Flat Washer, 1 <sup>1</sup> / <sub>32</sub> |
| 10   | KH-28-032-09-S | Governor Cross Shaft Seal                   |
| 11   | KH-24-144-38-S | Governor Cross Shaft                        |
| 12   | KH-24-126-19   | Oil Fill Tube Bracket                       |
| 13   | KH-M-545013-S  | Flange Screw, M5 x .8 x 13                  |
| 14   | KH-M-931010-S  | Flat Washer, 9mm                            |
| 15   | KH-32-755-04-S | Dipstick & Tube Kit                         |
| 16   | KH-25-153-09-S | O-Ring                                      |
| 17   | KH-12-153-01-S | Lower Oil Fill Tube O-Ring                  |
| 18   | KH-32-010-05-S | Camshaft Assembly                           |
| 19   | KH-32-874-13-S | Piston W/ Ring Kit (STD)                    |
| 20   | KH-32-108-01-S | Ring Set (STD)                              |
| 21   | N/A            | Crankcase (Use Short Block)                 |


## Kohler SV740-3024 Head/Valve/Breather



## Kohler SV740-3024 Head/Valve/Breather


| Ref. | Part Number     | Description                                                        |
|------|-----------------|--------------------------------------------------------------------|
| 1    | KH-12-755-03    | Retainer Kit                                                       |
| 2    | KH-235011-S     | Spring Retainer                                                    |
| 3    | KH-66-032-05-S  | Valve Stem Seal                                                    |
| 4    | KH-24-016-01    | Exhaust Valve (STD)                                                |
| 5    | KH-24-017-01    | Intake Valve (STD)                                                 |
| 6    | KH-32-326-06-S  | Breather Hose Kit (Inc. #7)                                        |
| 7    | KH-25-237-31-S  | Hose Clamp, ½                                                      |
| 8    | KH-32-081-02-S  | Housing Breather Kit (Inc. #9 & 10)                                |
| 9    | KH-M-547050-S   | Lock Nut, M5 x 8                                                   |
| 10   | KH-32-468-01-S  | Sealing Washer                                                     |
| 11   | KH-32-072-03-S  | Breather Cover Stud                                                |
| 12   | KH-32-019-02-S  | Tappet                                                             |
| 13   | KH-32-841-01-S  | Cylinder Head Gasket Kit                                           |
| 14   | KH-62-086-08-S  | Flange Screw, M10 x 1.5 x 90                                       |
| 15   | KH-M-645016-S   | Flange Screw, M6 x 1.0 x 16                                        |
| 16   | KH-32-096-04-S  | Breather Cover                                                     |
| 17   | KH-32-318-13-S  | Cylinder Head Assembly Kit, #1<br>(Inc. Exhaust Mounting Hardware) |
| 18   | KH-32-318-14-S  | Cylinder Head Assembly Kit, #2<br>(Inc. Exhaust Mounting Hardware) |
| 19   | KH-32-146-09-S  | Guide Plate                                                        |
| 20   | KH-32-072-04-S  | Rocker Stud                                                        |
| 21   | KH-32-186-03-S  | Rocker Arm                                                         |
| 22   | KH-32-100-05-S  | Hex Nut Assembly (Inc. #32)                                        |
| 23   | KH-25-599-01-S  | Rocker Arm Pivot                                                   |
| 24   | KH-32-411-04-S  | Push Rod                                                           |
| 25   | KH-32-326-07-S  | Fuel Pump Hose Kit (Inc. #29)                                      |
| 26   | KH-32-050-05-S  | Breather Filter                                                    |
| 27   | KH-32-089-05-S  | Valve Spring                                                       |
| 28   | KH-25-086-374-S | Pan Head Screw                                                     |
| 29   | KH-25-237-01-S  | Hose Clamp                                                         |
| 30   | KH-25-096-10-S  | Rocker Cover                                                       |
| 31   | KH-25-096-09-S  | Rocker Cover                                                       |
| 32   | KH-25-086-168-S | Set Screw                                                          |
| 33   | KH-25-173-28-S  | Valve Spring Cap                                                   |
| 34   | KH-25-445-03-S  | Lifting Strap                                                      |
| NS   | KH-32-755-03-S  | Cylinder Head Hardware Kit                                         |

## Kohler SV740-3024 Oil Pan/Lubrication




| Ref. | Part Number    | Description                  |
|------|----------------|------------------------------|
| 1    | KH-24-086-17-S | Flange Screw, M8 x 1.25 x 45 |
| 2    | KH-25-032-06-S | Oil Seal, 2.38 x 1.45        |
| 3    | KH-25-139-57-S | Square Head Pipe Plug, 3/8   |
| 4    | KH-32-199-14-S | Oil Pan Assembly             |
| 5    | KH-12-144-02   | Governor Gear Shaft          |
| 6    | KH-12-380-01   | Governor Regulating Pin      |
| 7    | KH-24-448-02-S | Locking Tab                  |
| 8    | KH-32-310-02-S | Governor Gear Kit            |
| 9    | KH-24-153-01   | Oil Pick-Up O-Ring           |
| 10   | KH-32-086-01-S | Screw                        |

| Ref. | Part Number    | Description                       |
|------|----------------|-----------------------------------|
| 11   | KH-32-393-16-S | Oil Pump Assembly                 |
| 12   | KH-32-123-01-S | Oil Feed Tube (Filter to Oil Pan) |
| 13   | KH-32-123-09-S | Oil Feed Tube Assembly            |
| 14   | KH-12-050-01-S | Oil Filter                        |
| 15   | KH-32-136-05-S | Oil Filter Nipple                 |
| 16   | KH-32-468-02-S | Flat Washer                       |
| 17   | KH-25-139-60-S | Plug, Ctsk. Pipe Plug, 1/8        |
| 18   | KH-32-123-06-S | Oil Feed Tube                     |
| 19   | KH-32-153-05-S | O-Ring                            |




| Ref. | Part Number    | Description                |
|------|----------------|----------------------------|
| 1    | KH-M-851080-S  | Flg. Screw, M8 X 1.25 X 80 |
| 2    | KH-32-098-03-S | Starter Assembly           |
| —    | KH-12-243-04-S | Brush Assembly             |
| —    | KH-12-755-39-S | Kit, Drive with Gear       |
| —    | KH-32-211-01-S | Thru Bolt                  |
| —    | KH-32-227-01-S | End Cap                    |

## Kohler SV740-3024 Ignition/Electrical



| Ref. | Part Number     | Description          |
|------|-----------------|----------------------|
| 1    | 759-3336        | Spark Plug           |
| 2    | KH-28-085-02-S  | 25 Amp Stator Kit    |
| 3    | KH-25-086-162-S | Screw, M5 x 0.8 x 30 |
| 4    | KH-25-086-361-S | Hex Flange Screw     |
| 5    | KH-25-340-04-S  | Square Key           |
| 6    | KH-25-468-09-S  | Flat Washer          |
| 7    | KH-32-025-15-S  | Flywheel Assembly    |
| 8    | KH-20-146-05-S  | Fan Mounting Plate   |
| 9    | KH-32-157-01-S  | Fan                  |
| 10   | KH-32-162-03-S  | Grass Screen         |
| 11   | KH-24-584-63-S  | Module Ignition Kit  |
| 12   | KH-M-545020-S   | Screw, M5 x .8 x 20  |
| 13   | KH-25-155-41-S  | Connector            |
| 14   | KH-47-154-01-S  | Cable Clip           |
| N/A  | KH-25-454-05-S  | Wire Tie             |
| N/A  | KH-32-176-28-S  | Wiring Harness       |


## Kohler SV740-3024 Blower Housing & Baffles



## Kohler SV740-3024 Blower Housing & Baffles


| Ref. | Part Number     | Description                     |
|------|-----------------|---------------------------------|
| 1    | KH-24-086-12    | Screw, M6 x 1.7 x 18            |
| 2    | KH-32-027-03-S  | Blower Housing Kit              |
| 3    | KH-32-096-08-S  | Air Cleaner Cover               |
| 4    | KH-M-545016-S   | Flange Screw, M5 x .8 x 16      |
| 5    | KH-M-645016-S   | Flange Screw, M6 x 1.0 x 16     |
| 6    | KH-24-063-93-S  | Valley Baffle, #1 Cylinder      |
| 7    | KH-24-063-94-S  | Valley Baffle, #2 Cylinder      |
| 8    | KH-32-063-10-S  | Cylinder Barrel Baffle, #1 Side |
| 9    | KH-32-063-12-S  | Cylinder Barrel Baffle, #2 Side |
| 10   | KH-M-0545010    | Flange Screw, M5 x .8 x 10      |
| 11   | KH-25-403-21-S  | Regulator/Rectifier             |
| 12   | KH-32-146-05-S  | Backing Plate Kit               |
| 13   | KH-M-545020-S   | Screw, M5 x .8 x 20             |
| 14   | KH-25-086-158-S | Flange Screw, M6 x 1.0 x 10     |

## Kohler SV740-3024 Engine Controls




| Ref. | Part-Number     | Description                 |
|------|-----------------|-----------------------------|
| 1    | KH-24-211-03-S  | Bolt, M6 x 1.0 x 25         |
| 2    | KH-24-090-51-S  | Governor Lever              |
| 3    | KH-M-641060-S   | Flange Nut, M6 x 1.0        |
| 4    | KH-24-089-01    | Linkage Spring              |
| 5    | KH-25-158-08    | Linkage Retaining Bushing   |
| 6    | KH-24-079-04    | Throttle Linkage            |
| 7    | KH-25-158-11    | Throttle Linkage Bushing    |
| 8    | KH-M-547050-S   | Lock Nut, M5 x .8           |
| 9    | KH-24-089-03    | Choke Return Spring         |
| 10   | KH-32-126-04-S  | Control Bracket             |
| 11   | KH-M-645016-S   | Flange Screw, M6 x 1.0 x 16 |
| 12   | KH-12-237-01    | Cable Clamp                 |
| 13   | KH-24-086-43-S  | Screw, M5 x .8 x 16         |
| 14   | KH-24-079-22-S  | Choke Linkage               |
| 15   | KH-32-090-09-S  | Speed Setting Lever         |
| 16   | KH-24-112-27-S  | Control Assembly Spacer     |
| 17   | KH-24-468-01    | Flat Washer, 5.5mm          |
| 18   | KH-25-086-151-S | Screw, M5 x .8 x 25mm       |
| 19   | KH-41-468-03    | Spring Washer, ¼            |
| 20   | KH-32-090-12-S  | Choke Lever                 |
| 21   | KH-32-090-08-S  | Speed Control Lever         |
| 22   | KH-32-089-03-S  | Speed Control Spring        |
| 23   | KH-32-090-07-S  | Governor Spring Lever       |
| 24   | KH-M-545016-S   | Flange Screw, M5 x .8 x 16  |
| 25   | KH-24-089-55-S  | Governor Spring             |
| 26   | KH-24-089-18    | Governor Spring             |

## Kohler SV740-3024 Air Intake/Filtration




| Ref. | Part Number     | Description                 |
|------|-----------------|-----------------------------|
| 1    | KH-24-041-14    | Air Cleaner Base Gasket     |
| 2    | KH-32-883-03-S1 | Pre-Cleaner Element         |
| 3    | KH-32-344-02-S  | Air Cleaner Element Latch   |
| 4    | KH-32-883-03-S1 | Air Filter Element          |
| 5    | KH-24-164-91-S  | Intake Manifold Kit         |
| 6    | KH-M-651040-S   | Flange Screw, M6 x 1.0 x 40 |
| 7    | KH-25-155-51-S  | Evaporative Connector       |
| 8    | KH-25-173-33-S  | Evaporative Mask            |
| 9    | KH-25-326-08-S  | Evaporative Hose, 20"       |
| 10   | KH-32-094-08-S  | Air Cleaner Base            |
| 11   | KH-25-139-60-S  | Pipe Plug, 1/8              |
| 12   | KH-24-041-52-S  | Carburetor Gasket           |
| 13   | KH-24-153-27-S  | Intake Port O-Ring          |




| Ref. | Part-Number     | Description              |
|------|-----------------|--------------------------|
| 1    | KH-32-853-25-S  | Carburetor Kit           |
| 2    | KH-M-629105-S   | Stud, M6 x 1.0 x 106     |
| 3    | KH-M-641060-S   | Flange Nut, M6 x 1.0     |
| 4    | KH-24-086-12    | Tap Screw, M6 x 1.7 x 18 |
| 5    | KH-24-393-16    | Fuel Pump                |
| 6    | KH-25-111-72-S  | Fuel Line                |
| 7    | KH-25-237-31-S  | Hose Clamp, ½            |
| 8    | KH-25-050-22-S1 | Fuel Filter              |
| 9    | KH-24-041-14    | Air Cleaner Base Gasket  |
| 10   | KH-24-041-52-S  | Carburetor Gasket        |
| 11   | KH-47-154-01-S  | Cable Clip               |

## Kohler SV740-3024 Crankshaft



| Ref. | Part Number     | Description      |
|------|-----------------|------------------|
| 1    | KH-52-139-09-S  | Cup Plug         |
| 2    | KH-32-014-305-S | Crankshaft       |
| 3    | KH-X-43-1-S     | Key, 1/8" x 1/2" |



Artwork is representative.  
Actual labels may differ depending on model and specification number.

| Ref. | Part Number    | Description          |
|------|----------------|----------------------|
| 1    | KH-25-113-39-S | Clear Laminate Decal |
| 2    | KH-32-113-09-S | Decal, 27 HP         |

[illegible]

[illegible]



To order replacement parts, call the Customer Dealer Referral Line at 1-877-282-8684  
or visit [www.cubcadet.com](http://www.cubcadet.com) to find the nearest Cub Cadet dealer in your area.

---

**CUB CADET LLC, P.O. BOX 361131 CLEVELAND, OHIO 44136-0019**

---