

EdenPURE®

G9 AIR PURIFIER OWNER'S MANUAL


IMPORTANT SAVE THESE INSTRUCTIONS

To ensure you get the best results from your portable heater, please read this manual first and keep it for future reference. For additional information, please contact your place of purchase or call 1-800-225-6595

Thank you for choosing EdenPURE®



Purification Theory




Packing List


Machine x1 User Manual x1 Adapter x1
Eraser x1 Remote Control x1

Components


Front/Side



Back




Internal Structure





Installation Guide

Take the unit out of the box and place it in a location where the air inlet is no closer than 2 ft. from the wall. Plug the unit into the outlet and turn the power on. (Pic. 1)



Pic 1

Operation Instruction



Press the Power Button for approximately 1 second to turn the power ON. Hold the power button in to turn the power OFF.

When the power is ON, keep pressing the power button to cycle through the different modes, fan speeds and sleep mode. The indicator lights will let you know what mode you're in.

Display and Air Quality Indicator Instruction

*Remark: The EdenPURE G9 Air Purifier side aperture color changes to show different air quality. The side logo is only for decoration.

10

AQI (Air Quality Index)

This is a calculated air quality index based on the particle numbers that the sensor measures in the air. Ranges from 0-500.

L4

Wind Speed Indicator

L1-L4, slow to fast.

-[-


Cleaning Reminder

Displays when collecting plates need to be washed.

9XX

Fault Reminder

When "9XX" appears on the display after the unit has been running for more than 3 minutes and the power indicator is blinking, clean the unit using the instructions on page 7 of this manual. Make sure everything is put back correctly according to the instructions. If "9XX" is still flashing after you clean the unit, please contact customer service at 800-225-6595.



Green:
Excellent
AQI ≤ 50



Yellow Green:
Good
50 < AQI ≤ 100




Yellow:
Moderately Polluted
100 < AQI ≤ 150



Red:
Hazardous
AQI > 150

AQI numbers are calculated based on the real time particles numbers in some air volume according to United States Environmental Protection Agency (EPA). The numbers could be affected by the air flow speed, air purifier position and ambient environment. AQI is an indicator of air quality. As the AQI increases, an increasingly large percentage of the population is likely to experience increasingly severe adverse health effects.

Display




Remarks:

1. When the Sleep Mode Indicator Light is on and all other lights are off, the unit will run silently at low speed.
2. When the Air Quality Indicator Light is on it will display the current air quality level by the color of the light (see page 4 for colors).
3. When the Auto Mode Indicator Light is lit up, the unit automatically adjusts the fan speed based on current air quality conditions.

Air Quality Sensor Cleaning


The EdenPURE G9 Air Purifier has an emedded air quality sensor. To keep the air quality sensor reading accurate, please clean the sensor every 6 months, using a dry soft towel or cotton swabs with rubbing alcohol as illustrated.




Pic 1

Cleaning the Collecting Plates


1. Clean the collecting plates when the air purifier display shows this: -C-
 2. Turn the power off and unplug the unit, then open the back of the unit and pull out the collecting plates (Pic 1).
 3. Put the collecting plates into a container and use a non-abrasive cleaning brush to clean the external sheet metal finishing with water (Pic 3).
 - a. It is better to use a mild detergent and soak the plates for about 10 minutes before brushing them.
Do not soak longer than 10 minutes (Pic 2).
 - b. Use a mild detergent. DO NOT USE an abrasive, acidic or corrosive detergent such as laundry detergent.
 - c. The surface of the sheet metal may have small stains; these will not affect the use of the air purifier.
 4. Dry the collecting plates after cleaning. You can either let them air dry or dry with a hair dryer. It is recommended that you let them air dry for 24 hours.
 5. Once the collecting plates are completely dry, put them back into the unit in the direction the label indicates.
- NOTE: If there is a "C" error code that appears after you clean the collecting plates, press and hold the Power Button for 5-6 seconds and the code should go away. It is just the unit resetting itself.



Pic 1




Pic 2




Pic 3

Full Cleaning Cycle


1. We recommend that you do a full cleaning every 3 months.
2. Turn the power off and unplug the unit. Open the back of the unit. Pull out the catalyst filter, wire frame, collecting plates and pre-filter (Pic 1). Pull out the protective rubber sleeve as illustrated (Pic 2).
3. Remove the catalyst filter and let it air dry. Do NOT wipe it or clean it.
4. Lay the wire frame flat and wipe it gently with a sponge or a dry towel (Pic 4). Do NOT wash the wire frame with water.
5. Clean the collecting plates according to the instructions on page 6.
6. Rinse the pre-filter with water.
7. Soak the protective rubber sleeve in water for 20 minutes. Scrub it with a rush or sponge using a neutral mild detergent. Then rinse it with clean water. Dry it for 1-2 days until it's completely dry (Pic 3).
8. Clean the rear cover and inner walls with a wet sponge or towel (Pic 5 and Pic 6).
9. Make sure all parts are 100% dry before putting them back into the unit.




Pic 1




Pic 2




Pic 3



Pic 4



Pic 5



Pic 6

Important - Follow All Instructions Below

Cleaning and Usage Notices:

1. Turn off the power and unplug the unit before performing any cleaning or maintenance.
2. This is an advanced electronic smart appliance using high voltage but very low current inside. It is built for safety. Always wait 5 minutes after turning off the power and unplugging the unit before opening up the back to allow the unit to process of built-up static electricity.
3. ONLY use the original adapter.

Safety Notices:

1. To prevent damage to the inner components, avoid impacts or dropping the unit.
2. Keep purifier away from children.
3. Do not block or put objects into the Air Inlet or Air Outlet.
4. Do not touch the power plug with wet hands.

Placement Notices:

1. Do not use it around flammable or explosive environments with combustible gas or dust.
2. Do not use it in wet environments (for example: beside a humidifier).
3. Do not use it near a heat source or in a high temperature environment.

FCC Information

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

RF Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This device complies with Part 15 of the FCC Rules, operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

• Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Model	G9
CADR _{particle} (m³/h)	100
Purification Efficiency Level _{particle}	high
Noise (dB(A))	<59.5
Rated Power (W)	20
Rated Voltage	13V~
Weight (Kg)	4.25
Size (Inches)	12.2 (H) * 14 (L) * 4.9 (W)

All figures above are all under the international standards of Air Purifier.

WARRANTY:

The EdenPURE® G9 Air Purifier comes with a ONE-YEAR LIMITED COMPONENT WARRANTY. If your unit does not appear to be working properly, please contact our service center by calling 1-800-225-6595. Prior to your call, we encourage you to visit our service related website: www.edenpuresupport.com for troubleshooting tips and service instructions if needed.

To place an order call 1-800-360-1070.

EdenPURE®
7584 Whipple Avenue NW
North Canton, OH 44720