

EdenPURE® Mist Free Humidifier




Model No. A6073


Owner's Manual

PLEASE READ
AND SAVE THESE
INSTRUCTIONS


Parts Description




How to Add Water



1. Take the body apart as shown and remove the filter. Also remove the bag that covers the filter.



2. Add water to the tank as shown above.




3. After adding water, put the body back together, making sure the grooves snap back into place.

TIPS:

1. Do not add disinfectants, essential oils, lemon juice or fungicides in the tank.
2. Wait 1 minute to turn the unit on after adding water.
3. Unplug power cord before adding water and cleaning.
4. The humidifier must be cleaned to remove scale and debris in the tank regularly. It is recommended you clean it once a week.

Set-Up



1. To turn the power on to the unit, press the Power button. The lights will come on. Press the power button again to turn the unit off and the lights will go out.
2. After pressing the power button, the smart light will come on and the unit will automatically be in comfort mode. Press the mode button to switch the mode between sleep, comfort, turbo and smart modes. Press the timer button to set the timer.
3. If the unit is low on water it will beep 3 times and the SMART icon will flash red.
4. If the “SMART” icon is red, the humidity is less than 40% it indicates the room is dry.
5. If the “SMART” icon is green, the humidity is between 40% and 60% it indicates the room is in the comfortable range.
6. If the “SMART” icon is blue, the humidity is over 60% and it indicates the humidity in the room is high.

Button Functions

Power	To turn the power on to the unit, press the Power button. The lights will come on. Press the power button again to turn the unit off and the lights will go out. After pressing the power button, the humidity light will come on and the unit will automatically be in comfort mode.
Mode	Press the mode button to cycle between: comfort→turbo→smart→sleep modes. In smart mode, set the humidity level from 40% to 80% in 5% increments by pressing the mode button when the display is flashing. After it's done flashing the display will show the actual humidity in the room. Turbo Mode: Motor speed 1350 RPM; Humidification: 460mL/h; LED Light is ON Comfort Mode: Motor speed 850 RPM; Humidification: 380mL/h; LED Light is ON Sleep Mode: Motor speed 650 RPM; Humidification: 200mL/h; LED Light is OFF; only a dim sleep light is on Smart Mode: If the humidity is lower than the set level then the unit will run on Turbo until the level is met. Once the desired level is reached it will lower to Comfort Mode to maintain.
Timer	Set the timer from 0-24 hours in 1 hour increments by pressing the Timer button.
Water Light	If the tank is low on water it will beep 3 times and the humidity icon will flash red.

Caution

To ensure safety, the product complies with all applicable standards and regulations (low voltage, electromagnetic compatibility, environmental directives, etc.).

1. The machine is not suitable for use by children. Do not allow children to play with this product.
2. Keep this product out of the reach of children.
3. The weight of the product is affected by the amount of water in it so it may be heavy.

Before using this product, please read this manual carefully and keep it for future reference.

1. Do not plug and unplug the adapter with wet hands to avoid electric shock.
2. Do not start the unit when there is no water in it.
3. Do not add disinfectants, essential oils, lemon juice or fungicides in the water tank.
4. Do not put or place any items or pets in the tank.
5. Do not add water to the air outlet.
6. Do not immerse the unit in water when it is turned on.
7. Do not block the air outlet and keep the upper part of the air outlet unobstructed.
8. Do not alter the power cord without authorization, or connect the power cord halfway or use it in parallel with other electrical appliances.
9. Do not climb or sit on this unit.
10. Do not turn the humidifier off by unplugging it. Always turn it off using the Power Button.
11. Do not use harsh abrasives to clean the unit or they may damage the surface.
12. Keep the humidifier at least 3 ft. away from the wall and other objects.

FCC Information

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 9 inches between the radiator and your body.

Important Reminders

1. It is recommended to use purified water for humidification.
2. Do not use damaged or aged adapters. Do not replace the power cable without authorization. If the power cable is damaged, it must be replaced by the manufacturer, other maintenance departments or professionals in similar departments to avoid danger.
3. Disconnect the power supply during thunderstorms.
4. If there is anything abnormal (such as burning smell) turn the unit off and unplug it. Contact customer service.
5. When the unit will not be in use for a long time, unplug the adapter, drain the water and clean the tank.
6. In order to avoid bacterial growth, please change the water in the tank frequently.
7. When moving the machine, please unplug the adapter first to keep the water tank stable to prevent the water in the water tank from overflowing.
8. If the unit is tipped over be sure to unplug the adapter immediately and contact customer service.

UV Light Technology



This unit features an internal UV light designed to help reduce microorganisms within the water tank during operation. The UV bulb is securely housed inside the product and is not replaceable by the user. It is engineered for a long operational lifespan of approximately 10,000 hours under normal use conditions. Because the UV component is integrated into the internal structure of the unit, no maintenance or servicing by the user is required.

Silver Ion Antimicrobial Protection

This product incorporates Silver Ion microbial technology directly into key plastic components. During manufacturing, Silver Ion materials are blended into the plastic resin prior to injection molding, ensuring the antimicrobial properties are evenly distributed throughout the material. This built-in protection helps inhibit the growth of bacteria and viruses on treated surfaces and remains effective for the life of the product without wearing off or requiring reapplication.


Cleaning

Cleaning the Filter



1. Turn the unit off and unplug it. Take the body apart and remove the filter.



2. Soak the filter in tap water for 1 hour.



3. Clean the filter with slow running water from the faucet. Drain the excess water from the filter and return it to the tank.

Maintenance and Cleaning

Cleaning the Outlet and Fan




1. Remove the screws at the back of the air outlet net with a screwdriver. Pull the air outlet net up and remove it.
2. Rotate the knob counterclockwise and you will be able to remove the fan.
3. The fan can be removed along the direction of the motor shaft.
4. Clean the outlet air net, knob and fan in the sink.
5. Clean and dry the accessories, install them in accordance with the order of the fan knob and the air outlet net, and screw the screws.

REMINDER:

1. Be sure to unplug the adapter before cleaning.
2. When cleaning, do not squeeze or rub the humidifying filter, which may damage the humidifying filter, and then affect the humidifying effect.
3. It is recommended to clean the humidification filter every 3-4 days to keep it hygienic.
4. For your more comfortable experience, it is recommended to replace the humidification filter once every 3 months.

Maintenance and Cleaning

Cleaning the Float and the Float Assembly




1. Rotate the float assembly counterclockwise.



2. Remove the float holder and bottle.



3. Wash the float bottle and float holder under the water tap.




4. Put the floating bottle support on the floating bottle and place it at the bottom of the tank. Turn the floating bottle support clockwise and hear the click sound to ensure that the floating bottle is installed in place.


Maintenance and Cleaning

Fuselage Cleaning/Descaling


NOTE: Always unplug the adapter before maintenance/descaling.




1. The exterior of the machine can be cleaned directly with a clean soft wet cloth.



2. The main component is clean and can be wiped directly with a clean soft wet cloth. After the main component is removed from the tank, keep it upright. Do not place it tilted or upside down.



3. To clean and descale the water tank, remove the humidification filter. Then clean with a descaling agent or water. Rinse after cleaning.



4. Empty any water that is remaining in the tank.

Troubleshooting

PROBLEM	POSSIBLE CAUSE	SOLUTION
The unit doesn't work	The cord isn't plugged in	Plug the adaptor
	The unit is out of water	Add water to tank
	The fuselage assembly and water tank are not locked together	Fuselage assembly and water tank installed in place
Water tank leaks	The tank is too full	Do not exceed the highest water level
The filter has turned yellow	The yellow substance is a natural reaction of the material used in the humidification filter	Clean the humidifier filter every 3-4 days to remove these stains, and replace the humidifier filter every 3 months
There is a bad smell coming from the unit	There is a bad smell	Replace the water with clean water or clean the tank
		Clean the filter
The unit turns on but no mist comes out	The humidifier adopts evaporative humidification technology and the humid air is output from the outlet of the humidifier	The unit does not output visible mist
There is an odd noise coming from the unit	The machine is unstable or sitting in a tilted manner	Place on a solid level surface for use
	There is a foreign body inside the product	Remove the foreign body after unplugging the unit.

WARRANTY: The EdenPURE Mist Free Humidifier comes with a ONE-YEAR LIMITED COMPONENT WARRANTY. If your unit does not appear to be working properly, please contact our service center by calling 1-800-225-6595. Prior to your call, we encourage you to visit our service related website: www.edenpuresupport.com for troubleshooting tips and service instructions if needed:

To place an order call 1-800-360-1070

EdenPURE®
7584 Whipple Avenue NW
N. Canton, OH 44720
custserv@edenpure.com