



EDENPURE® THUNDERSTORM® OXILEAF® AIR PURIFIER



- ★ Eliminates 99.9% of Air Pollution
- ★ Eliminates Viruses
- ★ Eliminates Odors!

USER'S MANUAL

IMPORTANT SAVE THESE INSTRUCTIONS

To ensure you get the best results from your Thunderstorm® OxiLeaf®, please read this manual first and keep it for future reference. For additional information, please contact your place of purchase or call 1-800-225-6595

Thank you for choosing EdenPURE®



IMPORTANT SAFETY INFORMATION



WHEN TO UNPLUG THE EDENPURE® THUNDERSTORM® OXILEAF®

Unplug Thunderstorm OxiLeaf when cleaning it, or if you will be away from it for an extended period of time.

SAFE STORAGE AND USAGE

Do not use Thunderstorm OxiLeaf in areas where flammable materials are stored.

YOUR HEALTH

Always seek the advice of a physician or other qualified healthcare provider with any questions regarding the use of new products in your environment.

DO NOT TAMPER WITH OR OPEN THE UNIT


Do not allow small children to tamper with Thunderstorm OxiLeaf. Opening or altering the unit in any way will void the warranty.

KEEP AWAY FROM WATER

Do NOT plug unit in or near shower, bathtub or other places where humidity/moisture could seep into and damage Thunderstorm OxiLeaf.

TO REDUCE THE RISK OF ELECTRIC SHOCK

To reduce the risk of electric shock, this unit has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit into the outlet, reverse the plug. If it still does not fit, contact qualified personnel to install the proper outlet. Do not alter the plug in any way. This product is not to be operated by any power sources other than those specified and is only to be used with the following products: 1) Information and Communication Technology Equipment or, 2) A Class 2 Power Unit.



Air Inlet - Where air is pulled in.

Air Outlet - Port where fresh air is expelled.

Control Knob - Adjusts the amount of O³ or Plasma produced.

LED Indicator - Light indicates when power is on and shows if plasma or O³ is turned on.

Power Pins - Used to connect Thunderstorm OxiLeaf into any standard electrical wall sockets.

DC:5V US - Used to connect Thunderstorm OxiLeaf to USB port.

INSTALLATION INSTRUCTIONS

1. Remove the unit from its box and protective material from around the unit. Inspect the unit for any visible signs of physical damage. If damage is evident, repack and contact customer service.
2. The unit should be placed in an area free from obstructions. Unlike other air purifiers, this unit does not draw air in to clean the air in the room. O³ or Plasma is produced and emitted from the unit to be dispersed into the air. If the airflow around the unit is blocked, it will not be able to disperse the O³ or Plasma freely throughout the room and may damage the unit. Do not use in rooms that are unventilated.

WARNING: Keep the unit away from wet surfaces or any areas with high moisture. Do not use near a bathtub, shower, sink, garages etc. High humidity and/or moisture could seep into and damage the unit. After prolonged exposure, oxidation/corrosion of the plug and internal components can occur and will result in the unit failing to operate properly.

3. Plug the unit into a power outlet or USB port. Push the control knob in and you will hear a click. The unit will turn on and a blue light will appear in O³ mode in low mode. You can adjust the O³ level into medium mode by turning the knob clockwise until there are two blue lights by the O³ indicator. Turn the knob further clockwise and the unit will go into high mode and there will be three blue lights by the O³ indicator. The purification strength increases the further you turn the dial. The optimal setting is when the room is free from unwanted odor and the air smells fresh without an overly strong purification smell.

Push the knob again and the unit will go into Plasma mode. There will be one blue light beside the Plasma indicator indicating the unit is in low mode. You can adjust the Plasma level into medium mode by turning the knob clockwise until there are two blue lights by the Plasma indicator. Turn the knob further clockwise and the unit will go into high mode and there will be three blue lights by the Plasma indicator. The purification strength increases the further

you turn the dial. The optimal setting is when the room is free from unwanted odor and the air smells fresh without an overly strong purification smell.

Push the knob in again and the unit will shut off.

When the unit is initially plugged in, let it run for approximately 2-3 hours and the O³ or Plasma will gradually circulate throughout the room. The unit should initially be set on the lowest setting and slowly increased until the desired level of air purification is reached. Each unit will cover up to 250 sq. ft.

ABOUT THE 2 TECHNOLOGIES

The EdenPURE® Thunderstorm® OxiLeaf® works by using O³ molecules AND plasma technology to kill bacteria and viruses while getting rid of ANY odor.

After a thunderstorm, natural O³ molecules – also known as activated oxygen – are released into the atmosphere, creating that clean, fresh smell we all associate with storms. The Thunderstorm® OxiLeaf® harnesses this natural process, generating O³ molecules that spread throughout your home. These molecules actively seek out and attach to viruses, bacteria, and odors, breaking down their molecular structure and completely neutralizing them to ensure a safe environment for you and your family.

Some people experience slight discomfort from the smell of O³ molecules so we have added a second technology to improve air quality, plasma.

The plasma technology operates by emitting charged ions into the air. These ions attach to particles in the air such as dust, pet dander, pollen and smoke, making them charged. Once charged, these pollutants can't stay airborne and drop out of the air so you can't breathe them in anymore.

WHEN AND HOW TO USE EACH TECHNOLOGY

- Use **O³ molecules** for strong odor and microbial issues in unoccupied areas. Since some people may be bothered by the clean smell of O³ it's recommended to use this setting while the area is unoccupied.

- Use **plasma** for everyday air purification in occupied spaces to enhance air quality and comfort.
4. **Sleep Mode:** When the unit is in Sleep Mode, fresh plasma ions come out of the unit, producing fresh air while you are sleeping. To put the unit in sleep mode, double click the control knob. All of the lights will come on and be dimmed. Press the control knob again to exit sleep mode.

APPLICATION: kitchen, dining room, home with pets, smoke, and more.
Use 8' USB cord to plug into car or computer.

PURPOSE: removes unwanted odors, kills bacteria, mold and mildew

SPECIFICATIONS

Model	A6030/B
Voltage Rating	AC 110V to 240V, DC 5V
8' USB Cord	
Energy Consumption.....	4 watts
Size	6" x 4" x 2" (L*W*H)
Weight.....	10.6 oz.
Ozone Generator Output	50mg/hr
Plasma Output.....	5×10^6 pcs/cm ³
Ambient Noise	26 dB SPL to 34 dB SPL
Recommended Room Size	Medium

If the blue light on the unit is flashing:

1) During intermittent shutdown of the product: Ozone or plasma blue light flashing indicates intermittent shutdown of the product.

2) Sleep mode: Press the knob twice, and all six lights will flash simultaneously to enter sleep mode

The intermittent shutdown varies depending on the mode selected. See below.

Indicator & Status:

Ozone

High		30 min. on & 5 min. off
Middle		30 min. on & 30 min. off
Low		30 min. on & 60 min. off

Plasma

High		30 min. on & 5 min. off
Middle		30 min. on & 30 min. off
Low		30 min. on & 60 min. off

MAINTENANCE

EdenPURE® Thunderstorm OxiLeaf Air Purifier is almost maintenance free; **once every month the air inlet and outlet should be vacuumed.** Disconnect the unit and vacuum using a brush attachment running on its lowest power setting. Gently brush back and forth over the openings to help remove internal and external contamination. Do not apply the vacuum cleaner for more than 10 seconds at a time or blow air into the unit.

Periodically wipe over the unit with a damp cloth. Do not spray with cleaning products or allow moisture to enter. It will damage the unit and this is not covered by the product warranty.

To place an order call **1-800-360-1070** or go to **www.edenpure.com**

DISPOSAL

This product must not be thrown into the normal household trash. Please dispose of it separately at a location designated for this purpose. In the unlikely event your unit does not appear to be working properly or the lights on the unit start blinking, contact customer service at **800-225-6595** or **custserv@edenpure.com**

EdenPURE®

7800 WHIPPLE AVE NW • CANTON, OH 44767

WWW.EDENPURE.COM

800-225-6595