



EX6210 WXGA 3LCD Projector



Bright. Brilliant. Built for business.

3x Brighter Colors¹, and reliable performance — 3LCD, 3-chip technology

One measurement of brightness is not enough — look for both high color brightness and high white brightness. The EX6210 projector has:

Color Brightness: 2700 lumens²

White Brightness: 2700 lumens²

Larger-than-life widescreen images — native high-definition WXGA (1280 x 800) resolution and 16:10 aspect ratio; ideal for HD content

HDMI digital connectivity — delivers both audio and video content with just one cable

Horizontal easy-slide image correction — just move the easy-slide control bar to make the necessary horizontal image adjustments

EX6210 WXGA 3LCD Projector

Bright. Brilliant. Built for business.

The EX6210 delivers amazing, widescreen, high-definition performance for compelling, high-impact presentations. Set up in a flash with HDMI connectivity, USB Plug 'n Play instant setup, and automatic vertical image correction. When you need to captivate your audience and close the deal, this projector gives you the functionality and quality to make it happen.

3x Brighter Colors with Epson¹

Brilliant image quality requires high color brightness (color light output), and Epson 3LCD projectors have 3x Brighter Colors than leading competitive projectors¹.

One brightness measurement (lumens) is not enough. A projector's specification needs to show both high color brightness and high white brightness. If color brightness is lower than white brightness, images may be dark, dull and lose detail. If not provided, be sure to ask for a projector's color brightness specification.



EPSON



High color brightness and high white brightness

COMPETITOR




Color brightness significantly lower than white brightness

Actual photographs of projected images from an identical signal source. Price, resolution and white brightness are similar for both projectors (Epson 3LCD and 1-chip DLP competitor). Both projectors are set to their brightest mode.

3LCD — The #1 projection technology in the world

- All 3LCD projectors have both high color brightness and high white brightness
- All 3LCD projectors have 3 chips
- 25% lower power consumption for lower energy costs³
- 20 years of road-tested reliability



Energy-efficient E-TORL[®] lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 5000 hours⁴
- Minimizes both light diffraction and light leakage
- E-TORL lamps maximize your presentation time, while minimizing your costs

The best-selling projectors in the world

Built with image quality and reliability in mind, Epson[®] projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From ultraportable projectors designed for educational settings to boardroom-ready business projectors, Epson has a model that's perfect for you.



High-quality images with HDMI digital connectivity

- Delivers both audio and brilliant video content with just one cable
- Compatible with the latest laptops, Blu-ray® and media players


Horizontal easy-slide image correction

Just move the easy-slide control bar to make the necessary image adjustments. Your projector can be off to the side, while your presentation is front and center.



Advanced USB Plug 'n Play instant setup from your PC or Mac®

Epson's advanced USB connectivity enables instant Plug 'n Play setup for both audio and video. Forget about complicated computer key sequences and non-intuitive controls. Instead, just plug in a standard USB cable and let your presentation impress the audience.



Quick, convenient control

The Instant Off®/On feature means no warmup or cool-down time is required. And, the EX6210 also features A/V Mute, which acts as both a lens cover and puts the projector in a low power mode.



Additional Features/Benefits

- **USB Plug 'n Play instant setup** — instantly projects audio and video from a PC or Mac via a USB connection
- **Automatic vertical image correction** — quickly adjusts the image to fit the screen
- **PC-free slide shows** — via a USB thumb drive
- **Quick, convenient control** — A/V Mute, Instant Off/On, Direct Power Off/On
- **The ultimate in portability** — compact, lightweight design; remote control included
- **Energy-efficient E-TORL lamp** — up to 5000-hour lamp life⁴
- **Filters to protect your investment** — with easy side access for hassle-free maintenance

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com


Eco Features

- RoHS compliant
- Recyclable product⁵
- Epson America, Inc. is a SmartWaySM Transport Partner⁶



EX6210 WXGA 3LCD Projector

Product Name	Product Code	UPC
EX6210	V11H428520	0 10343 90937 3
Genuine Epson Lamp	V13H010L67	0 10343 88423 6
Replacement Air Filter	V13H134A32	0 10343 88586 8



Specifications

Projection System

3LCD, 3-chip technology

Projection Method

Front/rear/ceiling mount

Driving Method

Poly-silicon TFT Active Matrix

Pixel Number

1,024,000 (1280 x 800) x 3

Color Brightness²

Color Light Output: 2700 lumens

White Brightness²

White Light Output: 2700 lumens

Aspect Ratio

16:10

Native Resolution

1280 x 800 (WXGA)

Resize Support

640 x 480 (VGA), 1024 x 768 (XGA),
800 x 600 (SVGA), 1152 x 864 (SXGA),
1280 x 960 (SXGA2), 1280 x 1024 (SXGA3),
1440 x 900 (WXGA+), 1400 x 1050 (SXGA+),
1600 x 1200 (UXGA), 1680 x 1050 WSXGA+

Lamp Type

E-TORL 230 W UHE

Lamp Life⁴

Up to 5000 hours (ECO mode)

Up to 4000 hours (Normal mode)

Throw Ratio Range

1.30 – 1.56

Size (projected distance)

33" – 318" (0.84 – 8.08 m)

Keystone Correction

Vertical: Auto ± 30 degrees

Horizontal: Easy-slide

USB Plug 'n Play

PC and Mac compatible

Contrast Ratio

Up to 3000:1

Color Reproduction

16.77 million colors

Projection Lens

Type

Manual (optical) zoom

F-number

1.58 – 1.72 zoom

Focal Length

16.9 mm – 20.28 mm

Zoom Ratio

Optical zoom 1.0 – 1.2

Other

Display Performance

NTSC: 480 lines

PAL: 560 lines

(Depends on observation of the multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/

PAL60/SECAM

Interfaces

HDMI x 1

VGA x 1

S-video: Mini DIN x 1

Composite video: RCA x 1

Audio in: RCA x 1 (White/Red)

USB connector: Type-A x 1 (PC-free and other)

USB connector: Type-B x 1 (USB Plug 'n Play)

Speaker

1 W (Mono)

Operating Temperature

41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage

100 – 240 V ±10%, 50/60 Hz

Power Consumption

283 W (Normal mode)

234 W (ECO mode)

Fan Noise

37 dB (Normal mode)

29 dB (ECO mode)

Security

Kensington®- style lock provision,
security anchor bar

Dimensions (W x D x H)

Including feet: 11.6" x 9.0" x 3.1"

Excluding feet: 11.6" x 9.0" x 3.0"

Weight: 5.1 lb

Remote Control

Features

Source search selection, power, volume,
e-zoom, A/V mute, freeze, menu, page up and
down, help, auto, mouse functions

Operating Angle

Right/left: ± 30 degrees

Upper/lower: ± 30 degrees

Operating Distance

26 ft (8 m)

Support

The Epson Connection™

Pre-sales support

U.S. and Canada

Internet website

800-463-7766

www.epson.com

Service Programs

One-year projector limited warranty,
Epson Road Service program, PrivateLine®
dedicated toll-free support and 90-day lamp
limited warranty

What's in The Box

EX6210 projector, power cord, computer cable
(VGA), projector remote control, batteries, user
manual CD, projector software CD, Quick Setup
Sheet, PrivateLine support card, and password
protection sticker

Accessory Part Numbers

Universal projector ceiling mount	ELPMBPJF
Component to VGA video cable	ELPKC19
Soft shoulder case for projector and laptop	ELPKS61
50" portable screen	ELPSC06
Duet™ screen	ELPSC80
ES3000 screen	ELPSC26H
ES1000 screen	V12H00254Y
Epson DC-10s document camera	ELPDC10S
Kensington security lock	ELPSL01

1 Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Color brightness (color light output) measured in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions.

2 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

3 Data source: ProjectorCentral.com Jan. 2012. Average of 1122 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels. Energy efficiency was measured as wattage per lumen. It was measured for both 3LCD and 1-chip projectors in each of five brightness segments. 3LCD projectors averaged less required electricity per lumen in each of the five segments.

4 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

5 See our website for convenient and reasonable recycling options at www.epson.com/recycle

6 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Epson America, Inc.
3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
www.epson.ca