



FIAT CHRYSLER AUTOMOBILES

## 2021 FCA US LLC DOMESTIC TIRE CHAIN CHART



### JEEP® VEHICLES AND TRUCKS

| Vehicle                                       | Can Tire Chains be Used | Only With These Tire Sizes                             | Chain Class/Cable Class       |
|-----------------------------------------------|-------------------------|--------------------------------------------------------|-------------------------------|
| Jeep® Cherokee FWD                            | YES Front Only          | 215/60R17                                              | 7 mm Chain/Cable              |
| Jeep® Cherokee 4X4<br>– Jeep® Active Drive I  | YES Front Only          | 215/60R17                                              | 9 mm Chain/Cable              |
| Jeep® Cherokee 4X4<br>– Jeep® Active Drive II | YES Front Only          | 225/65R17<br>225/60R18                                 | 7 mm Chain/Cable              |
| Jeep® Cherokee Trailhawk                      | YES Front Only          | 225/65R17                                              | 9 mm Chain/Cable              |
| Jeep® Compass                                 | YES Front Only          | 215/65R16                                              | 7 mm Chain/Chain              |
| Jeep® Renegade                                | YES Front Only          | 215/60R16                                              | 7 mm Chain/Cable              |
| Jeep® Gladiator                               | YES Rear Only           | 245/75R17                                              | S                             |
| Jeep® Wrangler                                | YES Rear Only           | 245/75R17                                              | S<br>AutoSock                 |
|                                               |                         | LT255/75R17C<br>255/70R18<br>LT285/70R17C<br>275/55R20 | AutoSock                      |
| Jeep® Wrangler 4xe                            | YES Rear Only           | 275/55R20<br>LT255/75R17C<br>LT285/70R17C              | AutoSock                      |
| Jeep® Grand Cherokee                          | YES Rear Only           | P265/60R18<br>265/60R18<br>265/50R20                   | THULE XG-12 PRO or Equivalent |

| <b>JEEP® VEHICLES AND TRUCKS</b> |                                |                                                                 |                                                                        |
|----------------------------------|--------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------------|
| <b>Vehicle</b>                   | <b>Can Tire Chains be Used</b> | <b>Only With These Tire Sizes</b>                               | <b>Chain Class/Cable Class</b>                                         |
| Jeep® Grand Cherokee L           | YES Rear Only                  | 275/45R21XL                                                     | 12 mm Chain/Cable                                                      |
|                                  | YES Rear Only                  | P245/70R17<br>265/60R18<br>265/50R20                            | S                                                                      |
| Jeep® Grand Cherokee SRT         | YES Rear Only                  | 295/45R20                                                       | RUD-GRIP 4X4 or Equivalent                                             |
| Dodge Durango                    | YES Rear Only                  | 255/60R18<br>P265/60R18<br>265/60R18<br>265/50R20<br>295/45ZR20 | THULE XG-12 PRO or Equivalent                                          |
| Dodge Durango SRT                | NO                             | —                                                               | —                                                                      |
| Ram ProMaster                    | YES Front Only                 | 225/75R16C<br>LT225/75R16E                                      | Quality Chain Corp Light Truck Highway Service (Non-Cam) or Equivalent |
| Ram 1500                         | YES Rear Only                  | 275/65R18<br>275/55R20                                          | S                                                                      |
| Ram 1500 Classic                 | YES Rear Only                  | LT265/70R17E<br>P265/70R17<br>P275/60R20                        | S                                                                      |
| Ram 2500                         | YES Rear Only                  | LT285/70R17D<br>LT245/70R17E<br>LT275/70R18E<br>LT285/60R20E    | U                                                                      |
| Ram 2500 Power Wagon             | YES Rear Only                  | LT285/70R17D                                                    | U                                                                      |
| Ram 3500 (SRW 4X2)               | YES Rear Only                  | LT275/70R18E<br>LT285/60R20E                                    | U                                                                      |
| Ram 3500 (SRW 4X4)               | YES Rear Only                  | LT275/70R18E<br>LT285/60R20E                                    | U                                                                      |
| Ram 3500 (DRW) 4X2               | YES Rear Only                  | LT235/80R17E                                                    | U                                                                      |
| Ram 3500 (DRW) 4X4               | YES Front and Rear             | LT235/80R17E                                                    | U                                                                      |
| Ram Chassis Cab 3500 (SRW)       | YES Rear Only                  | LT275/70R18E                                                    | U                                                                      |

| <b>JEEP® VEHICLES AND TRUCKS</b> |                                |                                   |                                |
|----------------------------------|--------------------------------|-----------------------------------|--------------------------------|
| <b>Vehicle</b>                   | <b>Can Tire Chains be Used</b> | <b>Only With These Tire Sizes</b> | <b>Chain Class/Cable Class</b> |
| Ram Chassis Cab 3500 (DRW) 4X2   | YES Rear Only                  | LT235/80R17E                      | U                              |
| Ram Chassis Cab 3500 (DRW) 4X4   | YES Front And Rear             | LT235/80R17E                      | U                              |
| Ram Chassis Cab 4500/5500        | YES Rear Only                  | 225/70R19.5G                      | U                              |

| <b>PASSENGER VEHICLES AND MINIVANS</b> |                                |                                                  |                                                                                                                                                                                                                                                                                       |
|----------------------------------------|--------------------------------|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Vehicle</b>                         | <b>Can Tire Chains be Used</b> | <b>Only With These Tire Sizes</b>                | <b>Chain Class</b>                                                                                                                                                                                                                                                                    |
| Alfa Romeo Giulia                      | YES Rear Only                  | 255/35R19<br>225/50R17<br>225/45R18<br>225/40R19 | For a 255/35R19 tire, use of a snow traction device with a maximum projection of 7 mm beyond the tire profile is recommended.<br>For 225/50R17, 225/45R18 or 225/40R19 tires, use of a snow traction device with a maximum projection of 9 mm beyond the tire profile is recommended. |
| Alfa Romeo Giulia Quadrifoglio         | YES Rear Only                  | 265/35R19                                        | For a 265/35R19 98V tire, use of a zero-clearance snow traction device is recommended.                                                                                                                                                                                                |
| Alfa Romeo Stelvio                     | YES Rear Only                  | All tires except for R20                         | 13 mm                                                                                                                                                                                                                                                                                 |
| Alfa Romeo Stelvio Quadrifoglio        | NO                             | —                                                | —                                                                                                                                                                                                                                                                                     |
| FIAT® 500X                             | YES Front Only                 | 215/60 R16<br>215/55 R17                         | Use reduced size snow chains or traction devices with a maximum projection of 7mm beyond the tire profile.                                                                                                                                                                            |

| PASSENGER VEHICLES AND MINIVANS |                         |                                                                  |                                                   |
|---------------------------------|-------------------------|------------------------------------------------------------------|---------------------------------------------------|
| Vehicle                         | Can Tire Chains be Used | Only With These Tire Sizes                                       | Chain Class                                       |
| Chrysler 300                    | YES Rear Only           | P215/65R17<br>P225/60R18<br>245/45R20                            | Peerless Chain Super Z6 Low Profile or Equivalent |
|                                 |                         | P235/55R19<br>235/55R19                                          | S                                                 |
| Dodge Charger                   | YES Rear Only           | P215/65R17<br>P225/60R18<br>245/55R18<br>245/45R20<br>245/45ZR20 | Peerless Chain Super Z6 Low Profile or Equivalent |
|                                 |                         | 235/55R19<br>245/45R20<br>245/45ZR20                             | S                                                 |
| Dodge Charger SRT               | NO                      | —                                                                | —                                                 |
| Dodge Challenger                | YES Rear Only           | 235/55R18<br>245/45R20<br>245/45ZR20<br>275/40ZR20               | Peerless Chain Super Z6 Low Profile or Equivalent |
|                                 |                         | 235/55R19<br>245/45R20<br>245/45R20<br>245/45ZR20                | S                                                 |
| Dodge Challenger SRT            | NO                      | —                                                                | —                                                 |
| Chrysler Voyager FWD            | YES Front Only          | 235/65R17                                                        | 9 mm Chain/Cable                                  |
| Chrysler Pacifica AWD           | YES Front Only          | 235/60R18                                                        | 9 mm Chain/Cable                                  |
| Chrysler Pacifica FWD           | YES Front Only          | 235/65R17<br>235/60R18                                           | 9 mm Chain/Cable                                  |
| Chrysler Pacifica Hybrid        | YES Front Only          | 235/65R17<br>235/60R18                                           | 9 mm Chain/Cable                                  |
| Ram ProMaster City              | NO                      | —                                                                | —                                                 |