A GUIDE FOR
YOUR RIDE.

IMPORTANT:
Read carefully and retain
for future reference.

JETSON

COMBINATION CABLE LOCK

MODEL SKU(S): PJBKLCK-BLK

PO BOX 461, JERSEY CITY, NJ 07302-9998

DATE CODE: 02/2026
DOCUMENT EDITION: V1.0
MADE IN CHINA

© 2026, TRURIDE TECH. ALL RIGHTS RESERVED. MANUFACTURED FOR TRURIDE TECH LLC.
JETSON® IS A REGISTERED TRADEMARK USED UNDER LICENSE FROM JETSTREAM BRANDS LLC.
NO PORTION OF THIS DOCUMENT, INCLUDING SHAPE, GRAPHICS, AND DESIGN, MAY BE
REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS.


WARRANTY COVERAGE.

GENERAL LIMITED WARRANTY

YOUR NEW JETSON PRODUCT IS WARRANTED AGAINST DEFECTS IN MATERIALS AND WORKMANSHIP AS INDICATED ON RIDEJETSON.COM/WARRANTY FOR A PERIOD OF TIME FROM THE DATE OF ORIGINAL RETAIL PURCHASE WHEN USED IN ACCORDANCE WITH JETSON'S USER MANUALS (REFER TO RIDEJETSON.COM/SUPPORT). **UNDER THIS WARRANTY, YOU WILL BE ABLE TO DIRECT YOUR CLAIMS TO JETSON EVEN IN SITUATIONS WHERE YOU PURCHASED THE JETSON PRODUCT FROM ONE OF OUR AUTHORIZED RETAILERS.** TO READ THE FULL TERMS OF OUR WARRANTY, VISIT RIDEJETSON.COM/WARRANTY.

ABOUT YOUR LOCK.

Parts Identification



- CABLE
- INSERTION END
- PORT END
- NUMBER DIALS (×5)
- GUIDE POINT (×2)
- LOCK BAR
- CYLINDER
- RESET KNOB

NOTE: IMAGES MAY NOT REFLECT EXACT APPEARANCE OF PRODUCT.

⚠ **WARNING:** To reduce the risk of injury, adults must assist children in the use of this product.

USING YOUR LOCK.


FACTORY PRESET LOCK CODE: 00000


PRIOR TO USING THIS LOCK, CUSTOMIZE THE LOCK CODE TO A UNIQUE 5-DIGIT SEQUENCE.


IMPORTANT: There is no way to reset the code or use the lock without the existing Lock Code. Be sure to keep notation of your Lock Code for reference whenever you change it.

Setting or Changing the Lock Code

1. ROTATE EACH NUMBER DIAL UNTIL THE EXISTING 5-DIGIT LOCK CODE IS DISPLAYED BETWEEN THE 2 GUIDE POINT LINES. (IF SETTING FOR THE FIRST TIME, THE FACTORY PRESET LOCK CODE IS 00000.)
2. IF CONNECTED, PULL THE INSERTION END FROM THE PORT END TO RELEASE THE LOCK BAR FROM THE CYLINDER.
3. FOLLOWING THE DIRECTION OF THE ARROW ON THE RESET KNOB, ROTATE THE RESET KNOB 90° CLOCKWISE.
4. ROTATE EACH NUMBER DIAL (×5) UNTIL YOUR DESIRED 5-DIGIT LOCK CODE IS ALIGNED WITH THE GUIDE POINT LINE ON THE PORT END OF THE LOCK.
5. ROTATE THE RESET KNOB 90° COUNTERCLOCKWISE TOWARD THE “SET” POSITION. YOUR NEW LOCK CODE IS SET.







Engaging the Lock

1. WRAP THE CABLE AROUND AND THROUGH YOUR PRODUCT AND A FIXED STATIONARY OBJECT, SUCH AS A BIKE RACK.
2. ROTATE EACH NUMBER DIAL UNTIL YOUR 5-DIGIT LOCK CODE IS ALIGNED WITH THE GUIDE POINT LINE ON THE PORT END.
3. FULLY INSERT THE LOCK BAR INTO THE CYLINDER UNTIL THE PORT AND LOCK ENDS ARE CONNECTED.
4. ROTATE THE NUMBER DIALS UNTIL YOUR 5-DIGIT LOCK CODE IS NO LONGER DISPLAYED BETWEEN THE 2 GUIDE POINT LINES.
5. CHECK THAT THE LOCK CONNECTION AND YOUR PRODUCT ARE BOTH SECURE.

Releasing the Lock

1. ROTATE EACH NUMBER DIAL UNTIL YOUR 5-DIGIT LOCK CODE IS DISPLAYED BETWEEN THE 2 GUIDE POINT LINES. (IF RELEASING FOR THE FIRST, TIME, THE FACTORY PRESET LOCK CODE IS 00000.)
2. PULL THE LOCK BAR OUT OF THE CYLINDER.

CONNECT WITH US.

RIDEJETSON.COM/SUPPORT
RIDEJETSON.COM/CHAT

1-844-585-7462

Be sure to follow @ridejetson on social media to learn about fantastic offers, giveaways, and all the latest Jetson news.

LOVING YOUR RIDE?

Leave a review at
ridejetson.com/reviews.
We can't wait to hear from you!
#MakeMoves


JETSON