JETSON

Spark 2.0
Light-Up Training Wheels

A guide for your ride.

IMPORTANT: READ CAREFULLY AND RETAIN FOR FUTURE REFERENCE.

MODEL SKU: JSPRK2-BLK

Jetson's top two riding rules:
Be safe. Have fun!

Contents

Safety Warnings 6

Warranty Coverage 7

What's in the Box 8

1. About Your Product

1.1 Specs & Features 9

1.2 Bike Compatibility 9

1.3 Online Resources 11

2. Getting Started

2.1 Assembling the Training Wheels 12

2.2 Attaching the Training Wheels to Your Bike 14

3. Making Moves

3.1 Illuminating the Lights 19

3.2 Care & Maintenance 20

3.3 Helmet Safety 21

Safety Warnings

- ⚠ **WARNING:** CYCLING CAN BE DANGEROUS. BICYCLE PRODUCTS SHOULD BE INSTALLED AND SERVICED BY A PROFESSIONAL MECHANIC. NEVER MODIFY YOUR BICYCLE OR ACCESSORIES. READ AND FOLLOW ALL PRODUCT INSTRUCTIONS AND WARNINGS INCLUDING INFORMATION ON THE MANUFACTURER'S WEBSITE. INSPECT YOUR BICYCLE BEFORE EVERY RIDE. ALWAYS WEAR A HELMET.
- Before use, please read the user manual and safety warnings carefully, and make sure you understand and accept all the safety instructions. The user will be responsible for any loss or damage caused by improper use.
- Before each cycle of operation, the operator shall perform the preoperation checks specified by the manufacturer: That all guards and pads originally supplied by the manufacturer are in proper place and in serviceable condition; That the braking system is functioning properly; That any and all axle guards, chain guards, or other covers or guards supplied by the manufacturer are in place and in serviceable condition; That tires are in good condition, inflated properly, and have sufficient tread remaining; The area that the product is to be operated should be safe and suitable for safe operation.
- The child rider should wear protective clothing while riding, including an approved helmet and shoes
- Ensure that all parts of the bicycle and training wheels are securely tightened and in good condition before each ride.
- Do not remove the stabilizer brackets. Doing so may allow the brackets to turn or become damaged, resulting in a fall.
- Training wheels prevent bicycles from achieving their regular lean angle when turning. Turning suddenly or at a fast speed may cause a fall. Teach the child rider to ride and turn slowly and monitor their riding.
- Ensure that the bicycle is the correct size for the rider and that the saddle height and handlebar are adjusted appropriately• Components shall be maintained and repaired in accordance with the manufacturer's specifications and using only the manufacturer's authorized replacement parts with installation performed by dealers or other skilled persons.
- Don't allow hands, feet, hair, body parts, clothing, or similar articles to come in contact with moving parts, wheels, or drive train, while the motor is running.
- This product should not be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction (IEC 60335-1/A2:2006).
- Unsupervised children should not play with the product (IEC 60335-1/A2:2006).
- Adult supervision is required.
- The rider should not exceed 198 lb.
- Units shall not be operated to perform racing, stunt riding, or other maneuvers, which may cause loss of control, or may cause uncontrolled operator/ passenger actions or reactions.
- Never use near motor vehicles.
- Avoid sharp bumps, drainage grates, and sudden surface changes. Bicycle may suddenly stop.
- Avoid streets and surfaces with water, sand, gravel, dirt, leaves, and other debris. Wet weather impairs traction, braking, and visibility.
- Avoid riding around flammable gas, steam, liquid, or dust that could cause fire.
- Operators shall adhere to all of the manufacturer's recommendations and
- instructions, as well as comply with all laws and ordinances: Units without headlights shall be operated only with adequate daylight conditions of visibility, and; Owners shall be encouraged to highlight (for conspicuity) using lighting, reflectors, and for low-riding units, signal flags on flexible poles.
- Persons with the following conditions shall be cautioned not to operate: Those with heart conditions; Pregnant women; Persons with head, back, or neck ailments, or prior surgeries to those areas of the body; and persons with any mental or physical conditions that may make them susceptible to injury or impair their physical dexterity or mental capabilities to recognize, understand, and perform all of the safety instructions and to be able to assume the hazards inherent in unit use.
- Do not ride at night.
- Do not ride after drinking or taking prescription medication.
- Do not carry items when riding.
- Never operate the product barefooted.
- Always wear shoes and keep shoelaces tied.
- Make sure your feet are always placed securely on the deck.
- Operators always shall use appropriate protective clothing, including but not limited to a helmet, with appropriate certification, and any other equipment recommended by the manufacturer: Always wear protective equipment such as helmet, knee pads, and elbow pads.
- Always give way to pedestrians.
- Be alert to things in front and far away from you.

- Do not allow distractions when riding, such as answering the phone or engaging in any other activities.
- The product cannot be ridden by more than one person.
- When you ride the product along with other riders, always keep a safe distance to avoid a collision.
- When turning, be sure to maintain your balance.
- Riding with improperly adjusted brakes is dangerous and can result in serious injury or death.
- The brake may become hot while operating, do not touch the brake with your bare skin.
- Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application of the brake may result in injury or death.
- If the brake loosens, please adjust with the hexagon wrench, or please contact Jetson Customer Care.
- Replace worn or broken parts immediately.
- Check whether all safety labels are in place and understood before riding.
- The owner shall allow the use and operation of the unit after a demonstration that such operators can understand and operate all components of the unit before use.
- Do not ride without proper training. Do not ride at high speeds, on uneven terrain, or on slopes. Do not perform stunts or turn abruptly.
- Prolonged exposure to UV rays, rain and the elements may damage the enclosure materials, store indoors when not in use.

California Proposition 65

⚠WARNING:

This product can expose you to chemicals including Chromium (hexavalent compounds), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to: www.P65warnings.ca.gov.

Warranty Coverage

GENERAL LIMITED WARRANTY


Your new Jetson product is warranted against defects in materials and workmanship as indicated on ridejetson.com/warranty for a period of time from the date of original retail purchase when used in accordance with Jetson's user manuals (refer to ridejetson.com/support). **Under this warranty, you will be able to direct your claims to Jetson even in situations where you purchased the Jetson Product from one of our authorized retailers.** To read the full terms of our warranty, visit ridejetson.com/warranty.

1. About Your Product


1.1 What's in the Box


1. WHEEL (X2)
2. BRACKET (X2)
3. BOLT (X2)
4. WASHER (X4)
5. NUT (X2)
6. BRACKET STABILIZER (X2)














TOOLS INCLUDED FOR ASSEMBLY, ADJUSTMENT, & MAINTENANCE:



4MM ALLEN KEY



13/15MM WRENCH

1.2 Product Specs

- PRODUCT DIMENSIONS: 5.5″ (L) × 5.5″ (W) × 11.5″ (H)
- WHEEL SIZE: 4″
- PRODUCT WEIGHT: 2 LB
- USER MAX WEIGHT: 198 LB
- RECOMMENDED AGE: 3+

1.3 Bike Compatibility

INTENDED FOR USE WITH MOST BIKES WITH 12″, 14″, 16″, 18″, AND 20″ WHEELS THAT USE A SOLID REAR AXLE AND NUT ON EACH SIDE OF THE REAR WHEEL.

NOTE: AXLE EXTENDERS (NOT INCLUDED) MAY BE NECESSARY FOR INSTALLATION OF THESE TRAINING WHEELS ON SOME 20″ BIKES.

⚠ **WARNING:** THIS PRODUCT IS NOT INTENDED FOR USE BY ADULTS OR RIDERS WEIGHING MORE THAN 198 LB. EXCEEDING THE RECOMMENDED USER WEIGHT MAY CAUSE THE PRODUCT TO BEND OR BREAK, RESULTING IN A FALL.

1.4 Online Resources



Scan for our most updated Spark 2.0 Light-Up Training Wheels onboarding materials and support resources.

⚠ WARNING:

FAILURE TO COMPLY WITH THE FOLLOWING INSTRUCTIONS MAY RESULT IN INJURY TO THE CHILD OR OTHERS.


- KEEP SMALL PARTS AWAY FROM CHILDREN DURING ASSEMBLY.
- ACCESSORY MUST BE ASSEMBLED AND REMOVED BY AN ADULT.
- FREQUENTLY INSPECT THE PRODUCT FOR DAMAGE.

* ADULTS MUST ASSIST CHILDREN IN THE ASSEMBLY AND INITIAL ADJUSTMENT PROCEDURES OF THE PRODUCT.

2. Getting Started

2.1 Assembling the Training Wheels


1. SLIDE A WASHER ONTO THE TIP OF ONE BOLT.
2. SLIDE THE BOLT WITH WASHER THROUGH THE CENTER OF ONE WHEEL.
3. THROUGH THE HOLE IN THE BENT TIP OF THE BRACKET, SLIDE THE BRACKET ONTO THE BOLT SUCH THAT:
   - THE BRACKET TIP IS SNUG AGAINST THE WHEEL.
   - THE BRACKET EXTENDS AWAY FROM THE WHEEL.
4. SLIDE ANOTHER WASHER ONTO THE BOLT.
5. TWIST A NUT CLOCKWISE ONTO THE END OF THE BOLT.



6. USING THE 4MM ALLEN KEY, HOLD THE BOLT STEADY WHILE YOU TIGHTEN THE NUT BY TURNING IT CLOCKWISE WITH THE 13MM WRENCH.


   ⚠ **IMPORTANT:** CHECK THAT THE WHEEL ROTATES PROPERLY.
   - IF THE WHEEL DOES NOT ROTATE FREELY, LOOSEN THE NUT SLIGHTLY BY TURNING IT COUNTERCLOCKWISE WITH THE WRENCH FOR ¼ TURN UNTIL IT IS ABLE TO ROTATE.
   - IF THE WHEEL WOBBLES AGAINST THE BRACKET, TIGHTEN THE NUT SLIGHTLY BY TURNING IT COUNTERCLOCKWISE WITH THE WRENCH FOR ¼ TURN UNTIL THE WHEEL ROTATES FREELY BUT DOES NOT WOBBLE OR SLIDE ALONG THE BOLT.

7. REPEAT STEPS 1 - 6 TO ASSEMBLE THE OTHER TRAINING WHEEL.




2.2 Attaching the Training Wheels to Your Bike*

1. LOCATE THE SIZING HOLE ON EACH BRACKET CORRESPONDING TO YOUR BIKE'S WHEEL SIZE.




*BIKE NOT INCLUDED

2. LOOSEN AND REMOVE THE AXLE NUT FROM ONE SIDE OF THE REAR AXLE ON YOUR BIKE BY TURNING IT COUNTERCLOCKWISE WITH AN APPROPRIATELY SIZED WRENCH.
   NOTE: 15MM WRENCH INCLUDED TO ACCOMMODATE FREQUENTLY USED REAR AXLE NUT SIZE.
3. REMOVE THE WASHER. SET THE HARDWARE ASIDE.




*BIKE NOT INCLUDED


4. NESTLE 1 BRACKET STABILIZER BEHIND 1 BRACKET SUCH THAT:
   - THE STABALIZER FITS SNUGGLY ON THE BACK SIDE OF THE BRACKET.
   - THE HOLE IN THE STABILIZER IS ALIGNED WITH THE SIZING HOLE APPROPRIATE FOR YOUR BIKE. (PAGE 14)



5. ON THE SIDE OF THE REAR AXLE OF YOUR BIKE FROM WHICH YOU REMOVED THE HARDWARE, AND AT THE CORRECT BRACKET SIZING HOLE, SLIDE THE BRACKET STABILIZER AND BRACKET ONTO THE AXLE SUCH THAT THE TRAINING WHEEL EXTENDS AWAY FROM THE AXLE.
6. SLIDE THE REMOVED WASHER ONTO THE REAR AXLE.
7. TWIST THE REMOVED NUT CLOCKWISE ONTO THE END OF THE REAR AXLE. TIGHTEN THE NUT USING AN APPROPRIATELY SIZED WRENCH.
8. REPEAT STEPS 2 – 7 WITH THE OTHER TRAINING WHEEL ON THE OTHER SIDE OF YOUR BIKE.



* FOR INSTALLATION ON SOME 20" BIKES, YOU MAY NEED TO USE AN AXLE EXTENDER. (NOT INCLUDED)



9. CHECK THAT THE BRACKETS ARE SECURE TO THE BIKE AND THE FOLLOWING SAFETY MEASUREMENTS ARE MET:
   A) BOTH TRAINING WHEELS ARE AT LEAST 6.9 INCHES FROM THE REAR WHEEL OF THE BIKE.
   B) NEITHER TRAINING WHEEL HOVERS MORE THAN 1 INCH ABOVE THE GROUND WHEN THE BIKE IS TILTED ONTO THE OTHER TRAINING WHEEL.

3. Making Moves

3.1 Illuminating the Lights

NOW YOU HAVE YOUR TRAINING WHEELS ATTACHED, IT'S TIME TO GO OUT AND SHOW OFF YOUR RIDE. THE TRAINING WHEEL LIGHTS WILL ILLUMINATE AUTOMATICALLY WHENEVER THE WHEELS ARE IN MOTION. NO BATTERIES NECESSARY!

3.2 Care & Maintenance

IT'S IMPORTANT TO REGULARLY CLEAN AND LUBRICATE BETWEEN THE WHEEL AND SUPPORT BRACKET. BEFORE EACH RIDE CHECK ALL BOLTS AND NUTS FOR PROPER TIGHTNESS.

PRODUCT CARE

- KEEP AWAY FROM FIRE AND EXCESSIVE HEAT.
- AVOID INTENSE PHYSICAL SHOCK, SEVERE VIBRATION, OR IMPACT.
- RIDE ON A SMOOTH, FLAT SURFACE.
- PROTECT FROM WATER AND MOISTURE.

STORAGE

- STORE IN A DRY PLACE.
- COVER TO PROTECT AGAINST DUST.

3.3 Helmet Safety

A HELMET SHOULD BE WORN BY THE RIDER AT ALL TIMES.



PROPER POSITIONING:
THE FOREHEAD IS COVERED
BY THE HELMET.



IMPROPER POSITIONING:
THE FOREHEAD IS EXPOSED.
A FALL COULD RESULT IN SERIOUS INJURY.

*** WEAR A HELMET, APPROPRIATE CLOTHING, SHOES, AND SAFETY GEAR. AVOID CLOTHING THAT CAN GET CAUGHT INTO OR UNDER THE WHEELS. CLOSED-TOE, FLAT SHOES ARE RECOMMENDED. WEAR AN ASTM F1492 APPROVED HELMET AND PROTECTIVE GEAR TO PREVENT INJURY IN THE EVENT OF AN ACCIDENT.**

Stay connected.

Be sure to follow **@ridejetson**
on social media to learn about fantastic offers,
giveaways, and all the latest Jetson news.

Loving your ride?

Then be sure to leave a review at ridejetson.com/reviews.
We can't wait to hear from you!

JETSON

#MakeMoves

Questions? Let us help.

ridejetson.com/support
ridejetson.com/chat

To exercise your product's warranty
or inquire about warranty
coverage, contact us directly.

1-888-976-9904

Manufactured in Yongkang, China
Imported by Jetson Electric Bikes LLC.
P.O. Box 320149, 775 4th Ave #2,
Brooklyn, NY 11232

www.ridejetson.com





Made in China
Date Code: 07/2024
Document Edition: v1.0

© 2024, JETSON. ALL RIGHTS RESERVED. Manufactured by JETSON ELECTRIC BIKES LLC.
No portion of this document, including shape, copy, graphics, and design,
may be reproduced or transmitted in any form or by any means.