

32SE3D 43SE3D 49SE3D 55SE3D 65SE3D
32SE3KD 43SE3KD 49SE3KD 55SE3KD 65SE3KD

ENGLISH Easy Setup Guide







Please read this manual carefully before operating your set and retain it for future reference.

FRANÇAIS Guide de configuration rapide

Veuillez lire ce manuel attentivement avant d'utiliser l'appareil et conservez-le pour pouvoir vous y reporter ultérieurement.

ESPAÑOL Guía Rápida

Lea atentamente este manual antes de poner en marcha el equipo y consérvelo para futuras consultas.



* M F L 7 0 0 4 0 1 0 2 *

P/No: MFL70040102 (1704-REV01)

Printed in Korea

**English**

You can download the web manuals for this product at the following websites. (Keyword : SE3D, SE3KD)

Français

Vous pouvez télécharger en ligne les guides pour ce produit à partir des sites Web suivants. (Mot-clé : SE3D, SE3KD)

Español

Puede descargar los manuales web de este producto en los siguientes sitios web. (Palabra clave : SE3D, SE3KD)

• www.lg.com



SuperSign : <http://partner.lge.com>

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. ***Wash hands after handling.***



English

Dimensions (Width x Height x Depth) / Weight	32SE3D	Head	729.4 mm x 428.9 mm x 55.5 mm / 5.2 kg (28.7 inches x 16.8 inches x 2.1 inches / 11.4 lbs)
		Head + Stand	729.4 mm x 481 mm x 154.2 mm / 6 kg (28.7 inches x 18.9 inches x 6.0 inches / 13.2 lbs)
		Head + Speaker	729.4 mm x 428.9 mm x 95.7 mm / 5.7 kg (28.7 inches x 16.8 inches x 3.7 inches / 12.5 lbs)
		Head + Speaker + Stand	729.4 mm x 481 mm x 154.2 mm / 6.5 kg (28.7 inches x 18.9 inches x 6.0 inches / 14.3 lbs)
	43SE3D	Head	969.6 mm x 563.9 mm x 38.6 mm / 9.6 kg (38.1 inches x 22.2 inches x 1.5 inches / 21.1 lbs)
		Head + Stand	969.6 mm x 622.2 mm x 193 mm / 12.1 kg (38.1 inches x 24.4 inches x 7.5 inches / 26.6 lbs)
		Head + Speaker	969.6 mm x 563.9 mm x 67.9 mm / 10.1 kg (38.1 inches x 22.2 inches x 2.6 inches / 22.2 lbs)
		Head + Speaker + Stand	969.6 mm x 622.2 mm x 193 mm / 12.6 kg (38.1 inches x 24.4 inches x 7.5 inches / 27.7 lbs)
	49SE3D	Head	1102.2 mm x 638.5 mm x 38.6 mm / 13.9 kg (43.3 inches x 25.1 inches x 1.5 inches / 30.6 lbs)
		Head + Stand	1102.2 mm x 696.8 mm x 219.6 mm / 17.2 kg (43.3 inches x 27.4 inches x 8.6 inches / 37.9 lbs)
		Head + Speaker	1102.2 mm x 638.5 mm x 67.9 mm / 14.4 kg (43.3 inches x 25.1 inches x 2.6 inches / 31.7 lbs)
		Head + Speaker + Stand	1102.2 mm x 696.8 mm x 219.6 mm / 17.7 kg (43.3 inches x 27.4 inches x 8.6 inches / 39.0 lbs)
	55SE3D	Head	1238 mm x 714.9 mm x 38.6 mm / 17.1 kg (48.7 inches x 28.1 inches x 1.5 inches / 37.6 lbs)
		Head + Stand	1238 mm x 773.4 mm x 219.6 mm / 20.4 kg (48.7 inches x 30.4 inches x 8.6 inches / 44.9 lbs)
		Head + Speaker	1238 mm x 714.9 mm x 67.9 mm / 17.6 kg (48.7 inches x 28.1 inches x 2.6 inches / 38.8 lbs)
		Head + Speaker + Stand	1238 mm x 773.4 mm x 219.6 mm / 19.9 kg (48.7 inches x 30.4 inches x 8.6 inches / 43.8 lbs)
	65SE3D	Head	1456.9 mm x 838 mm x 41.1 mm / 27.7 kg (57.3 inches x 32.9 inches x 1.6 inches / 61.0 lbs)
		Head + Stand	1456.9 mm x 898.1 mm x 293.7 mm / 32.9 kg (57.3 inches x 35.3 inches x 11.5 inches / 72.5 lbs)
		Head + Speaker	1456.9 mm x 838 mm x 70.4 mm / 28.2 kg (57.3 inches x 32.9 inches x 2.7 inches / 62.1 lbs)
		Head + Speaker + Stand	1456.9 mm x 898.1 mm x 293.7 mm / 33.4 kg (57.3 inches x 35.3 inches x 11.5 inches / 73.6 lbs)

Dimensions (Width x Height x Depth) / Weight	32SE3KD	Head	729.4 mm x 428.9 mm x 55.5 mm / 5.4 kg (28.7 inches x 16.8 inches x 2.1 inches / 11.9 lbs)
		Head + Stand	729.4 mm x 481 mm x 154.2 mm / 6.2 kg (28.7 inches x 18.9 inches x 6.0 inches / 13.6 lbs)
	43SE3KD	Head	969.6 mm x 563.9 mm x 54 mm / 10.0 kg (38.1 inches x 22.2 inches x 2.1 inches / 22.0 lbs)
		Head + Stand	969.6 mm x 622.2 mm x 193 mm / 12.5 kg (38.1 inches x 24.4 inches x 7.5 inches / 27.5 lbs)
	49SE3KD	Head	1102.2 mm x 638.5 mm x 54 mm / 14.3 kg (43.3 inches x 25.1 inches x 2.1 inches / 31.5 lbs)
		Head + Stand	1102.2 mm x 696.8 mm x 219.6 mm / 17.6 kg (43.3 inches x 27.4 inches x 8.6 inches / 38.8 lbs)
	55SE3KD	Head	1238 mm x 714.9 mm x 54 mm / 17.5 kg (48.7 inches x 28.1 inches x 2.1 inches / 38.5 lbs)
		Head + Stand	1238 mm x 773.4 mm x 219.6 mm / 20.8 kg (48.7 inches x 30.4 inches x 8.6 inches / 45.8 lbs)
	65SE3KD	Head	1456.9 mm x 838 mm x 56.5 mm / 27.9 kg (57.3 inches x 32.9 inches x 2.2 inches / 61.5 lbs)
		Head + Stand	1456.9 mm x 898.1 mm x 293.7 mm / 33.1 kg (57.3 inches x 35.3 inches x 11.5 inches / 72.9 lbs)

Français

Dimensions (largeur x hauteur x profondeur) / Poids	32SE3D	Ecran	729,4 mm x 428,9 mm x 55,5 mm / 5,2 kg (28,7 po x 16,8 po x 2,1 po / 11,4 lb)
		Ecran + socle	729,4 mm x 481 mm x 154,2 mm / 6 kg (28,7 po x 18,9 po x 6,0 po / 13,2 lb)
		Ecran + enceintes	729,4 mm x 428,9 mm x 95,7 mm / 5,7 kg (28,7 po x 16,8 po x 3,7 po / 12,5 lb)
		Ecran + enceintes + socle	729,4 mm x 481 mm x 154,2 mm / 6,5 kg (28,7 po x 18,9 po x 6,0 po / 14,3 lb)
	43SE3D	Ecran	969,6 mm x 563,9 mm x 38,6 mm / 9,6 kg (38,1 po x 22,2 po x 1,5 po / 21,1 lb)
		Ecran + socle	969,6 mm x 622,2 mm x 193 mm / 12,1 kg (38,1 po x 24,4 po x 7,5 po / 26,6 lb)
		Ecran + enceintes	969,6 mm x 563,9 mm x 67,9 mm / 10,1 kg (38,1 po x 22,2 po x 2,6 po / 22,2 lb)
		Ecran + enceintes + socle	969,6 mm x 622,2 mm x 193 mm / 12,6 kg (38,1 po x 24,4 po x 7,5 po / 27,7 lb)
	49SE3D	Ecran	1 102,2 mm x 638,5 mm x 38,6 mm / 13,9 kg (43,3 po x 25,1 po x 1,5 po / 30,6 lb)
		Ecran + socle	1 102,2 mm x 696,8 mm x 219,6 mm / 17,2 kg (43,3 po x 27,4 po x 8,6 po / 37,9 lb)
		Ecran + enceintes	1 102,2 mm x 638,5 mm x 67,9 mm / 14,4 kg (43,3 po x 25,1 po x 2,6 po / 31,7 lb)
		Ecran + enceintes + socle	1 102,2 mm x 696,8 mm x 219,6 mm / 17,7 kg (43,3 po x 27,4 po x 8,6 po / 39,0 lb)

Dimensions (largeur x hauteur x profondeur) / Poids	55SE3D	Ecran	1 238 mm x 714,9 mm x 38,6 mm / 17,1 kg (48,7 po x 28,1 po x 1,5 po / 37,6 lb)
		Ecran + socle	1 238 mm x 773,4 mm x 219,6 mm / 20,4 kg (48,7 po x 30,4 po x 8,6 po / 44,9 lb)
		Ecran + enceintes	1 238 mm x 714,9 mm x 67,9 mm / 17,6 kg (48,7 po x 28,1 po x 2,6 po / 38,8 lb)
		Ecran + enceintes + socle	1 238 mm x 773,4 mm x 219,6 mm / 19,9 kg (48,7 po x 30,4 po x 8,6 po / 43,8 lb)
	65SE3D	Ecran	1 456,9 mm x 838 mm x 41,1 mm / 27,7 kg (57,3 po x 32,9 po x 1,6 po / 61,0 lb)
		Ecran + socle	1 456,9 mm x 898,1 mm x 293,7 mm / 32,9 kg (57,3 po x 35,3 po x 11,5 po / 72,5 lb)
		Ecran + enceintes	1 456,9 mm x 838 mm x 70,4 mm / 28,2 kg (57,3 po x 32,9 po x 2,7 po / 62,1 lb)
		Ecran + enceintes + socle	1 456,9 mm x 898,1 mm x 293,7 mm / 33,4 kg (57,3 po x 35,3 po x 11,5 po / 73,6 lb)
	32SE3KD	Ecran	729,4 mm x 428,9 mm x 55,5 mm / 5,4 kg (28,7 po x 16,8 po x 2,1 po / 11,9 lb)
		Ecran + socle	729,4 mm x 481 mm x 154,2 mm / 6,2 kg (28,7 po x 18,9 po x 6,0 po / 13,6 lb)
	43SE3KD	Ecran	969,6 mm x 563,9 mm x 54 mm / 10,0 kg (38,1 po x 22,2 po x 2,1 po / 22,0 lb)
		Ecran + socle	969,6 mm x 622,2 mm x 193 mm / 12,5 kg (38,1 po x 24,4 po x 7,5 po / 27,5 lb)
	49SE3KD	Ecran	1 102,2 mm x 638,5 mm x 54 mm / 14,3 kg (43,3 po x 25,1 po x 2,1 po / 31,5 lb)
		Ecran + socle	1 102,2 mm x 696,8 mm x 219,6 mm / 17,6 kg (43,3 po x 27,4 po x 8,6 po / 38,8 lb)
	55SE3KD	Ecran	1 238 mm x 714,9 mm x 54 mm / 17,5 kg (48,7 po x 28,1 po x 2,1 po / 38,5 lb)
		Ecran + socle	1 238 mm x 773,4 mm x 219,6 mm / 20,8 kg (48,7 po x 30,4 po x 8,6 po / 45,8 lb)
	65SE3KD	Ecran	1 456,9 mm x 838 mm x 56,5 mm / 27,9 kg (57,3 po x 32,9 po x 2,2 po / 61,5 lb)
		Ecran + socle	1 456,9 mm x 898,1 mm x 293,7 mm / 33,1 kg (57,3 po x 35,3 po x 11,5 po / 72,9 lb)



Español


Dimensiones (ancho x alto x profundidad) / Peso	32SE3D	Cabezal	729,4 mm x 428,9 mm x 55,5 mm / 5,2 kg
		Cabezal + Soporte	729,4 mm x 481 mm x 154,2 mm / 6 kg
		Cabezal + Altavoz	729,4 mm x 428,9 mm x 95,7 mm / 5,7 kg
		Cabezal + Altavoz + Soporte	729,4 mm x 481 mm x 154,2 mm / 6,5 kg
	43SE3D	Cabezal	969,6 mm x 563,9 mm x 38,6 mm / 9,6 kg
		Cabezal + Soporte	969,6 mm x 622,2 mm x 193 mm / 12,1 kg
		Cabezal + Altavoz	969,6 mm x 563,9 mm x 67,9 mm / 10,1 kg
		Cabezal + Altavoz + Soporte	969,6 mm x 622,2 mm x 193 mm / 12,6 kg
	49SE3D	Cabezal	1 102,2 mm x 638,5 mm x 38,6 mm / 13,9 kg
		Cabezal + Soporte	1 102,2 mm x 696,8 mm x 219,6 mm / 17,2 kg
		Cabezal + Altavoz	1 102,2 mm x 638,5 mm x 67,9 mm / 14,4 kg
		Cabezal + Altavoz + Soporte	1 102,2 mm x 696,8 mm x 219,6 mm / 17,7 kg
	55SE3D	Cabezal	1 238 mm x 714,9 mm x 38,6 mm / 17,1 kg
		Cabezal + Soporte	1 238 mm x 773,4 mm x 219,6 mm / 20,4 kg
		Cabezal + Altavoz	1 238 mm x 714,9 mm x 67,9 mm / 17,6 kg
		Cabezal + Altavoz + Soporte	1 238 mm x 773,4 mm x 219,6 mm / 19,9 kg
	65SE3D	Cabezal	1 456,9 mm x 838 mm x 41,1 mm / 27,7 kg
		Cabezal + Soporte	1 456,9 mm x 898,1 mm x 293,7 mm / 32,9 kg
		Cabezal + Altavoz	1 456,9 mm x 838 mm x 70,4 mm / 28,2 kg
		Cabezal + Altavoz + Soporte	1 456,9 mm x 898,1 mm x 293,7 mm / 33,4 kg
	32SE3KD	Cabezal	729,4 mm x 428,9 mm x 55,5 mm / 5,4 kg
		Cabezal + Soporte	729,4 mm x 481 mm x 154,2 mm / 6,2 kg
	43SE3KD	Cabezal	969,6 mm x 563,9 mm x 54 mm / 10,0 kg
		Cabezal + Soporte	969,6 mm x 622,2 mm x 193 mm / 12,5 kg
	49SE3KD	Cabezal	1 102,2 mm x 638,5 mm x 54 mm / 14,3 kg
		Cabezal + Soporte	1 102,2 mm x 696,8 mm x 219,6 mm / 17,6 kg
	55SE3KD	Cabezal	1 238 mm x 714,9 mm x 54 mm / 17,5 kg
		Cabezal + Soporte	1 238 mm x 773,4 mm x 219,6 mm / 20,8 kg
	65SE3KD	Cabezal	1 456,9 mm x 838 mm x 56,5 mm / 27,9 kg
		Cabezal + Soporte	1 456,9 mm x 898,1 mm x 293,7 mm / 33,1 kg

Alimentación	32SE3D/ 32SE3KD	100-240 V ~ 50/60 Hz 0,8 A
	43SE3D/ 43SE3KD	100-240 V ~ 50/60 Hz 0,9 A
	49SE3D/ 49SE3KD	100-240 V ~ 50/60 Hz 1,0 A
	55SE3D/ 55SE3KD	100-240 V ~ 50/60 Hz 1,1 A
	65SE3D/ 65SE3KD	100-240 V ~ 50/60 Hz 1,4 A



32SE3D	43SE3D	49SE3D	55SE3D
32SE3KD	43SE3KD	49SE3KD	55SE3KD











65SE3D

65SE3KD



65SE3D

