

Printing Specification

1. Specification

Models	1. Model Name:	QNED	Folded Step 1  2  3  Folded Front  Back 
	2. Suffix:	US	
	3. Part No:	MFL72060556	
	4. REV	REV00	
SIZE	5. Number of pages	16	
	6. Folded/Unfolded	3 Folded	
	7. Trim size (W x H)_Unfolded (mm)	296 x 420	
	8. Trim size (W x H)_folded (mm)	148 x 105	
	9. Bindery	-	
COVER	10. Color (Cover)	-	
	11. Paper (Cover)	-	
	12. Weight (cover) (g/m²)	-	
	INNER	13. Color (inner)	4
14. Paper (inner)		Wood free	
15. Weight (inner) (g/m²)		80	
16. Coating		No	
	17. Thomson	No	
	18. Sub-material	No	
	19. Languages	ENG/SPA_LA/FRE_CA (3)	

2. Origin Notification

Changes the Country name. Copyright © 2021 LG Electronics Inc. All Rights Reserved. Copyright © 2021 LG Electronics inc. Tous droits réservés. www.lg.com [blank] Printed in Korea Imprimé en Corée Printed in [Country Name in English] Imprimé en (au) [Country Name in French] PRODUZIDO NO POLO INDUSTRIAL DE MANAUS CONHEÇA A AMAZÔNIA LG Electronics do Brasil Ltda. CNPJ: 01.166.972/0009-21 Rua Javanir, nº 1004, Distrito Industrial, CEP 69075-110, Manaus/AM, Indústria Brasileira		[Country Name] (ENG/FRE) LGERS / LGEMX : Printed in Mexico Imprimé au Mexique LGEKR : Printed in Korea Imprimé en Corée LGEMA : Printed in Poland Imprimé en Pologne LGEND : Printed in China Imprimé en Chine LGEIN : Printed in Indonesia Imprimé en Indonésie Brazil : Printed in [Each Country name] [Image] (LGEAZ production only) Others : Each Country name.
NOTE	[Restriction of Hazardous Substances] Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification. (1) Hazardous substances test report should be submitted when part certification test and first mass production. (2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink. INK REQUIREMENT FOR EU (1) The amount of MOAH/MOSH must be less than 0.1% of the weight of the INK used. * MOAH(Mineral Oil Aromatic Hydrocarbons) : Consisting of 1 to 7 aromatic cycles * MOSH(Mineral Oil Saturated Hydrocarbons) : Consisting of 16 to 35 carbon atoms (2) From 01 January 2025 : Ban on the use of MOAH in INK up to a limit of one part per million(1ppm) for compounds of 3 to 7 aromatic cycles	

3. History












REV07					
REV06					
REV05					
REV04					
REV03					
REV02					
REV01					
REV00	04/18/2024	-	-	Checked	Taeho.Bae
				Approved	Jongok.Kim
Rev. Number	Date	Description	ECO Number	Owner	Bohyeon.Yu






75QNED99*
86QNED99*



www.lg.com
Printed in Korea
Imprimé en Corée





7





mm (inches / pulgadas / po)
kg (lbs / libras / lb)

	A	B	C	D	E	F	F-G	
75QNED99*	1 665 mm (65.5) inches	1 022 mm (40.2) inches	359 mm (14.1) inches	958 mm (37.7) inches	29.5 mm (1.1) inches	39.0 kg (85.9) lbs	38.0 kg (83.7) lbs	430 W
86QNED99*	1 917 mm (75.4) inches	1 162 mm (45.7) inches	359 mm (14.1) inches	1 098 mm (43.2) inches	29.9 mm (1.1) inches	55.9 kg (123.2) lbs	54.9 kg (121.0) lbs	545 W



mm (inches / pulgadas / po)

A	B	C x D	E	F	G	H
WB24GCB	75QNED99*	400 x 400 mm (15.7 x 15.7) inches	M6	582 mm (22.9) inches	≥ 1.5 m (59.0) inches	237 mm (9.3) inches
WB24GDB	86QNED99*	600 x 400 mm (23.6 x 15.7) inches	M8	608 mm (23.9) inches		252 mm (9.9) inches



mm (inches / pulgadas / po)

A	B	C x D	E
WB21LGB	75QNED99*	1 281 x 125 mm (50.4 x 4.9) inches	M8
WB21LGB	86QNED99*	1 586 x 125 mm (62.4 x 4.9) inches	M8

* : 0~9, A~Z