

New Product

BULLETIN

MAYTAG SLIDE-IN AND DROP-IN ELECTRIC RANGES

Now, the Maytag slide-in and drop in ranges feature the same Advanced Cooking System as found on the Maytag Freestanding Ranges. As you know, this cooking system provides even heat distribution so users do not have to worry about turning pans and switching rack positions to achieve uniform browning. Plus the styling, and finish of the Maytag slide-ins have improved for a quality built-in look. The door, handle and window are the same as on Maytag freestanding ranges. Plus, optional side panels will be available for use when the slide-in range is not positioned between cabinets and a finished outside look is needed. Consumers will love the performance, look and quality of these new slide-in and drop-in ranges!



Special Features:

New model upgrades shown in **Bold**



- | | | |
|---------|------------|---|
| CHE9000 | MES5570AAW | ● Super Capacity Self-Clean Oven Interior |
| | MES5570AAB | ● "Create-A-Space" Half Rack Included |
| | MES5570ACW | ● Auto-Lock Self-Clean Feature |
| | MES5570ACB | ● Recessed 6-Pass Broiler |
| | | ● Electronic Clock & Oven Control with Keypad Entry |
| | | ● Dura-Clean Porcelain on Steel Control Panel |
| | | ● 2-6", 2-8" High Wattage Delta Coil Elements |
| | | ● Porcelain Drip Bowls |
| | | ● Color Matching Frameless Glass Oven Door |
| | | ● Full View Oven Window |
| | | ● FingerGrip Towel Bar Handle |
| | | ● 2 Super Size Heavy-Duty Oven Racks |
| | | ● Easy-Roll Super Storage Drawer |
| | | ● Optional side panel kit - K70SIDE |
| | | ● Optional rear filler kit - K70FILL |
| CHE9800 | MES5770AAW | ● Super Capacity Self-Clean Oven Interior |
| | MES5770AAA | ● "Create-A Space" Half Rack Included |
| | MES5770AAB | ● Auto-Lock Self-Clean Feature |
| | | ● Recessed 6-Pass Broiler |
| | | ● Electronic Clock & Oven Control with keypad entry. |
| | | ● Dura-Clean Porcelain on Steel Control Panel |

- Smoothtop, 2-6" 1-8" High Speed Radiant Elements
- **1 Dual Choice Dual Element**
- **4 Hot Surface Indicator Lights**
- **Color Matching Frameless Glass Oven Door**
- **Full View Oven Window**
- **FingerGrip Towel Bar Handle**
- 2 Super Size Heavy-Duty Oven Racks
- Easy-Roll Super Storage Drawer
- **Optional side panel kit - K70SIDE**
- Optional rear filler kit - **K70FILL**

CHE9830	MES5870AAW MES5870AAA MES5870AAB	Convection version of MES5770 with: ● 3 Super Size Heavy-Duty Oven Racks
CFE9000	MEP5770AAW MEP5770AAB	Drop-In version of MES5770: ● No Storage Drawer

30"

ELECTRIC SLIDE-IN RANGES



Dimensions

	Inches	Centimeters
A	25	63.5
B	24	61.0
C	30	76.2
D	36	91.4
E ³	23 1/2 maximum	59.7 maximum
F	23 3/4 min. flat area	60.3 min. flat area
G	10	25.4
H	5 1/2	14.0
I ⁴	36 7/16	92.5
J	30 3/4	78.1
K ⁵	26 5/16	66.8

Caution: Some white European style cabinets are equipped with delicate white vinyl drawer and door fronts. The vinyl may not be designed to withstand the heat produced by the normal safe operation of a self-cleaning range. Discoloration or delamination may occur. To avoid possible damage, we recommend increasing the 30" cabinet opening to 30 1/4" minimum and using a heat shield kit CABKIT V.



Notes:

1. Electric Models: Provide for 120/208, 120-240 volt outlet per applicable cord in this area.
Slide-in Models: Area is 19"W x 10"H, located 5 1/2" from side wall.
2. On cabinet tops with formed front edge, shave raised section to clear top.
3. 23 3/8" recommended. Filler strip is not used. For cutout greater than 23 1/2, use filler kit K70FILL.
4. From floor to top of cooking surface. May vary depending on leveling legs.
5. Not including handle. Dimension given is from wall to front of oven door.

Important: Because of continuing product improvements, Maytag reserves the right to change specifications without notice. Dimensional specifications are provided for planning purposes only. For complete details see installation instructions that accompany each product before selecting cabinetry, making cutouts or beginning installation.

30"

ELECTRIC DROP-IN RANGES



Dimensions

■	Inches	Centimeters
A	25	63.5
B	24	61.0
C	30	76.2
D	36	91.4
E	1 1/4	3.2
F ³	27 1/2	69.9
G ⁴	23 1/2 maximum	59.7 maximum
H	24	61.0
I	23 3/4 min. flat area	60.3 min. flat area
J ⁵	27 15/16	71.0
K	30 3/4	78.1
L ⁶	26 5/16	66.8

Notes:

1. Recommend the use of 3" wide slats on each side.
2. On countertops with formed front edge, shave raised section to clear top.
3. From top of counter. Before attempting installation, adjust leveling legs to accommodate dimension.
4. 23 3/8" recommended. Filler strip is not used. For cutout greater than 23 1/2", use filler kit K70FILL.
5. May vary depending on leveling legs.
6. Not including handle. Dimension given is from wall to front of oven door.
7. Provide for 120/208, 120/240 volt junction box for range conduit below unit.

Important: Because of continuing product improvements, Maytag reserves the right to change specifications without notice. Dimensional specifications are provided for planning purposes only. For complete details see installation instructions that accompany each product before selecting cabinetry, making cutouts or beginning installation.