

CONSUMER INFORMATION ON:

- **Cargo Weight Rating**
- **Center of Gravity**

for 2018

**RAM
TRUCKS**

Camper Application

2018

Consumer Information

**Ram Trucks for
Camper Application**

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufacturers of such trucks are required to provide, "... the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use Ram light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.

FCA US LLC

.....

EXCLUSIONS:

The following Ram Truck models are **NOT** recommended for slide-in camper applications:


RAM

- All Ram 2500 Power Wagon models.

**Additional copies of this
publication are available
at no cost from:**

**FCA US LLC
P.O. Box 3189
Highland Park, Michigan 48203**

CONSUMER INFORMATION: TRUCK-CAMPER LOADING



The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- **CARGO WEIGHT RATING (CWR)** for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- **CENTER OF GRAVITY (CG) ZONE** is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).
- When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of passengers in the camper. The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.
- Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear wheels separately to determine axle loads. Individual axle loads should not exceed either of the gross axle weight ratings (GAWR). The total of the axle loads should not exceed the gross vehicle weight rating (GVWR). These ratings are given on the vehicle certification label that is located on the left side of the vehicle, normally the dash, hinge pillar, door latch post, or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

INSTALLING THE CAMPER:

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

**2018
RAM 1500
CAMPER GUIDE**

Model Ram 1500 4X2 HFE (High Fuel Economy)

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench

GVWR (lbs) 6945

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.6L V6 Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.6L V6 Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6800

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star

3.0L DIE Engine

Cab (Box) Seats Quad Cab 6'4" Box Bench/Bucket

GVWR (lbs) 6950

Model not recommended for slide-in camper application

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6025
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 6'4" Box Bucket	
GVWR (lbs)	6025	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
931.86	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 6'4" Box Bucket	
GVWR (lbs)	6350	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1003.88	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star	
	3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1082.99	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star	
	3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1239.55	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
969.48	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	5.7L V8 Engine
Cab (Box) Seats	Reg Cab 8' Box Bucket
GVWR (lbs)	6600

	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1115.08	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star
	3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6025

	BENCH	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
913.78	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 6'4" Box Bench	
GVWR (lbs)	6350	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
965.44	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express	
	3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1135.65	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
976.31	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Longhorn, Laramie Limited 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Longhorn, Laramie Limited 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Longhorn, Laramie Limited 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Longhorn, Laramie Limited 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bucket
GVWR (lbs)	6200
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6200
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6200
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X2 Rebel 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6300
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 6'4" Box Bucket	
GVWR (lbs)	6300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
948.30	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1015.67	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench/Bucket	
GVWR (lbs)	6600	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	6600	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	6600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
904.00	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket	
GVWR (lbs)	6800	
Model not recommended for slide-in camper application		

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SLT, Outdoorsman, Big Horn, Lone Star 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6300
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600
	<u>BENCH</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
960.32	75.0 / 190.5 25 / 63.5

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 8' Box Bench
GVWR (lbs)	6600
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 ST, Tradesman, Express 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Laramie 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Longhorn, Laramie Limited 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Longhorn, Laramie Limited 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Longhorn, Laramie Limited 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Longhorn, Laramie Limited 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Quad Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bench
GVWR (lbs)	6300
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine	
Cab (Box) Seats	Reg Cab 6'4" Box Bucket	
GVWR (lbs)	6300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
916.61	75.0 / 190.5	25 / 63.5

Model	Ram 1500 4X4 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Reg Cab 6'4" Box Bucket
GVWR (lbs)	6350
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 6'4" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 3.0L DIE Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6950
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Sport, R/T 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SSV 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 SSV 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bench/Bucket
GVWR (lbs)	6900
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Rebel 3.6L V6 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

Model	Ram 1500 4X4 Rebel 5.7L V8 Engine
Cab (Box) Seats	Crew Cab 5'7" Box Bucket
GVWR (lbs)	6800
Model not recommended for slide-in camper application	

**2018
RAM 2500
CAMPER GUIDE**

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3280	75.0 / 190.5	27.3 / 69.2

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3435	75.0 / 190.5	31.7 / 80.4

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3198	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3340	75.0 / 190.5	27.3 / 69.3

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2302	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2538	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2200	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2437	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2349	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2490	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1999	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2153	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1898	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2051	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1093	66.2 / 168.0	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1310	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
991	68.6 / 174.2	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1209	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1033	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1186	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2306	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2457	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2204	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2356	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1374	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1584	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1272	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1483	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1377	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1529	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2136	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2034	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2181	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1207	68.7 / 174.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1418	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1107	71.1 / 180.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1318	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1184	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1331	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3384	75.0 / 190.5	50.8 / 129.1

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3322	75.0 / 190.5	28.5 / 72.4

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3330	75.0 / 190.5	28.7 / 72.9

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3284	75.0 / 190.5	46.7 / 118.7

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3222	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3230	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2447	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2385	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2393	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2347	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2285	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2293	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2478	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2417	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2549	75.0 / 190.5	32.1 / 81.6

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2486	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2494	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2449	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2386	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2394	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1626	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1564	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1572	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1526	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1464	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1472	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1645	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1582	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1590	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2378	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2315	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2323	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2278	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2215	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2223	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1437	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1375	74.7 / 189.6	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1383	75.0 / 190.4	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1337	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1275	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1472	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1418	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2022	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2174	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1922	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2074	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1075	74.7 / 189.8	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1291	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
975	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1093	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1245	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2353	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2504	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2253	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2404	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1381	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1591	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1281	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1491	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1425	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1576	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2112	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2263	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2012	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2163	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1195	66.1 / 168.0	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1095	68.3 / 173.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1310	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1180	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1331	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2143	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2043	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1207	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1107	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 160.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2392	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2292	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1501	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9900 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1401	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	9000 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1481	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2189	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2089	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000 <u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1291	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1191	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X2 169.5 in. WB 5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	LARAMIE LONGHORN, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1257	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2579	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2721	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2129	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2428	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2569	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1978	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1622	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1842	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1172	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1520	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1741	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1220	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1606	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bucket	
GVWR (lbs)	9000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1748	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1153	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1358	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1512	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 160.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1257	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bucket	
GVWR (lbs)	9900	
	BUCKET	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1410	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 160.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench/Bucket	
GVWR (lbs)	9000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 160.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	SLT, Mega Cab, 6.4 Foot Box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1610	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1761	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1509	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bucket
GVWR (lbs)	9900

	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1660	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench/Bucket
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	SLT, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1413	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	10000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1560	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1312	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bucket	
GVWR (lbs)	9900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1459	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench/Bucket
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	SLT, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2623	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2173	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2568	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2560	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2523	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2073	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2460	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2468	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1733	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1283	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1678	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1670	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1633	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1183	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1578	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1570	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1719	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1266	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1656	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 140.5 in. WB	
	5.7L V8 HEMI Gas Engine Engine	
Cab (Box) Seats	ST, Reg Cab, 8 Foot Box Bench	
GVWR (lbs)	9000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
1664	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	8510
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1872	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
972	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1817	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1809	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1772	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1717	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1709	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB	
	6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
958	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	10000
	<u>BENCH</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
904	75.0 / 190.5 25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9000
	<u>BENCH</u>
	"A" "B"
CWR (lbs)	(in/cm) (in/cm)
949	75.0 / 190.5 25.0 / 63.5

Model	Ram 2500 4X4 149.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	ST, Crew Cab Short, 6.4 Foot box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1671	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
Model not recommended for slide-in camper application		

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1616	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	10000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1608	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1571	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1516	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.4L V8 MID DUTY HEMI MDS ENGINE Engine	
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench	
GVWR (lbs)	9900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
1508	75.0 / 190.5	25.0 / 63.5

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	10000
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 6.7L I6 CUMMINS TURBO DIESEL ENGINE Engine
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9900
Model not recommended for slide-in camper application	

Model	Ram 2500 4X4 169.5 in. WB 5.7L V8 HEMI Gas Engine Engine
Cab (Box) Seats	ST, Crew Cab, Long, 8 foot Box Bench
GVWR (lbs)	9000
Model not recommended for slide-in camper application	

**2018
RAM 3500
CAMPER GUIDE**

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3320	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3456	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6035	75.0 / 190.5	34.5 / 87.6
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6171	75.0 / 190.5	36.5 / 92.6
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6435	75.0 / 190.5	43.7 / 111.0

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6571	75.0 / 190.5	45.4 / 115.2

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3210	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3346	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5715	58.8 / 149.3	29.9 / 75.8

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5852	60.3 / 153.2	32.1 / 81.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3271	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3407	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5369	73.2 / 185.8	33.0 / 83.8
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5431	74.5 / 189.2	34.8 / 88.3
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3169	75.0 / 190.5	31.9 / 80.9

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3231	75.0 / 190.5	34.9 / 88.6
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4769	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4831	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2502	52.6 / 133.7	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2564	55.9 / 142.0	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4500	46.1 / 117.1	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4561	48.0 / 122.0	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3040	74.6 / 189.4	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3102	75.0 / 190.5	25.4 / 64.6

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2611	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2764	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2642	59.5 / 151.3	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2795	63.6 / 161.6	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2672	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2825	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3064	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3215	75.0 / 190.5	30.4 / 77.1
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5625	73.8 / 187.4	36.3 / 92.3
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5777	75.0 / 190.5	39.5 / 100.3
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4925	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5077	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2940	47.9 / 121.7	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3092	53.2 / 135.2	30.5 / 77.4

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4583	46.3 / 117.6	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4735	49.8 / 126.6	25.0 / 63.5

Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3033	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3185	75.0 / 190.5	27.7 / 70.4
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6518	75.0 / 190.5	46.8 / 118.8
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6549	75.0 / 190.5	47.1 / 119.7
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3319	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6018	75.0 / 190.5	35.5 / 90.1

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6018	75.0 / 190.5	35.5 / 90.1

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6018	75.0 / 190.5	35.5 / 90.1

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6018	75.0 / 190.5	35.5 / 90.1

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6049	75.0 / 190.5	35.9 / 91.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6049	75.0 / 190.5	35.9 / 91.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6049	75.0 / 190.5	35.9 / 91.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6049	75.0 / 190.5	35.9 / 91.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6418	75.0 / 190.5	44.7 / 113.4

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6418	75.0 / 190.5	44.7 / 113.4

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6418	75.0 / 190.5	44.7 / 113.4

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6418	75.0 / 190.5	44.7 / 113.4

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6449	75.0 / 190.5	45.0 / 114.3

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6449	75.0 / 190.5	45.0 / 114.3

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6449	75.0 / 190.5	45.0 / 114.3

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6449	75.0 / 190.5	45.0 / 114.3

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6733	75.0 / 190.5	50.9 / 129.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6733	75.0 / 190.5	50.9 / 129.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6733	75.0 / 190.5	50.9 / 129.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6733	75.0 / 190.5	50.9 / 129.2

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6764	75.0 / 190.5	51.2 / 130.0

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6764	75.0 / 190.5	51.2 / 130.0

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6764	75.0 / 190.5	51.2 / 130.0

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6764	75.0 / 190.5	51.2 / 130.0

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3200	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5714	60.2 / 152.9	31.3 / 79.4
Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3272	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2754	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2740	61.5 / 156.2	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2740	61.5 / 156.2	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2740	61.5 / 156.2	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2740	61.5 / 156.2	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	60.5 / 153.7	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	60.5 / 153.7	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	60.5 / 153.7	25.0 / 63.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	60.5 / 153.7	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2815	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3136	75.0 / 190.5	26.7 / 67.7
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3136	75.0 / 190.5	26.7 / 67.7
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3136	75.0 / 190.5	26.7 / 67.7

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3136	75.0 / 190.5	26.7 / 67.7

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173	75.0 / 190.5	27.4 / 69.6

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173	75.0 / 190.5	27.4 / 69.6

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173	75.0 / 190.5	27.4 / 69.6

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3173	75.0 / 190.5	27.4 / 69.6

Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5741	75.0 / 190.5	38.4 / 97.6
Model	Ram 3500 4X2 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5041	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3073	51.4 / 130.5	28.5 / 72.3
Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3073	51.4 / 130.5	28.5 / 72.3
Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3073	51.4 / 130.5	28.5 / 72.3

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3073	51.4 / 130.5	28.5 / 72.3

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3085	51.3 / 130.4	28.5 / 72.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3085	51.3 / 130.4	28.5 / 72.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3085	51.3 / 130.4	28.5 / 72.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3085	51.3 / 130.4	28.5 / 72.5

Model	Ram 3500 4X2 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4771	48.8 / 123.9	25.0 / 63.5
Model	Ram 3500 4X2 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3161	75.0 / 190.5	27.5 / 69.9
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13900	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5434	71.8 / 182.3	32.1 / 81.5
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5601	73.9 / 187.6	35.4 / 89.9
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11200	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3085	75.0 / 190.5	29.0 / 73.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3252	75.0 / 190.5	34.8 / 88.3

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4834	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5001	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11600	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2456	50.1 / 127.2	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2622	56.0 / 142.1	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4556	46.4 / 117.8	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4723	49.8 / 126.4	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2956	72.7 / 184.8	25.0 / 63.5

Model	Ram 3500 4X2 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3123	75.0 / 190.5	25.4 / 64.5

Model	Ram 3500 4X2 Laramie 6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2632	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2794	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2673	58.4 / 148.4	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2835	62.8 / 159.4	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2693	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2855	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11100	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3094	75.0 / 190.5	26.8 / 67.9
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3255	75.0 / 190.5	33.1 / 84.2
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5637	74.0 / 188.0	36.7 / 93.1
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5798	75.0 / 190.5	40.0 / 101.5
Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4937	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5098	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2969	48.2 / 122.3	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3130	53.7 / 136.4	31.2 / 79.3
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4631	45.9 / 116.5	25.0 / 63.5
Model	Ram 3500 4X2 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4792	49.6 / 125.9	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3060	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3221	75.0 / 190.5	30.3 / 76.9

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13900	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5476	74.2 / 188.5	34.8 / 88.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11200	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3161	75.0 / 190.5	32.8 / 83.4

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4876	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11600	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2580	56.3 / 143.1	25.0 / 63.5
Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4633	47.7 / 121.1	25.0 / 63.5
Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3032	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2775	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2742	62.9 / 159.7	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2796	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11100	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3215	75.0 / 190.5	29.2 / 74.2

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5756	74.5 / 189.2	37.9 / 96.3

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5056	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3137	52.6 / 133.5	30.2 / 76.6

Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4735	50.0 / 126.9	25.0 / 63.5
Model	Ram 3500 4X2 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3186	75.0 / 190.5	26.6 / 67.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5989	74.2 / 188.5	36.9 / 93.7
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
6126	75.0 / 190.5	38.8 / 98.7
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3038	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3174	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5589	75.0 / 190.5	26.5 / 67.2

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5726	75.0 / 190.5	28.8 / 73.1

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3116	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	11500	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3252	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5236	67.1 / 170.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5372	68.6 / 174.2	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3044	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bucket	
GVWR (lbs)	10300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3180	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5177	66.8 / 169.8	26.6 / 67.7

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5238	68.3 / 173.5	28.6 / 72.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2969	75.0 / 190.5	25.8 / 65.4
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3031	75.0 / 190.5	29.1 / 73.9
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4477	71.0 / 180.3	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4538	72.6 / 184.4	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2690	63.6 / 161.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2751	66.4 / 168.7	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4047	55.0 / 139.8	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4108	57.1 / 144.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2962	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3023	75.0 / 190.5	26.1 / 66.3
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2486	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2639	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2373	74.3 / 188.7	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2525	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2452	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2605	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5143	66.5 / 168.9	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5295	69.1 / 175.4	27.7 / 70.4

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2860	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3012	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4443	70.3 / 178.6	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4595	73.2 / 185.9	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2768	59.2 / 150.3	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2920	64.2 / 163.1	25.0 / 63.5

Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4148	54.7 / 139.0	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4300	58.3 / 148.1	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2841	74.1 / 188.1	25.0 / 63.5
Model	Ram 3500 4X4 SLT, Big Horn, Lone Star	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2993	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5975	73.9 / 187.8	36.5 / 92.8

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3006	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3006	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3006	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3006	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3026	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3026	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3026	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3026	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5575	75.0 / 190.5	26.0 / 66.1

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3119	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3119	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3119	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3119	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3140	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3140	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3140	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	11500	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3140	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5230	66.9 / 170.0	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Reg Cab 8' Box Bench	
GVWR (lbs)	10300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3027	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2613	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2613	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2613	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2613	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2634	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2634	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2634	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2634	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2520	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2601	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5295	68.0 / 172.8	26.7 / 67.7

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2989	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2989	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2989	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2989	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3014	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3014	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3014	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3014	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4595	72.0 / 182.8	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2907	63.3 / 160.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2907	63.3 / 160.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2907	63.3 / 160.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2907	63.3 / 160.9	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2919	62.4 / 158.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2919	62.4 / 158.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2919	62.4 / 158.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2919	62.4 / 158.4	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4318	57.0 / 144.7	25.0 / 63.5

Model	Ram 3500 4X4 ST	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2979	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5155	65.8 / 167.1	25.4 / 64.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5322	68.2 / 173.2	29.1 / 73.9
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2763	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2763	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2763	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2763	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2862	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2862	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2862	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2862	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2930	75.0 / 190.5	26.2 / 66.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2930	75.0 / 190.5	26.2 / 66.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2930	75.0 / 190.5	26.2 / 66.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2930	75.0 / 190.5	26.2 / 66.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3029	75.0 / 190.5	28.2 / 71.6

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3029	75.0 / 190.5	28.2 / 71.6

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3029	75.0 / 190.5	28.2 / 71.6
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3029	75.0 / 190.5	28.2 / 71.6
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4455	69.8 / 177.3	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4622	72.4 / 183.9	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2614	57.0 / 144.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2781	62.2 / 157.9	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4045	54.4 / 138.3	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4212	57.9 / 147.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2832	74.5 / 189.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2999	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10800	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2472	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2634	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2343	73.3 / 186.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2343	73.3 / 186.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2343	73.3 / 186.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2343	73.3 / 186.1	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2364	73.1 / 185.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2364	73.1 / 185.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2364	73.1 / 185.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	11700	
	<u>BENCH</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2364	73.1 / 185.7	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2505	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2505	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2505	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2505	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2526	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2526	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2526	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2526	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bench	
GVWR (lbs)	10700	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2482	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2644	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5216	66.2 / 168.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
5377	68.9 / 174.9	28.1 / 71.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11400	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2952	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3113	75.0 / 190.5	27.5 / 70.0
Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	13300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4516	69.9 / 177.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4677	72.9 / 185.1	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2755	59.0 / 149.8	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2786	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2786	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2786	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	12300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2786	59.0 / 149.8	25.0 / 63.5
Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2916	64.3 / 163.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2916	64.3 / 163.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2916	64.3 / 163.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2916	64.3 / 163.3	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2947	64.3 / 163.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2947	64.3 / 163.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2947	64.3 / 163.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2947	64.3 / 163.2	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	14000	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4184	54.3 / 138.0	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
4345	58.1 / 147.5	25.0 / 63.5

Model	Ram 3500 4X4 Laramie 5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bench	
GVWR (lbs)	11300	
	<u>BENCH</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
2843	74.0 / 187.9	25.0 / 63.5

Model	Ram 3500 4X4 Laramie	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2995	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5284	67.7 / 172.1	28.4 / 72.0
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2976	75.0 / 190.5	26.6 / 67.6
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4584	71.9 / 182.7	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2758	65.1 / 165.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4194	57.7 / 146.6	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Mega Cab 6'4" Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2957	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10800	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2592	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	11700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2492	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 6'4" Box Bucket	
GVWR (lbs)	10700	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2595	75.0 / 190.5	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
5301	68.8 / 174.8	27.5 / 69.8
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11400	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
3046	75.0 / 190.5	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.4L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	13300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4601	72.9 / 185.1	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	12300	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
2931	63.9 / 162.3	25.0 / 63.5
Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	6.7L DIE Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	14000	
	<u>BUCKET</u>	
	<u>"A"</u>	<u>"B"</u>
CWR (lbs)	(in/cm)	(in/cm)
4299	58.0 / 147.4	25.0 / 63.5

Model	Ram 3500 4X4 Longhorn, Laramie Limited	
	5.7L V8 Engine	
Cab (Box) Seats	Crew Cab 8' Box Bucket	
GVWR (lbs)	11300	
	<u>BUCKET</u>	
	"A"	"B"
CWR (lbs)	(in/cm)	(in/cm)
3027	75.0 / 190.5	25.0 / 63.5

