
Electra MIK Front Tray Assembly Guide



HARDWARE INCLUDED

M5 x 14 mm	x 4	5 x 10 x 1 mm	x 4
M6 x 20 mm	x 4	6 x 18 x 1.5 mm	x 4

TOOLS REQUIRED



Safety

MAX 10 kg (22 lb)

Cargo + any attached basket cannot exceed 10 kg (22 lb)



⚠ WARNING

Risk of serious injury or death. Never allow a person of any size to sit or ride on the front tray. The tray can fail under the weight of a person, resulting in serious injury or death.

⚠ WARNING

Risk of serious injury or death.



Do not use a child seat with this rack. It is not compatible. Maximum load on the rack is 10 kg (22 lb). Using a child seat may cause the child seat or rack to fail, resulting in injury or death.

- Luggage only can be safely carried on the rack.
- Be aware that steering and braking may behave differently when the rack is loaded.

⚠ WARNING

Risk of serious injury or death.
Improperly fastened hardware can loosen during use, which can cause the rack to fail, resulting in serious injury or death.

- Securely tighten all hardware to the recommended torque specifications and only use supplied hardware when assembling.
- When reusing fasteners with pre-applied threadlocker, clean them with isopropyl alcohol and apply new threadlocker before re-assembly.

Copyright 2026 Trek Bicycle Corporation All Rights Reserved

Installation


OPTIONAL: Blendr mounts and Blendr bases are available aftermarket. You may install the Blendr mount and base to the MIK front tray prior to installing the tray. See Blendr base attachment

1

Install:

M5 x 14 mm socket head fasteners (x4)


M5 washers, 5 x 10 x 1 mm (x4)



⚠ WARNING

Risk of serious injury or death.
Do not pinch the cables or hoses when installing the adapter. Incorrect cable positioning could cause the cables or hoses to catch on the rack, interfere with steering, and cause loss of control, resulting in serious injury or death.

- Ensure the cable bundle is positioned between the frame and the upper mounting arm of the non-driveside adapter.
- Before riding, turn the handlebar fully left and right to verify that no cables or hoses catch on the rack and impede steering.




Capture the front brake hose in the cable bundle behind the adapter.

2

Install:

M6 x 20 mm button head fasteners (x4)

M6 washers, 6 x 18 x 1.5 mm, 5353583 (x4)





Use and cargo


⚠ WARNING

Risk of serious injury or death.
Verify that all accessories and cargo attached to the front rack are securely fastened. Accessories and/or cargo attached to the front rack which are unsecured or interfere with the ability to operate the bicycle can cause loss of control, resulting in serious injury or death.

- Before riding, turn the handlebar fully left and right to verify that cargo does not interfere with steering.
- Ensure there are no loose ends which could get caught in the wheel.
- Any cargo net or straps must be securely attached to the tray before riding. Eliminate any slack or loose hooks by using tabs in rack to secure.








This rack is compatible with accessories including:

- Electra Wooden MIK Bike Crate
- Electra All Weather Woven MIK Basket
- Electra Mesh Low Profile MIK Basket

Blendr base attachment

This compatible Blendr base is available separately. Please see trekbikes.com for Blendr flat mount base and compatible mounts and lights.




TOOLS REQUIRED

BLENDR BASE KIT 5353797
INCLUDED HARDWARE:

M5 x 25 mm x 1	INCLUDED BUT NOT USED ON MIK FRONT RACK:
M5 x 12 mm x 2	M5 x 5 mm x 2

Blendr compatibility

BASE	5353797	5353797
+		
MOUNT	Low Commuter Light Mount W5278214	Universal Ion Mount W574066
+		
LIGHT	Commuter Light*	Ion Light*



Multiple options available. Check online.