

Features & Functions Guide



WELCOME TO THE KIA FAMILY!

Your new Kia vehicle has been designed, engineered and manufactured to provide you with years of comfortable and dependable driving. Kia is committed to quality, innovation, safety and — above all — your satisfaction.

USING THIS FEATURES & FUNCTIONS GUIDE

The information contained in this guide is a brief overview of the operation and features of your new Kia vehicle.

This Features & Functions Guide and the specific operational and safety information it provides are not a substitute for your Owner's Manual. In the interest of your safety and that of the vehicle's occupants, and to help you avoid risks that may result in death or serious injury, Kia reminds you to carefully read the Owner's Manual in order to fully familiarize yourself with the important information and safety warnings it contains.

While Kia endeavors to ensure that the information contained in this guide is accurate at the time of printing, Kia may change vehicle specifications without notice in advance of or after the fact and assumes no liability in connection with such changes.

VIDEOS AND QR CODES

Kia provides a number of video resources to assist you with becoming familiar with the features and functions found in your Kia vehicle. You can access these resources by snapping the QR Codes with your mobile device using the built-in QR Code Reader or a downloaded QR Code Reader App.

After opening the QR Code Reader App on your mobile device, the app will utilize your device's camera. Center the code in the camera viewing area — with some apps, as soon as the app recognizes the code, it will launch the corresponding video.

With other apps, you will have to snap or "take a picture" of the code. The app will then launch the corresponding video.

For operation specifics, refer to the instructions that come with the QR Code Reader App. You can also view the videos by visiting the following website: www.youtube.com/KiaFeatureVideos

QUICK TIPS

If you're having trouble scanning codes, check the following:

- The code should be centered and focused in your mobile device's camera screen
- Consider moving your device closer to or farther away from the code
- The code should be well lit, without significant shadow
- Avoid scanning from a significant angle
- Confirm that the device's app supports 2D QR Code scanning
- Try another QR Code Reader App; not all apps are created equal

After scanning, you may experience a "connection error" message or a "connecting" message with no subsequent response. These messages typically indicate that your device is having trouble connecting to the Internet

QR CODE

Vehicle & User Settings
Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

As you get to know your new Kia, you can explore this booklet to better understand how to operate its many features and systems. You can find the complete Table of Contents on the next two pages, but first, be sure to review the following to better understand some of your Kia's most used features:

1 Smart Key with Remote Start*	47
2 Fuel Door Release Lever	48
3 Power Adjustable Driver's Seat* / Front Seat Headrest Adjustment	42-43
4 Seat Warmers*	42
5 Folding Rear Seats	44
6 Windshield Wipers & Washers	26
7 Navigation-based Smart Cruise Control (NSCC)*	16
8 Normal Maintenance Schedules	Back Cover
9 User Settings* - Instrument Cluster	08
10 Vehicle Settings* - Infotainment System	08
11 Bluetooth® Wireless Technology	28-29
12 Kia Connect Activation* / Kia Connect Assistance*	32
13 Standard Audio System*	31
14 Kia Access App Download	33
15 Kia Access App Features Guide	33
16 Android Auto™ / Apple CarPlay® Setup	30
17 Kia Connect with Navigation*	34

Driving while distracted can result in a loss of vehicle control that may lead to an accident, severe personal injury or death. The driver's primary responsibility is in the safe and legal operation of a vehicle. Handheld devices, other equipment or vehicle systems which take the driver's eyes, attention and focus away from the safe operation of a vehicle or that are not permissible by law, should never be used during operation of the vehicle.

www.kia.com
Consumer Affairs -
Roadside Assistance¹¹⁵:
1-800-333-4KIA (800-333-4542)

Always check the Owner's Manual for complete operating information and safety warnings.

QR CODES

Your New Kia Important Care Tips Video



Vehicle Cameras Important Tips Video



Navigation System Important Tips Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

VIDEOS & QR CODES Inside Cover

INSTRUMENT CLUSTER

Instrument Cluster Overview	03
Indicators & Warning Lights	04
Tire Pressure Monitoring System (TPMS)	05
Fuel Economy / Tips for Economical Driving	05
Drive Mode Integrated Control System	06

VEHICLE SETTINGS

Instrument Cluster LCD Modes	07
Trip Modes / Trip Computer	07
User Settings* - Instrument Cluster	08
Vehicle Settings* - Infotainment System	08
Sound-Reactive Mood Light*	09
Service Interval Mode*	09

ADVANCED DRIVER ASSISTANCE SYSTEM (ADAS)

Forward Collision-Avoidance Assist (FCA)*	10
Lane Keeping Assist (LKA)	11
Blind-spot Collision-Avoidance Assist (BCA)	12
Intelligent Speed Limit Assist (ISLA)*	13
Manual Speed Limit Assist (MSLA)	14
Driver Attention Warning (DAW)	14
Leading Vehicle Departure Alert (LVDA)	15
Navigation-based Smart Cruise Control (NSCC)*	16
Cruise Control (CC)*	17
Lane Following Assist (LFA)*	18
Highway Driving Assist (HDA)*	19
Rear View Monitor (RVM)	19
Rear Cross-traffic Collision Avoidance Assist (RCCA)	20

DRIVER'S PANEL

Electronic Stability Control (ESC)	21
Hill-start Assist Control (HAC)	21

DRIVER'S PANEL (CONTINUED)

Instrument Panel Dimmer	21
Start/Stop Button*	22
Power Windows, Window Lock & Central Door Lock	23
Rear Door Locks	23
Power/Heated* Outside Mirrors	23
Automatic Door Lock/Unlock	23

STEERING WHEEL CONTROLS

Heated Steering Wheel*	24
Tilt/Telescoping Steering Wheel	24
Headlights & High Beams	25
High Beam Assist (HBA)*	25
Turn Signals & Fog Lights*	25
Windshield Wipers & Washers	26
Rear Wiper & Washer*	26

INFOTAINMENT SYSTEM

Audio Controls	27
Bluetooth® Wireless Technology	28
Android Auto™ / Apple CarPlay® Setup	30
Standard Audio System*	31
Kia Connect Activation*	32
Kia Connect Assistance*	32
Kia Access App Download	33
Kia Access App Features Guide	33
Kia Connect with Navigation*	34

CENTER PANEL

Digital Clock - Infotainment System	35
Multimedia USB Port, Power Outlets & USB Charger Ports*	35
Automatic Climate Control*	36
Manual Climate Control*	37
Wireless Smartphone Charging System*	38

CENTER PANEL (CONTINUED)

Idle, Stop & Go (ISG) System	39
Electronic Parking Brake (EPB)*	40
Auto Hold*	40
Automatic Gear Shift with Sportmatic® Shifting	41

SEATING

Power Adjustable Driver's Seat*	42
Seat Warmers*	42
Front Seat Headrest Adjustment	43
6-Way Manual Adjustable Driver's Seat*	43
Unfastening Center Seat Belt	44
Folding Rear Seats	44
Rear Occupant Alert (ROA) System with Door Monitoring*	45

OTHER KEY FEATURES

Map/Room Lamps	46
Sunvisor	46
Smart Key with Remote Start	47
Remote Keyless Entry* (Folding Key)	48
Double-Turn Lock/Unlock All	48
Fuel Cap Open Warning Indicator*	48
Fuel Door Release Lever	48
Sunroof Operation with Sunshade*	49
Hood Release Lever and Latch	50
Liftgate Release Button	50

SAFETY FEATURES

Child-Protector Rear Door Locks	51
Occupant Detection System (ODS) / Passenger Airbag Off Indicator	51
Seat Belts	52


LEGAL DISCLAIMERS Inside Back Cover

NORMAL MAINTENANCE Back Cover

Instrument Cluster Overview

- A** Tachometer
- B** Speedometer
- C** LCD - Gear Shift Position,
Odometer, Trip Modes /
Trip Computer,
Exterior Temperature
- D** Engine Coolant Temperature
- E** Fuel Gauge

 Arrow direction indicates the side
of the vehicle the fuel door is located



QR CODE

Instrument Cluster's LCD
Display Video




Refer to the inside front cover for
more information on QR codes.
www.youtube.com/KiaFeatureVideos

This illustration is for demonstration purposes only. Some indicators and warning lights may not appear in illustration. On the vehicle, they may appear in the LCD.

Your vehicle's instrument cluster & indicator light locations may differ from those in the illustrations. For more information on the instrument cluster, the LCD Warning Messages and the function of all indicator and warning lights, please refer to section 4 in the Owner's Manual.

INSTRUMENT CLUSTER

Indicators & Warning Lights



- A** LCD - Gear Shift Position, Odometer, Trip Modes / Trip Computer, Exterior Temperature
- B** Warning Lights Areas

This illustration is for demonstration purposes only. Some indicators and warning lights may not appear in illustration. On the vehicle, they may appear in the LCD.

Your vehicle's instrument cluster & indicator light locations may differ from those in the illustrations.

For more information on the instrument cluster, the LCD Warning Messages and the function of all indicator and warning lights, please refer to section 4 in the Owner's Manual.



Forward Safety Warning Light*



High Beam Assist Indicator*



High Beam Indicator Light



Low Beam Indicator Light*



Light ON Indicator Light



Front Fog Light Indicator*



Master Warning Light



Idle, Stop & Go (ISG) Indicator*



SPORT Mode Indicator Light*



ECO Mode Indicator Light*



Electronic Power Steering (EPS) Warning Light*



Charging System Warning Light



Engine Oil Pressure Warning Light



Airbag Warning Light



Parking Brake & Brake Fluid Warning Light



Seat Belt Warning Light



Fuel Cap / Malfunction Indicator
(Check Engine Light)



Low Tire Pressure Light / Tire Pressure
Monitoring System (TPMS) Malfunction Indicator



Electronic Brakeforce Distribution (EBD)
System Warning Light (Two separate indicators
on Instrument Cluster lit at same time)



Electronic Stability Control (ESC) Indicator



Electronic Stability Control (ESC) OFF Indicator



LED Headlamp Warning Light*



Immobilizer Indicator Light*



Low Fuel Level Warning Light



Door Ajar Warning Light*



Cruise Indicator Light*



Lane Safety Indicator Light*



Low Windshield Washer Fluid




Liftgate Open Warning Light*

Tire Pressure Monitoring System (TPMS)^{†18}



The indicator  functions as both Low Tire Pressure Light and TPMS Malfunction Indicator. The TPMS indicator illuminates if it detects one or more tires is significantly under inflated, the vehicle has a spare tire installed without TPMS or the outside temperature becomes significantly lower.



- The LCD screen in the instrument cluster will display the Low Tire Pressure indicator  showing which tire(s) is underinflated.
- Inflate tire(s) to specifications using an accurate tire pressure gauge to turn off Low Tire Pressure Light . See front driver's door jamb for PSI specification
- When there is a problem with the TPMS, the TPMS Malfunction Indicator  will blink for approximately one minute and then illuminate - See dealer for service

QUICK TIPS

- Even with TPMS, tire pressure should be checked manually at least once a month. Only adjust tire pressure on "cold tires" that have been sitting for 3 hours or more, and tires are not hot in temperature from direct sunlight or heat
- For proper maintenance and optimal fuel economy, maintain recommended tire inflation pressures and stay within the load limits and weight distribution recommended for your vehicle
- A significant drop in temperature can cause tire inflation pressures to drop, which may activate the TPMS light. Manually confirm tire pressures after significant changes in temperature or altitude

REMINDERS:

- Check the recommended tire pressure label located on the left side of driver's door jamb, visible when the door is opened
- Consult your dealer for service if Low Tire Pressure Light remains illuminated after inflating your tire(s)
- Personal electronic devices (such as laptops, wireless chargers, remote start systems, etc.) may interfere with the TPMS system, which may cause the Malfunction Warning Indicator (Check Engine Light) to illuminate
- Refer to section 6 in the Owner's Manual for more information.

Fuel Economy / Tips for Economical Driving

There are several factors that contribute to your vehicle's fuel economy, such as maintenance of your vehicle, driving style, environmental conditions, vehicle weight and vehicle aerodynamics. Below are some tips on how to help improve fuel economy:

- Use the climate control system less often. Use the Driver Only* setting as much as possible
- Keep your vehicle in good condition with regular maintenance
- Don't let the engine idle longer than necessary
- Drive at a moderate speed, accelerating smoothly and at a moderate rate
- Keep tires inflated to the recommended pressure
- Travel lightly, without carrying unnecessary weight in your vehicle
- Avoid placing large or heavy items on roof racks
- Avoid hilly, winding or poorly maintained roads

Refer to section 4 in the Owner's Manual for more information or snap the QR Code above to view a video.

Images are for illustrative purposes only. Actual image or feature may vary.

QR CODES

Tire Pressure Monitoring System Video



Tips for Economical Driving Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Drive Mode Integrated Control System

The Drive Mode may be selected based on the driver's preferences and road conditions.

To cycle through the different Drive Modes **A**, press the DRIVE MODE button **B**. The instrument cluster will display SPORT when selected. When in NORMAL mode, it will not display in the instrument cluster.

QUICK TIPS


- When vehicle is shut down while in SPORT Mode, the system will default to NORMAL mode when the engine is turned off. SPORT mode would need to be selected again once the vehicle is restarted
- To help improve your fuel economy:
 - Drive at a moderate speed, accelerating smoothly and at a moderate rate
 - Keep tires inflated to the recommended pressure
 - Be sure the wheels are properly aligned

REMINDERS:

- The system is turned ON and in NORMAL mode when ignition is in the ON position
- Steering effort may be slightly increased in Sport mode
- When SPORT mode is selected, fuel economy may decrease
- Steering effort may be slightly increased in SPORT mode

For illustrative purposes only. Your actual display, buttons and/or features may vary.

Refer to section 5 in the Owner's Manual for more information.



(Button located in center console beside gear shift)

QR CODE

Drive Mode Integrated Control System Video



*Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos*

Instrument Cluster LCD Modes*

Press the Mode/Select button  **A** to cycle through different Instrument Cluster LCD Modes:



Trip Computer Mode: Displays driving information for fuel economy, accumulated info, etc.



Turn-by-Turn Mode*: Displays the route guidance and destination info



Driving Assist: Displays the Lane Safety*, Driver Attention Warning*, Smart Cruise Control* and TPMS info



User Settings Mode: Change settings of the doors, lights, sound, driver assistance*, convenience, service interval and other features



Master Warning Mode: Displays warning messages related to the vehicle when one or more systems is not operating normally

Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

Refer to section 4 in the Owner's Manual for more information.

Trip Modes / Trip Computer


The Trip Computer is a driver information system that displays information related to driving on the display when the ignition switch or the Engine Start/Stop button* is in the ON position.

To cycle through the LCD Instrument Cluster modes, press the Mode/Select button  **A**.


When in the Trip Computer mode , press the OK/Move/Select/Reset button  **B** up or down to cycle through the screens. When displaying the Tripmeter, press in and hold the OK button  **B** to reset the Tripmeter to zero.

REMINDERS:

- Appearance of Tripmeter display may differ as equipped
- All stored driving information (except Odometer and Range) is reset if the battery is disconnected



(Buttons located on steering wheel)



QR CODES

Drive Mode Integrated Control System Video



Steering Wheel Controls Video



*Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos*

Your vehicle's steering wheel buttons may differ from those in the illustrations.

Refer to section 4 in the Owner's Manual for more information.

User Settings* - Instrument Cluster

To enter the User Settings mode in the LCD Instrument Cluster Modes, press the Mode/Select button  **A** when the vehicle is at a standstill and with the Engine Start/Stop* button in the ON position and select User Settings .

You can navigate the selections on the display by pressing the Move/Reset button  **B**, and then selecting the item by pressing the Mode/Select button  **A**.

User Settings Modes:

Driver Assistance*:

- Driving Convenience
- Speed Limit
- Warning Volume
- Driver Attention Warning
- Driving Safety
- Parking Safety

Door:

- Automatically Lock
- Automatically Unlock

Lights:

- One-Touch Turn Signal
- Headlamp Delay

Sound:

- Welcome Sound

Convenience*:

- Welcome Mirror
- Wipers/Lights Display
- Auto Rear Wiper
- Gear Position Pop-Up
- Icy-Road Warning

Service Interval:

- Enable Service Interval
- Adjust Interval
- Reset

Other Features*:

- Fuel Economy Auto Reset
- Fuel Economy Unit
- Temperature Unit
- Tire Pressure Unit
- Torque Unit

Reset:

- Reset menus to factory settings (except language & service interval)

Refer to section 4 in the Owner's Manual for more information.

Vehicle Settings* - Infotainment System

(Vehicles with wide-screen navigation system)

To enter the Vehicle Settings mode in the audio head unit screen, press the SETUP key on the audio head unit. Then press the Vehicle icon, which will take you to the Vehicle Settings screen. Use the touchscreen to navigate through the menus.

Vehicle Settings modes:

Driver Assistance: Driving Assist, Warning Time, Warning Volume, Driver Attention Warning, Forward Safety, Blind-spot Safety, Parking Safety

Climate: Recirculate Air, Automatic Ventilation, Defog/Defrost Options


Lights: One Touch Turn Signal, Headlight Display, High Beam Assist

Door: Auto Lock, Auto Unlock, Two-Press Unlock

Cluster: Energy Consumption Reset, Content Selection, Cluster Voice Guidance Volume, Welcome Sound

Convenience: Rear Occupant Alert, Wireless Charging System, Auto Rear Wiper (in R)

Reset: Reset Vehicle Settings to Factory Defaults



(Buttons located on steering wheel)

REMINDER: Some settings appear in User Settings in the Instrument Cluster. Check section 4 in the Owner's Manual or the Car Infotainment System Quick Start Guide for more information.

The above images are for illustration purposes only and may not reflect actual display.

QR CODE

Vehicle & User Settings
Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Sound-Reactive Mood Light*

The vehicle's speaker lights can be customized, including setting the lights to change according to the mood of the music playing.

To change the settings, go to All Menus in the audio head unit. Select Sound Mood Lamp and adjust the different settings.

QUICK TIP

To reset back to the default settings, press the Reset button on the audio head unit screen.

REMINDERS:

- Mood Lights cannot be changed while vehicle is moving
- Park vehicle in a safe location before changing the settings
- When any door is opened, the lighting turns off

Refer to the Car Multimedia System User's Manual for more information.

Service Interval Mode*

To enter Service Interval Mode, press the Mode/Select button **A** and select User Settings **B**, then scroll to Service Interval by pressing Move/Reset button **B**. Press the Mode/Select button **A** to enter. System will display number of miles remaining until next service is due, and type of service.

When service is required, the following will be displayed: **Service Required**.

To reset the Service Interval Mode system, press and hold the Move/Reset button **B** for more than 1 second.

To turn **Service Interval OFF**, go to User Settings.

Service Interval Setting


To set the service interval when in User Settings mode:

- Press the Move/Reset button **B** and scroll to Service Interval. Press the Mode/Select button **A** to enter
- Press the Move/Reset button **B** and toggle to ON, then press the Mode/Select button **A**. Then press the Move/Reset button **B** to scroll and select the desired miles or months for your next service
- Press the Mode/Select button **A** to enter



QUICK TIP

An "Engine Oil Change Due Soon" message appears on the Instrument Cluster LCD when the engine oil needs to be changed. After oil change, reset the oil change reminder in User Settings*. Go to Convenience, then Oil Change

Refer to section 4 in the Owner's Manual for more information. For illustrative purposes only. Your actual display, buttons and/or features may vary.



(Buttons located on steering wheel)



(Instrument cluster LCD screen shown)

QR CODES

Ambient, Theme, Mood Lighting Video



Instrument Cluster's LCD Display Video



Kia Full Synthetic Oil Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Forward Collision-Avoidance Assist (FCA)*†3

FCA is designed to detect and monitor a vehicle ahead or detect a pedestrian or cyclist in the roadway through front view camera recognition and front radar signals to warn the driver that a collision is imminent, and if necessary, temporarily apply emergency braking. If FCA detects a potential collision, FCA emits an audible warning and visual alert on the instrument cluster **A**.

If FCA detects that the collision risk has increased, it automatically applies the brakes to reduce your speed, potentially helping to reduce the effects of a possible collision.

When turning left with the left turn signal on **B**, if FCA detects a potential collision with an oncoming vehicle in an adjacent lane, it may help to avoid the collision by applying emergency braking.

FCA Settings:

- FCA is ON by default in most Kia models. FCA can be enabled or disabled in the User Settings  in the Instrument Cluster or the Vehicle Settings* in the Infotainment System. Make sure the vehicle is at a standstill, gear shift in Park and the Engine Start/Stop button in the on position
- Instrument Cluster User Settings***  - Press the Mode button  **C** on the Steering Wheel. Press the OK button **D** up/down and select User Settings then Driver Assistance. Select or deselect Forward Safety
- Infotainment System Vehicle Settings*** - Press the **SETUP** key on the Infotainment System. Press the onscreen **VEHICLE**  button then Driver Assistance. Select or deselect Forward Safety
- Forward Safety Warning Timing** - Sets the warning timing of the Forward Safety system
 - Use **Standard** in normal driving conditions. If the Warning Timing seems sensitive, change it to **Late**
 - If **Late** is selected, Forward Collision-Avoidance Assist, warns the driver more slowly

FCA will become active when the:




- Ignition is on or the Engine Start/Stop button* is ON
- Vehicle is traveling faster than 6 mph
- Electronic Stability Control (ESC) is ON

QUICK TIP

Warning Volume can be adjusted in the User Settings  in the Instrument Cluster or the Vehicle Settings* on the audio head unit. Go to Driver Assistance, then Warning Volume.

REMINDERS:

- FCA will be activated by default when the ignition is cycled ON, even when previous setting was OFF
- If FCA is operating and the ESC (Electronic Stability Control) is turned off, FCA is automatically turned off
- When FCA is off, the Forward Safety warning indicator is on in the Instrument Cluster 



QR CODE

Forward Collision-Avoidance Assist (FCA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

When engaged, Forward Collision-Avoidance Assist is not a substitute for safe driving and may not detect all objects in front of the vehicle. Always drive safely and use caution.

Actual User Settings steps may vary by model. For illustrative purposes only. Your actual display, buttons and/or features may vary.

Refer to section 5 in the Owner's Manual for more information.

Lane Keeping Assist (LKA)^{†3}

Lane Keeping Assist is designed to detect the lane markers on the road with a front view camera on the windshield, and may assist the driver's steering to help prevent the vehicle from departing the lane. When turned on, the instrument cluster indicator  will initially illuminate white or green. It will remain white when the vehicle is traveling slower than 40 mph or when LKA does not detect the lane markers. When LKA detects the lane markers and can assist the steering, the Lane Safety icon will illuminate green.

If LKA detects that you are moving outside of your lane, it may give an audible warning and display Lane Departure Warning on the instrument cluster. If the vehicle continues to move outside of the lane, LKA may provide steering, trying to prevent the vehicle from moving outside its lane.

LKA Settings:

- Press and hold the Lane Driving Assist button  to turn LKA on or off, when it is first enabled in the User Settings* in the Instrument Cluster or Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- To access User settings*  in the Instrument Cluster - Press the Mode button  on the Steering Wheel to toggle to User Settings . Press the OK button  up/down to toggle to Driver Assistance and then Lane Safety
- To access Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance and then Lane Safety

LKA will operate under the following conditions:

- The vehicle speed exceeds approximately 40 mph
- LKA recognizes one or both side lane markers of the lane the vehicle is traveling in
- The vehicle is between the lane markers



When the front-view camera does **not** detect the lane traveling in, the lines are not illuminated gray



When the front-view camera detects the lane traveling in, both lines are illuminated white



When the front-view camera detects the vehicle moving outside of the lane it is traveling in, a vehicle crossing lane indicator will blink, either on the left or right lane (as shown in both images above)



QUICK TIP

The Warning Volume can be adjusted in the User Settings  in the Instrument Cluster or the Vehicle Settings* on the Infotainment System.

REMINDERS:

- LKA may not detect lane markers in certain environment conditions
- LKA will not issue a warning if the turn signals or hazard lights are activated
- When the ignition is cycled, LKA will return to the previously set state

QR CODE

Lane Keeping Assist (LKA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

When engaged, Lane Keeping Assist is not a substitute for safe driving and may not always warn the driver. Always drive safely and use caution.

For illustrative purposes only. Your actual display, buttons and/or features may vary.

Actual User Settings steps may vary by model. Refer to section 5 in the Owner's Manual for more information.

Blind-spot Collision-Avoidance Assist (BCA)^{†‡}

BCA uses rear corner radar sensors in the rear bumper to monitor and warn the driver in certain situations if it detects an approaching vehicle in the driver's blind spot area and before changing lanes. Initially, BCA provides Blind-spot Collision Warning when it detects a potential collision with a vehicle, emitting an audible warning and visual alert on the outside rearview mirrors. If there is a risk of collision when driving forward out of a parking space, BCA can help avoid a collision by assisting and applying the brake.

Vehicle detection warning: When another vehicle is detected within collision warning boundary **A**, an indicator will illuminate on the outside rearview mirrors **B**.

Collision warning: When vehicle detection warning is on and the driver activates a turn signal, a flashing indicator will illuminate on the outside rearview mirrors and the system will sound a warning.

Collision-Avoidance Assist: If BCA determines that there is a collision risk with an approaching vehicle in the blind spot, BCA can help avoid collision by applying the brake.

BCA Settings:





- BCA can be turned on/off by going to the User Settings* in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is turned on or the Engine Start/Stop button* in the ON position
- To access User settings*  in the Instrument Cluster - Press the Mode button  **C** on the Steering Wheel to toggle to User Settings . Press the OK button  up/down to toggle to Driver Assistance, then select Blind-spot Safety
- To access Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Blind-spot Safety

QUICK TIPS

- Warning Volume can be adjusted in the User Settings  in the Instrument Cluster or the Vehicle Settings* on the audio head unit. Go to Driver Assistance, then Warning Volume
- BCA will activate when:
 - Blind-spot Safety is enabled in the settings
 - Other vehicles are detected on the rear sides of the vehicle
 - A Collision Warning can be issued when the vehicle speed is above approximately 12 mph
 - A Collision-Avoidance Assist can be issued when the vehicle speed is below 2 mph and the vehicle in your blind spot is above 3 mph

REMINDERS:

- BCA may sound when making a left turn. Maintain a proper distance from oncoming vehicles
- BCA will not issue a warning if the vehicle speed is 6 mph or more above the surrounding vehicles
- When BCA is ON and the ignition is cycled, BCA returns to its previous BCA setting state



QR CODE

Blind-spot Collision-Avoidance Assist (BCA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

When engaged, BCA is a supplemental function. Do not solely rely on this system and always pay attention to the road and its conditions.

Refer to section 5 in the Owner's Manual for more information.

The images on this page are for illustrative purposes only and may not reflect actual feature or operation.


Intelligent Speed Limit Assist (ISLA)*†3

Intelligent Speed Limit Assist monitors the vehicle speed and warns the driver when the vehicle surpasses the posted speed limit. ISLA is designed to use the information from the posted speed limit and the navigation system to also inform the driver to change the set speed for the Manual Speed, Limit Assist or Smart Cruise Control.

When ISLA is on and active, it will display an alert on the Instrument Cluster LCD **A** of the detected speed limit. If the vehicle's current speed exceeds the detected speed limit, and a warning indicator and the vehicle's current speed will red speed limit indicator on the LCD until the vehicle speed returns to or is below the posted speed limit.

ISLA User Settings:

- ISLA can be turned on/off by going to the User Settings* in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- To access User settings* in the Instrument Cluster - Press the Mode button  **B** on the Steering Wheel to toggle to User Settings. Press the OK button **C** up/down to toggle to Driver Assistance, then Speed Limit
- To access Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Speed Limit, and select one of the modes:
 - Speed Limit Assist: To help the driver stay within the posted speed limit, ISLA informs the driver of the detected speed limit, displays a message to change the set speed of the SCC
 - Speed Limit Warning: Informs the driver of the detected speed limit and warns the driver when the vehicle is traveling faster than the posted speed limit
 - Off: ISLA is disabled



QR CODE

Intelligent & Manual Speed Limit Assist Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos



QUICK TIP

You can set a speed limit offset to the posted speed limit by going to User Settings, Driver Assistance, Speed Limit, then Speed Limit Offset. Set the offset to "0" if you want the vehicle to travel at the detected speed limit, when ISLA is on

When engaged, ISLA is not a substitute for safe and proper driving. Always drive safely and use caution.

Refer to section 5 in the Owner's Manual for more information


REMINDER: Additional information may be displayed if additional road sign information is detected.

Manual Speed Limit Assist (MSLA)^{†3}

MSLA monitors the vehicle speed and the preset speed limit and is designed to warn the driver when the vehicle surpasses this preset speed limit. An audible warning will sound and the speed limit indicator  **LIMIT A** will blink on the Instrument Cluster until your vehicle slows down to the set speed. Once MSLA is turned on and the speed is set, the Instrument Cluster LCD will display the set speed next to the MSLA indicator.

MSLA Settings:

- To turn on MSLA, press and hold the Driving Assist button  **B**. Press again to turn MSLA off
- To set the speed limit, press the button  **+||- C** up/down to the desired speed. If you press and hold the button  **+||- C** up/down, the speed will increase/decrease in increments of 5 mph
- To pause MSLA, press the button  **+||- C**. Press again to resume



Driver Attention Warning (DAW)^{†4}

Driver Attention Warning is designed to alert the driver if it detects inattentive driving practices and, in certain situations, can give a warning signal to take a break from driving.

A message, "Consider taking a break,"  **D** appears on the LCD and a warning sound to suggest the driver take a break when the driver's attention level becomes low.

DAW Settings:

- DAW can be turned on/off by going to the User Settings* in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- To enable in User settings*  **E** in the Instrument Cluster - Press the Mode button  **E** on the Steering Wheel to toggle to User Settings  **E**. Press the OK  **F** up/down to toggle to Driver Assistance, then Driver Attention Warning and select Inattentive Driving
- To enable in Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Driver Attention Warning and select Inattentive Driving



REMINDERS:

- When activated, DAW does not display "Consider taking a break" message when the total trip driving time is less than 10 minutes
- DAW will enter a standby mode if the camera does not detect the lanes

QR CODE


Driver Attention Warning (DAW) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

When engaged, Driver Attention Warning is not a substitute for safe driving and may not detect all instances of inattentive driving practices. Failure to pay attention to travel conditions and vehicle operation could result in loss of vehicle control. Always drive safely and use caution.

See section 5 in the Owner's Manual for more information.



Leading Vehicle Departure Alert (LVDA)*†3



Leading Vehicle Departure Alert is designed to inform the driver when the vehicle in front starts moving or departs from a stop. When your vehicle is stopped, and it detects that the leading vehicle is driving away, LVDA sounds an alert to let you know you can start driving. If no action is taken after the vehicle in front drives away, then a message **A** will appear on the Instrument Cluster LCD.

LVDA Settings:

- LVDA can be turned on/off by going to the User Settings* in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- To enable in User settings* **⚙** in the Instrument Cluster - Press the Mode button **B** on the Steering Wheel to toggle to User Settings **⚙**. Press the OK **C** up/down to toggle to Driver Assistance, then Driver Attention Warning and select Leading Vehicle Departure Alert
- To enable in Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Driver Attention Warning and select Leading Vehicle Departure Alert

REMINDERS:

- When the ignition is cycled, the system returns to its previous state, on or off
- Always check the front of the vehicle and road conditions before departure



QR CODE

Leading Vehicle Departure Alert (LVDA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

When engaged, LVDA is not a substitute for safe and proper driving. Always drive safely and use caution.

Images are for illustrative purposes only and may not reflect actual feature or operation.

Refer to section 5 in the Owner's Manual for more information

Navigation-based Smart Cruise Control (NSCC)^{†3,7}

Navigation-based Smart Cruise Control will help automatically adjust vehicle speed when driving on highways with posted speed limits by using road information from the navigation system, while Smart Cruise Control is operating.

Smart Cruise Control is designed to maintain a predetermined distance from vehicles detected ahead by automatically adjusting the driving speed as needed. When traffic is detected, the vehicle will slow down to maintain a set distance behind traffic without depressing the accelerator or brake pedal.


Highway Curve Zone Auto Slowdown: NSCC can automatically adjust the vehicle speed when it detects a curved road ahead and when it receives road information from the navigation system. When NSCC detects a curve ahead, NSCC activates and reduces the vehicle speed, and the AUTO icon in the NSCC indicator turns green. When the vehicle passes the curved road, the vehicle may return to its previously set speed.

Highway Auto Speed Change: If the set speed is set to the current posted speed limit on the highway during NSCC operation, the set speed is changed automatically whenever the posted speed limit changes and when it receives information from the navigation system.



SCC Operation: With SCC turned on and activated, the vehicle distance set, and the system detects a vehicle slowing or stopping, the system can bring the vehicle to a complete stop. When the vehicle ahead starts to move forward, SCC re-engages. If the vehicle ahead stops for more than 3 seconds, the accelerator pedal or the **+II<>-** button **A** must be pressed to start moving the vehicle. SCC will adjust acceleration based on the drive mode selected in the Drive Mode Integrated Control system.

NSCC Settings:

- **To turn on/set/adjust the NSCC speed:** Press the Driving Assist button **B** on the Steering Wheel to activate NSCC and the speed will be set to the current vehicle speed. NSCC may decrease the speed to maintain the distance with the vehicle in front. The CRUISE indicator will illuminate on the instrument cluster.
- Press the **+II<>-** button **A** up/down to accelerate/decelerate to the desired speed. Press the button **A** to set the speed.
- **To set the vehicle distance:** Press the Vehicle Distance button **C** on the steering wheel. Each time you press the button, the vehicle distance will change **D**, indicated by the number of bars that appear on the display **E**.
- **To pause/resume NSCC operation:** Depress the brake pedal or press the Pause/Resume button **+II<>- A**. The CRUISE indicator on the instrument cluster will change.
- **To turn NSCC OFF:** Press the Driving Assist button **B**. The CRUISE indicator on the instrument cluster will turn OFF.
- **To adjust the sensitivity of NSCC:** Press the mode button **F** on the Steering Wheel. With the OK button **G**, select Drive Assistance, then NSCC Response. Then select Fast, Normal or Slow.



(Displays on LCD screen)



(Distances are approximate and vary depending on vehicle speed)

QR CODES

Smart Cruise Control with Overtaking Acceleration Assist Video



Navigation-based Smart Cruise Control (NSCC) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Navigation-based Smart Cruise Control (NSCC)^{† 3,7} (Continued)

QUICK TIPS

- If your vehicle speed is between 0-20 mph when you press the Driving Assist button to turn NSCC on, the set speed will be set to 20 mph
- When following a vehicle, the system can automatically adjust your cruise speed based on the vehicle detected in front. It will even bring the vehicle to a complete stop if necessary. If the vehicle remains at a standstill for more than 3 seconds, you must depress the accelerator pedal or press the **+/-** switch up/down to start the vehicle
- NSCC is designed to function above approximately 20 mph only
- NSCC will not activate until the brake pedal has been depressed at least once after ignition ON or engine start

REMINDERS:

- CRUISE indicator must be ON in order to operate SCC
- The speed setting will need to be reset when ignition is cycled
- The distance settings are approximations and may vary depending on vehicle speed. See the owner's manual for more information
- SCC is also canceled when the driver's door is opened, gear shift is changed out of **D** (Drive), Electronic Parking Brake (EPB) is activated and various other conditions. See owner's manual for other conditions
- If SCC is left on, it can be activated inadvertently. Keep the system off when not in use to avoid setting a speed which the driver is not aware of
- The navigation part of NSCC does not function when a destination is not set on the infotainment navigation system.
- NSCC requires an active navigation subscription
- NSCC is only available on controlled access roads and highways


NSCC is a supplemental system and is not a substitute for safe driving. It is the responsibility of the driver to always check the speed and distance to the vehicle ahead.

Images are for illustrative purposes only and may not reflect actual feature or operation.

See section 5 in the Owner's Manual for more information. For more setting information, refer to the Car Infotainment System Quick Reference Guide.

Cruise Control (CC)^{* †15}

- A** Driving Assist  button: Press to turn the Cruise Control On/Off. The indicator will illuminate on the instrument cluster and the set speed will automatically activate at the vehicle's current speed
- B** **+ switch:** Press up to increase Set speed
- switch: Press down to set or decrease Set Speed
- C**  **Pause/Resume button:** Press to pause Cruise Control. Press again to resume Cruise Control



QUICK TIPS

- Cruise Control is designed to function at above 20 mph
- Cruise Control will not activate until the brake pedal has been depressed at least once after ignition ON or engine start

REMINDER: In standard Cruise Control, the driver needs to manually assess the distance from other vehicles as the system will not automatically apply brakes.

Refer to section 5 in the Owner's Manual for more information.

Lane Following Assist (LFA)^{†3}

Lane Following Assist is designed to help the vehicle stay centered in its driving lane by monitoring the detected lane markings ahead and adjusting the steering. When driving, LFA can be switched ON and OFF by pressing the Lane Driving Assist button **A**. When turned ON, the instrument cluster indicator will illuminate white or green **A**. It will remain white when LFA does not detect the lane markers. When LFA detects the lane markers and can assist the steering, the Lane Following Assist icon **A** will illuminate green **B**.

Hands-off Warning - If the driver takes their hands off the Steering Wheel for several seconds, a warning message will appear on the Instrument Cluster. And if hands on the Steering Wheel is not detected continually, LFA will be turned off with additional emergency warning.


LFA will operate only when these conditions are met:

- LFA recognizes one or both side lane markers of the lane the vehicle is traveling in
- The vehicle is traveling slower than 110 mph


LFA operation:

- Press the Lane Driving Assist button **A** on the Steering Wheel to turn LFA ON or OFF

REMINDER: LFA is not a substitute for safe and proper driving. Always drive safely and use caution.



(Button located on right side of steering wheel)



QR CODE

Lane Following Assist (LFA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Images are for illustrative purposes only and may not reflect actual feature or operation.

When engaged, LFA is supplemental. Do not solely rely on this system and always pay attention to the road and its conditions.

See section 5 in the Owner's Manual for more detailed information, limitations and conditions.

Highway Driving Assist (HDA)*†3


Highway Driving Assist is designed to adjust the speed of the vehicle when driving on limited/controlled access highways.

When HDA is activated and the conditions are met, the Instrument Cluster indicator **A** will illuminate green. If the conditions are not met, HDA will be in standby mode and the indicator light **A** will illuminate white. When in operation, and if both lanes are recognized, the Instrument Cluster will show the lanes illuminated white and the HDA indicator illuminated green **A**.

Hands-off Warning - If the driver takes their hands off the Steering Wheel for several seconds, a warning message will appear on the Instrument Cluster, and an audible warning will sound. If hands on the Steering Wheel is not detected, HDA will cancel.

HDA settings:

- HDA can be turned on/off by going to the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- To access Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Driver Convenience. Select Highway Driving Assist to activate



Images are for illustrative purposes only and may not reflect actual feature or operation.

REMINDERS:

- Limited access roads information may vary. See owner's manual for more information
- When the ignition is cycled, HDA returns to its previous HDA setting state, on or off

When engaged, Highway Driving Assist is not a substitute for safe driving, may not detect all objects around the vehicle, and only functions on certain federal highways. Always drive safely and use caution. Refer to section 5 in the Owner's Manual for more detailed information, limitations and conditions.

QR CODE

Highway Driving Assist (HDA) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Rear View Monitor (RVM)†3


Rear View Monitor is a supplemental function that displays the view behind the vehicle through the audio control unit screen while the vehicle is in Reverse.

Rear View Monitor activates when the:

1. Engine Start/Stop button* is in the ON position (green light)
2. Gear Shift Lever is in the R (Reverse) position

REMINDERS:

- If **Parking Safety Priority** is selected in User Setting Menu, the audio volume will temporarily decrease while Rear View Monitor is operating for safe parking
- Always drive carefully and use caution when backing up
- The vehicle speed needs to be slower than 6 mph for RVM to operate
- Through normal use and after inclement weather or washing, the wide-rear camera may become dirty. Use a clean, microfiber cloth to remove any dirt, debris or spots that may have accumulated on the lens



Rear View Monitor is not a substitute for proper and safe backing-up procedures. Rear View Monitor may not display every object behind the vehicle. Always drive safely and use caution when backing up.

For illustrative purposes only. Display may vary. Refer to section 4 in the Owner's Manual for more information.

Rear Cross-traffic Collision-Avoidance Assist (RCCA)*†3

Rear Cross-traffic Collision-Avoidance Assist (RCCA), under certain conditions, is designed to warn the driver and may activate the Electronic Stability Control (ESC) and temporarily apply braking if it detects cross traffic approaching the vehicle, when vehicle is in reverse.

When the RCCA rear-corner radar sensors detect approaching vehicles from the rear left or rear right side of the vehicle **A**, RCCA will sound a warning, the warning indicators on the outside rearview mirror will illuminate and a message will appear on the Instrument Cluster LCD **B**. If RCCA detects that the collision risk has increased, RCCA automatically applies the brakes to reduce your speed, potentially helping to minimize the effects of a possible collision.

RCCA is designed to operate under the following conditions:

- When the gear shift is in Reverse
- When the vehicle is moving slower than 6 mph

RCCA Settings:




- RCCA can be turned on/off by going to the User Settings* ⚙️ in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is ON or the Engine Start/Stop button* in the ON position
- To enable in User settings* ⚙️ in the Instrument Cluster - Press the Mode button 📄 **C** on the Steering Wheel to toggle to User Settings ⚙️. Press the OK button **D** up/down to toggle to Driver Assistance, then Parking Safety. Select Rear Cross-traffic Safety and press the OK button **D**
- To enable in Vehicle settings* in the Infotainment System - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Driver Assistance, then Parking Safety and select Rear Cross Traffic Safety

QUICK TIP

Warning Volume* can be adjusted in the User Settings ⚙️ in the Instrument Cluster or the Vehicle Settings on the audio head unit. Go to Driver Assistance, then Warning Volume

REMINDERS:

- When vehicle power is cycled, RCCA is turned on
- When a vehicle is approaching within the sensing range, and traveling faster than 3 mph, RCCA will show a warning
- RCCA is a supplemental system. Do not solely rely on this system and always pay attention to the road and its conditions



(Controls located on right side of Steering Wheel)

QR CODE

Rear Cross-traffic Collision Avoidance Assist (RCCA) Video




Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Refer to section 5 in the Owner's Manual for more information.

Electronic Stability Control (ESC)*†5

The ESC system is designed to help stabilize the vehicle during certain cornering maneuvers. It is a good idea to keep the ESC turned ON for daily driving whenever possible.

Press ESC button **A** to turn ESC OFF/ON.



(Button located in panel to the left of steering wheel)

REMINDERS:

- ESC is ON by default at vehicle startup. When ignition is cycled, ESC will turn ON again
- The ESC Indicator Light in the instrument cluster will be lit momentarily whenever the ESC is active

Refer to section 5 in the Owner's Manual for more information.

Hill-start Assist Control (HAC)†5

HAC is designed to prevent the vehicle from rolling backward when accelerating from a stop while on a steep incline. The HAC automatically activates whether the ESC is OFF or ON, but does NOT activate when the ESC has malfunctioned.

QUICK TIPS

- HAC provides a two-second delay before the vehicle may start rolling backwards
- When HAC is active (e.g., accelerating from a stop on an incline), you may notice that the brakes will momentarily remain engaged after you depress the accelerator

REMINDERS:

- The HAC does not operate when the gear shift is in the P (Park) or the N (Neutral) position
- In the event of HAC system malfunction, see an Authorized Kia Dealer for service
- HAC does not replace the need to apply brakes while the vehicle is stopped on an incline


Refer to section 5 in the Owner's Manual for more information.

Instrument Panel Dimmer

With parking lights / headlights ON, press the button **B** + or - to adjust display brightness of the instrument panel illumination.



(Button located in panel to the left of steering wheel)



REMINDERS:

- Door Mood Lamp is a fixed brightness and cannot be adjusted (not to be confused with Advanced Mood Lighting Speaker)
- If the brightness reaches to the maximum or minimum level, an alarm will sound

Refer to section 4 in the Owner's Manual for more information.


Start/Stop Button*†6

To start the engine:

1. Depress the brake pedal
2. Press the ENGINE START/STOP button while gear shift is in P (Park) (light **A** will not illuminate when starting)

To turn the engine OFF - Press the ENGINE START/STOP button again.

To use the ENGINE START/STOP button, the Smart Key fob must be in the vehicle.



(Button located above Gear Shift)

QUICK TIPS

To use electrical accessories:

- ACC position

- When in the OFF position (no light) and without depressing the brake pedal, press the ENGINE START/STOP button once (amber light **A**)

- On position

- When already in the ACC position (amber light **A**) and without depressing the brake pedal, press the ENGINE START/STOP button again (reddish-orange light **A**)
- When in the OFF position (no light) and without depressing the brake pedal, press the ENGINE START/STOP button twice (reddish-orange light **A**)

Keeping the vehicle in ACC or the ON position without engine running may discharge the vehicle's battery.

REMINDERS:

- In an emergency situation while the vehicle is in motion, you are able to turn the engine off and to the ACC position by pressing the ENGINE START/STOP button for more than 2 seconds or 3 times successively within 3 seconds
- If Smart Key fob battery is dead, with the lock button facing the ENGINE START/STOP button, hold the fob up against the ENGINE START/STOP button and press

Refer to section 5 in the Owner's Manual for more information.

QR CODES

Start/Stop Button Video



Kia Smart & Folding Key Fobs Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos


Power Windows, Window Lock & Central Door Lock

- A** Pull/Press to operate Driver's and Front Passenger's window Auto Up/Down*

QUICK TIP

Press button again to stop Auto Up/Down function.

- B** Press to Unlock/Lock All Doors
C Press to disable Rear Passenger Windows



QUICK TIPS

- While driving with the rear windows down or with the sunroof* in an open or partially open position, a wind buffeting or pulsation noise may be heard. This noise is a normal occurrence and can be reduced or eliminated by the following:
- If the noise occurs with one or both of the rear windows down, partially lower both front windows approximately 1 inch
- If the noise occurs with the sunroof open, slightly reduce the size of the sunroof opening

REMINDERS:

- When button **C** is pressed, window controls for the Rear Passenger Windows are disabled
- When closing, be mindful of any objects or persons

Refer to section 4 in the Owner's Manual for more information.

Rear Door Locks

If the inner door handle is pulled once when the door is locked, the door will unlock. If the inner door handle is pulled once more, the door will open.

Refer to section 4 in the Owner's Manual for more information.

Power / Heated* Outside Mirrors

To adjust mirrors: Toggle switch **D** left or right to select mirror. Then press arrows **E** to adjust mirror position.

Mirror heaters automatically turn ON/OFF at the same time the Rear Window Defroster is turned ON/OFF. The Rear Window Defroster button* is located on climate control system panel.

Refer to section 4 in the Owner's Manual for more information.


Automatic Door Lock/Unlock

Auto Door Lock/Unlock will engage when the gear shift is moved into or out of the P (Park) position. Refer to the User Settings in the LCD Instrument Cluster modes on how to turn Auto Door Lock/Unlock ON/OFF.

Refer to section 4 in the Owner's Manual for more information.

Heated Steering Wheel*

Press button **A** to turn ON/OFF steering wheel heater while the Engine Start/Stop Button is in the ON position. The steering wheel heater will turn off automatically in 30 minutes, or when button is pressed again to deactivate.



(Button located to the right of gearshift)

QUICK TIP

If ignition is turned OFF, then ON again, within 30 minutes of the steering wheel heater being turned on, the system will automatically be set ON again.


REMINDER: If the steering wheel becomes too warm, turn the system off. The heated steering wheel may cause burns even at low temperatures, especially if used for long periods of time.

Refer to section 5 in the Owner's Manual for more information.

Tilt/Telescoping Steering Wheel†17

To adjust the Steering Wheel, push down the lock-release lever **B** and adjust to the desired angle **C** and distance **D**.

When finished, pull up the lock-release lever **B** to lock Steering Wheel in place.



QUICK TIP

It may be helpful to pull/push bottom of the steering wheel towards/away from you to adjust desired distance prior to adjusting the angle.

Refer to section 5 in the Owner's Manual for more information.

For illustrative purposes only. Your actual steering wheel may vary.

QR CODE

Tilt/Telescoping/Heated Steering Wheel Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Headlights & High Beams


To operate:

Rotate lever switch to change the Headlight function

Push lever to turn High Beams ON

Pull lever to flash Headlights / High Beams

AUTO Light position - When the light switch is in the AUTO light position, the tail lights and headlights will turn ON/OFF automatically, depending on the amount of light outside the vehicle.



AUTO

Automatic Headlights / High Beam Assist (HBA)* position

HEADLIGHT

Headlight position

PARKING LIGHT

Parking Light position

OFF

OFF position

REMINDERS:

- HBA will operate when vehicle speed exceeds 25 mph
- If the lever is pushed away from you while HBA is operational, HBA will turn off and the high beams will be on continuously. If the lever is pulled toward you while HBA is operational, HBA will turn off
- If the light switch is switched to the headlight position, HBA will turn off and low beams will be on continuously
- When the warning pop-up illuminates on the instrument cluster, the HBA is not working properly. See an authorized Kia dealer for service
- High Beam Assist does not operate below certain speeds, or in some lighting and driving conditions. Please be aware of your surroundings and exercise proper road etiquette when operating a vehicle using the high beams

High Beam Assist (HBA)*

When enabled, High Beam Assist is designed to automatically adjust the headlight range by switching between high and low beams based on light detected from other vehicles and road conditions.

To enable HBA, toggle the light switch to the AUTO Light position and turn on the high beams by pushing the lever away from you. The High Beam Assist indicator  will illuminate.

Turn Signals & Fog Lights*


To operate:

- Turn Signals - Move lever Up/Down for Right/Left Turn Signal
- Slightly move lever up/down to activate One-Touch Lane Change Signal
- Fog Lights - Press switch up/down to turn Fog Lights ON/OFF

One-Touch Lane Change Signal is activated by briefly pressing the Turn Signal Lever up/down slightly up or down for less than 1 second and then releasing. The lane change signal will blink 3 times.

To change how many times the Lane Change Signal blinks (3/5/7), go to User Settings Mode* in the LCD Instrument Cluster modes (Type B cluster).

REMINDER: Headlights must be ON for Fog Light operation.



One-Touch Lane Change Signal

QR CODE

High Beam Assist (HBA) Video




Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

For illustrative purposes only. Your actual display, buttons and/or features may vary. Refer to section 4 in the Owner's Manual for more information.

Windshield Wipers & Washers

To operate:

- Rotate switch to adjust Wiper mode
- Move lever Up/Down to change Wiper modes
- Press INT switch up/down **A** to adjust Intermittent Wipe Speed
- Pull lever to spray and wipe



QUICK TIPS

- Moving lever to HI increases intermittent wipe frequency and wipe speed
- Moving lever to LO decreases frequency of wipes
- Set the wiper to OFF position when the wiper is not in use

Refer to section 4 in the Owner's Manual for more information


Rear Wiper & Washer*

To operate:

- Rotate Rear Wiper switch to change Wiper modes
- Push lever to spray and wipe

QUICK TIP

On Rear Wipers, intermittent wipe function is not adjustable.



QR CODE

Wipers and Wiper Stalk Video




Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Refer to section 4 in the Owner's Manual for more information

Audio Controls^{†15}

- A Audio MODE button:** Press to cycle through FM/AM/SiriusXM®/Media modes
- B Seek/Preset buttons**
Radio (FM/AM/SiriusXM®) Modes: Press   to advance through Preset Stations. Press and hold to Auto Seek
- Media Mode:** Press to move track up/down. Press & hold to fast forward/rewind (except for Bluetooth® Audio)
- C Volume button:** Press up/down to raise/lower volume
- Mute audio:** Press to mute all audio (Media pauses in some Media modes when pressed)



Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

To help minimize driver distraction, some audio system functionalities have been modified while the vehicle is in Drive, Reverse or moved out of Park.

Your vehicle's steering wheel buttons may differ from those in the illustrations. Refer to section 4 in the Owner's Manual for more information.

For other audio system information, refer to pages 28-34.


QR CODE

Steering Wheel Controls Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Bluetooth® Wireless Technology†2,15



(Buttons located on left side
on Steering Wheel)

REMINDER: Microphone is
located in the overhead console

- A Volume buttons:** Press **+/-** to raise/lower speaker volume
Mute audio: To mute the audio system, hold the  button
- B Talk button:** Press to activate voice recognition*; recognition/bring up menus/place calls with minimal voice command prompts from the system. press and hold to exit voice recognition*
- C Receive/Place Call button*:** Press to receive/place calls. If no phone is paired, press button to pair a phone
End Call button: Press to end a call, reject an incoming call or cancel a function

QUICK TIPS

- When using the voice command feature, wait for the system BEEP before speaking the command
- Phone book transfer upload time varies by phone model and with number of phone book entries
- Because of differences in phone quality, service providers and Bluetooth® Wireless Technology chip programming, functionality may differ from one phone to another

Your vehicle's steering wheel buttons may differ from those in the illustration.

For more information, refer to the Car Infotainment System Quick Reference Guide.

For Bluetooth® Wireless Technology FAQs, go to kia.com, Owners section, or call Consumer Information for Bluetooth® Technology at (800) 333-4KIA.

Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

Pairing a Phone

For instructions on how to pair a phone, refer to the audio system's user's guide, your vehicle's Quick Start Guide or the Car Multimedia System User's Manual.

QUICK TIPS

During the pairing process, be sure to accept the connection requests on the phone for phone book download and to allow acceptance of all future Bluetooth® connection requests.

How to Place a Call

When using the voice command* feature, wait for the system BEEP before speaking the command.

There are two options for placing a call:

- Option 1: Press the Receive/Place Call button **C** (displays the call history screen)
- Option 2*: Press the Talk button **B**. Then say the command "Call {name}" or Dial {number} followed by contact name or number

QR CODE

Voice Recognition Tips Video



Star, Favorite & Radio Presets Buttons Video



Refer to the inside front cover for
more information on QR codes.
www.youtube.com/KiaFeatureVideos

For other audio system
information, refer to pages
27-34.

Bluetooth® Wireless Technology^{†2,15} (continued)

Voice Recognition* and Phone Contact Tips

The system may have difficulty understanding some accents or uncommon names. Improve the performance by making a few simple changes to your phone contacts, listed below. To help optimize the Bluetooth® Wireless Technology Voice Recognition system, see other tips and reminders under Quick Tips:

- Use full names (first and last names) vs. short or single-syllable names ("John Smith" vs. "Dad," "Smith Residence" vs. "Home")
- Avoid using special characters, emojis or hyphenated names (@, &, #, /, -, *, +, etc.)
- Avoid using acronyms ("In Case of Emergency" vs. "ICE") or words with all capital letters
- Spell words completely, no abbreviations ("Doctor Smith" vs. "Dr. Smith")

QUICK TIPS

- The system may register or pair multiple *Bluetooth*® devices. See the Car Multimedia System User's Manual for more information on setup and limitations
- *Bluetooth*® Music Streaming: If the *Bluetooth*® music is inaudible or too low, turn up the volume on the connected phone
- When placing a call, speak in a natural, moderate tone, with clear pronunciation. The system may have trouble recognizing commands if you speak too softly or too loudly
- Always wait for the beep before speaking any commands
- Close windows and sunroof and turn off A/C to reduce interference with the Voice Recognition
- Press the talk button and say "Help" to get a list of available commands

Android Auto™ / Apple CarPlay® Setup

Android Auto™ compatible smartphone setup - Download the Android Auto™ app from the Google Play™ Store†10. Open the Android Auto™ app and proceed with the onscreen instructions to complete setup on the mobile device.

Wireless Connection setup for Android Auto™ & Apple CarPlay® (Standard Audio System):

1. Press the **SETUP** key on the audio head unit
2. Press DEVICE CONNECTION SETTINGS
3. Press PHONE PROJECTION, then ADD NEW

Cable Connection setup for Android Auto™ (Standard Audio System & Kia Connect with Navigation):

4. Press the **SETUP** key on the audio head unit
5. Press DEVICE CONNECTION, select PHONE PROJECTION SETTINGS, then select ANDROID AUTO. Review all terms, conditions and requests on the head unit and phone. If you agree, accept them in order to use Android Auto™
6. Connect the Android™ device with the vehicle's USB port using the manufacturer's cable provided with your phone
7. From the Infotainment System home screen, select the Android Auto™ button, where you'll see all the Android Auto™ supported apps

QUICK TIPS

- If Android Auto™ / Apple CarPlay® randomly disconnects:
 - Ensure the USB cable is certified by the phone manufacturer for both power and data
 - Clean the phones port, which the USB cable connects to, with disposable compressed air
 - The Phone should not be disturbed while driving as this can cause a disconnection at the phone's USB port
 - Visit the phone manufacturer's website for Android Auto™ / Apple CarPlay® app concerns

Driving while distracted can result in a loss of vehicle control that may lead to an accident, severe bodily injury, or death. The driver's primary responsibility is in the safe and legal operation of a vehicle. Handheld devices, other equipment, or vehicle systems which take the driver's eyes, attention and focus away from the safe operation of a vehicle or which are not permissible by law, should never be used during operation of the vehicle.

Refer to the Car Infotainment System Quick Reference Guide for more information. For audio system information, refer to pages 27-34.

Cable Connection setup for Apple CarPlay® (Kia Connect with Navigation only):

1. Connect the Apple CarPlay® compatible iPhone® with the vehicle's USB port using the manufacturer's cable provided with your iPhone®
2. Press the **SETUP** key on the audio head unit
3. Press DEVICE CONNECTION on the screen, select PHONE PROJECTION SETTINGS, then select Apple CarPlay®
4. Select ENABLE APPLE CARPLAY. Review all terms, conditions and requests on the Infotainment System and phone. If you agree, accept them in order to use Apple CarPlay®
5. From the Infotainment System home screen, select the Apple CarPlay® button, where you'll see all the Apple CarPlay® supported apps

REMINDERS:

- Android Auto™ compatibility requirements for connection:
 - Kia Connect with Navigation (USB cable connection only): OS Android™ 5.0 or higher, phone manufacturer's USB cable and data plan with applicable feature(s)
- Standard Audio System-Value (USB cable & wireless connection):
 - USB cable connection - OS Android™ 5.0 or higher, phone manufacturer's USB cable and data plan with applicable feature(s)
 - Wireless connection - OS Android™ 9.0 or higher with data plan for applicable feature(s)
- Apple CarPlay® compatibility requirements for connection:
 - Kia Connect with Navigation (USB cable connection only): iOS software 8.0 or higher, phone manufacturer's USB cable and data plan for applicable feature(s)
 - Standard Audio System-Value (Wireless connection only): iOS software 10.0 and higher with data plan for applicable feature(s)
- It is recommended to always update your phone to the latest operating system release
- Wireless Android Auto™ system only works for certain Android models. Use the manufacturer's USB cable when wireless feature is not available
- Using an approved USB cable provided by your smartphone manufacturer is recommended
- Using unapproved USB cables may cause a phone projection error or a system malfunction, black screen, no sound, disconnection, etc.
- Phone projection may not work due to a defect in the phone

QR CODE


Wireless Apple CarPlay® & Android™ Auto Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

iPhone is a registered trademark of Apple Inc.

Standard Audio System* - FM/AM/Media (USB, Bluetooth®†2 Audio)



Radio Presets: To save a preset, press the star ☆ next to or below the Radio Station display. This saves the current station in the selected slot.

Custom Key ☆: A programmable key to provide quick access to one of several available system features. To program the Custom Key, press and hold the Custom key. Select one of the available features you would like the Custom key to open.

Sound Settings - To adjust the sound settings:

1. Press the SETUP key on the Infotainment System or the onscreen MENU button, when in MEDIA mode
2. Select the onscreen SOUND button
3. Select the menu item
4. Using the touchscreen, press arrows to adjust the settings

Software updates - To keep your software up to date, free of charge, visit the official Kia update webpage at <https://update.kia.com/US/EN/Main>. **Note**, visiting a dealer for software update may include an additional charge.

Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

Your vehicle's audio system may differ from that in the illustration. For further audio system operations, refer to pages 27-34 or the Car Infotainment System Quick Reference Guide.

QUICK TIPS

- The system can register or pair multiple Bluetooth® devices. See the Car Infotainment System Quick Reference Guide for more information on setup and limitations
- Volume level between different audio modes:
 - When switching between audio modes (AM, FM, Bluetooth® Audio, etc.), the audio system saves the previous volume level you were listening to. For example, if you were listening to FM radio at volume level 20 then switched to Bluetooth® Audio and adjusted the volume level to 30, the volume level will be at 20 when you switch back to FM radio
 - When using Bluetooth® Audio, the overall volume is dependent on your device's volume. If the volume is turned down low on your device it will remain low even if the system volume is turned up
- When connected to Android Auto™ or Apple CarPlay® on your smartphone, the smartphone's navigation system may also be available
- A warning screen may appear periodically to remind users that the audio system should be operated when the engine is running to prevent battery discharge

QR CODE

Standard Audio System Video



Standard Audio System Updates Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

REMINDERS:

- To help minimize driver distraction, some audio system functionalities have been modified while the vehicle is in Drive, Reverse or moved out of Park
- Prolonged use of the audio control unit in ACC mode may drain the vehicle's battery

Kia Connect Activation**†1

Follow these steps to activate your Kia Connect system:

1. Enter the activation screen on your vehicle's head unit:
 - a. Press SETUP key
 - b. Press Kia Connect icon
 - c. Press Activate Kia Connect
2. Read and agree to Terms of Service and Privacy Policy and press SUBMIT
3. Enter number or email address to receive a verification code, then press SUBMIT
4. Follow these steps to receive your verification code using your phone text message or email:
 - a. Check your phone text message or email for verification code
 - b. Open the link in your phone text message or email. A page will open requesting that you create your account

Note: If you already have a Kia Owners Portal account using the email or phone number as your login ID, you will need to provide your password prior to receiving the verification code

REMINDER: This vehicle is not equipped with over-the-air system updates.

Kia Connect Assistance**†1

Virtual Assistant ⓘ ⓘ - Press to connect to a virtual assistant to hear information about the Kia Connect features

Kia Connect Voice Local Search ⓘ (systems with navigation) - Press to connect to the search function to find points of interest or other locations, like "cafe"

Roadside Assist ⓘ ⓘ - Press to connect to the Kia Connect Center where you can request vehicle towing services

REMINDER: These buttons may be located in the rearview mirror or the overhead console.


For more information, refer to the Car Infotainment System Quick Reference Guide. On certain models, Kia Connect Assistance buttons are located on the Rearview Mirror.

- c. Enter your first name, last name, email, phone number, an account password, and click CREATE ACCOUNT. A page will open displaying your verification code
- d. Enter the code in the head unit and press ACTIVATE
- e. Go back to the page with your verification code and press "I have entered my verification code." A link will be provided to download the Kia Access app from your app store. After installing the app, log in and enjoy

For further Kia Connect operations, refer to the Car Infotainment System Quick Reference Guide.

Driving while distracted can result in a loss of vehicle control that may lead to an accident, severe bodily injury, or death. The driver's primary responsibility is in the safe and legal operation of a vehicle. Handheld devices, other equipment, or vehicle systems which take the driver's eyes, attention and focus away from the safe operation of a vehicle or which are not permissible by law, should never be used during operation of the vehicle.

Kia Connect is currently unavailable for model year 2022 vehicles and newer sold or purchased in Massachusetts. See Kia Connect Terms of Service at owners.kia.com for more information.



(Buttons on rearview mirror*)

QR CODES

Kia Connect Activation Video



Kia Access app Video



Kia Connect Assistance Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

For other audio system information, refer to pages 27-34.

Kia Access App Download

Go to an app marketplace to download the new Kia Access App. Once you download, make sure you register your vehicle and start an account (refer to Kia Connect Activation page). Get to know your new Kia and the available convenient features on the app.

QUICK TIPS

- The smartphone and vehicle need to be connected to a cellular network with a good wireless signal strength in order to use Kia Connect. If these conditions are not met, voice commands may fail or take a long time to execute
- To use Remote Start or Remote Start with Climate Control feature, all doors, hood and trunk/liftgate must be closed and locked
- When Remote Start is activated, if the driver does not enter the vehicle within 10 minutes, the Remote Start will turn the engine off
- When using Remote Start with Climate Control, turn on for at least a few minutes before getting into the vehicle, allowing the vehicle interior to reach your desired temperature
- The quickest way to obtain accurate vehicle status through the app is by pressing the refresh button on the app or refreshing the web page when using the customer web portal
- In order to preserve the vehicle battery, Kia Connect will not turn on seven days after the last ignition was on. You will need to restart the vehicle with a key fob in order to use Kia Connect again



Kia Access App Features Guide

The Kia Access App Features Guide is a step-by-step guide helping you utilize the app to its full potential by detailing how to set up and use each feature and adjust various settings. Below are some of the topics included:

- Remote Commands
- Set Climate*
- Schedule Climate*
- Schedule Service
- Dealer Settings
- Manage Vehicles and Profiles

Kia App Screen for illustrative purposes only. Actual App screen and functionality may vary.

For further Kia Connect operations, refer to the Car Infotainment System Quick Reference Guide.

Kia Connect is currently unavailable for model year 2022 and newer vehicles sold or purchased in Massachusetts. See Kia Connect Terms of Service at owners.kia.com for more information.

For other audio system information, see pages 27-34.

ALWAYS CHECK THE OWNER'S MANUAL FOR COMPLETE OPERATING INFORMATION AND SAFETY WARNINGS.

QR CODES

Download the Kia Access with App by clicking this dynamic QR code. Some phone's operating systems may need to be updated to scan dynamic QR codes.



Kia Access App Features Guide. Click this dynamic QR code to access the guide. Some phone's operating systems may need to be updated to scan dynamic QR codes.




Kia Connect^{*1} with Navigation^{*7} - FM/AM/SiriusXM^{®+2}/Media (USB, Bluetooth^{®+2} Audio)

Press briefly to do the following:

- FM/AM mode: Play the previous/next frequency
 - SiriusXM[®] mode: Change the channel
 - MEDIA mode: Change the track, file or title
- Press and hold to do the following (over 0.8 seconds):
- FM/AM mode: Move quickly through all of the frequencies.
 - MEDIA mode: Rewinds or fast forwards the track or file (except for Bluetooth[®] Audio)

Press knob to turn POWER On/Off.
Rotate knob to adjust Volume Up/Down



For further Kia Connect with Navigation operations, refer to the Car Infotainment System Quick Reference Guide.

Sound Settings:

To adjust the infotainment system sound settings, press the SETUP key on the Infotainment System or the on-screen MENU button, when in MEDIA mode. Select the on-screen SOUND button, then select the menu item (Premium Sound, Position, Tone, Guidance, Radio Noise, Driver Assistance, Connected Devices). Use the onscreen buttons to adjust settings.

Radio Presets: To save a preset, press the star button ☆ next to or below the Radio Station display. This saves the current station as a preset.

SiriusXM[®] Smart Favorites: In Radio mode, choose SiriusXM[®], then select any of the first six favorites. During song or program play, tap the Skip Backward icon to start from the beginning of the song or program. Tap the Play Live icon to return to the live broadcast.

Custom Key ☆: To program the Custom Key, press and hold the Custom Key, then select one of the available features you would like the Custom Key to open.

Kia Connect may be currently unavailable for model year 2022 and newer vehicles sold or purchased in Massachusetts. See Kia Connect Terms of Service at owners.kia.com for more information.

For other audio system information, see pages 27-33.

QUICK TIPS

- Volume level between different audio modes:
 - When switching between audio modes (AM, FM, Bluetooth[®] Audio, etc.), the audio system saves the previous volume level you were listening to. For example, if you were listening to FM radio at volume level 20 then switched to Bluetooth[®] Audio and adjusted the volume level to 30, the volume level will be at 20 when you switch back to FM radio
 - When using Bluetooth[®] Audio, the overall volume is dependent on your device's volume. If the volume is turned down low on your device it will remain low even if the system volume is turned up
- When connected to Android Auto[™] or Apple CarPlay[®] on your smartphone, the device's navigation system may also be available
- At any time, you can interrupt the Voice Command Feedback: Press the TALK button on the steering wheel
- Prolonged use of the navigation system in ACC mode may drain the vehicle's battery. A warning screen may appear periodically to remind users that the navigation system should be operated when the engine is running to prevent battery discharge
- When using the voice command feature, wait for the system BEEP before speaking the command

REMINDERS:

- To help minimize driver distraction, some audio system functionalities have been modified while the vehicle is in Drive, Reverse or moved out of Park
- Prolonged use of the audio head unit in ACC mode may drain the vehicle's battery
- **Map/software updates:** To keep your map and software up to date, free of charge, visit the official Kia update webpage at <https://update.kia.com/US/EN/Main>. **Note**, visiting a dealer for software update may include an additional charge

Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

QR CODES

Kia Connect with Navigation Video



Navigation System Important Tips Video



Navigation System Updates Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Digital Clock (InfotainmentSystem)*

Press the **SETUP** key, on the Infotainment System, then General. Press the onscreen Date/Time button to enter the clock settings. Then use the onscreen buttons to navigate through setup and return  to exit.

QUICK TIPS

- When needed, Daylight Savings must be enabled in the Clock Settings screen (Kia Connect with Navigation*)
- To access manual date and time setting, turn GPS Time OFF in the Clock Settings (Kia Connect with Navigation*)


For more information, refer to the Car Infotainment System Quick Reference Guide.

Multimedia USB Port, Power Outlets & USB Charger Ports*

Multimedia USB Port : Use the Multimedia USB Port to connect USB audio and smartphone devices.

USB Charger Port : Use the USB Charger Port on the right to charge devices. One USB Charger Port is located in the back of the center console*. The Engine Start/Stop button needs to be in the ACC/ON/START position to operate the USB Charger Port

Power Outlets : Use the power outlets for mobile phones and other devices designed to operate on a 12V (180W max) power outlet.



(Ports and power outlets located on lower part of Center Panel; If equipped, an additional Power Outlet is located in the rear cargo area of the vehicle)

QUICK TIPS

- The power outlets are inactive when ignition is in the OFF position
- The USB data port (Multimedia USB Port)  is located next to the Power Outlets. USB Charger Ports do not support data transfer
- The power outlets are inactive when ignition is in the OFF position

REMINDERS:

- Kia recommends that you only use USB cables made by your device's manufacturer. Third-party USB cables may cause damage to your device
- Using the Power Outlet (accessory plug) for prolonged period time with the Engine Start/Stop button in the ACC position (Engine OFF) could cause the battery to discharge.
- The Multimedia USB Port  in the center panel charges slower than the USB Charger Ports  throughout the vehicle

Refer to section 4 in the Owner's Manual for more information.


QR CODE

Multimedia/Charger USB Ports & Power Outlets Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Automatic Climate Control* (Type B)



Climate Control Auto Function:

1. Press **AUTO** to select Full Auto Operation - The Auto setting automatically controls the airflow modes, fan speeds, air intake and air conditioning according to the temperature setting selected
2. Set desired **Temperature**
3. Press **SYNC** to sync the left and right temperature control

Defrost Outside Windshield:

1. Set **Fan Speed** to the highest position
2. Set **Temperature** to **Hot**
3. Press the Front **Defrost** button

Defog Inside Windshield:

1. Set **Fan Speed** to highest position
2. Set **Temperature** to highest position
3. Press the Front **Defrost** button

Air Flow Modes

To select Air Flow Modes, press the mode selection buttons:



QUICK TIPS

- Continuous use of the climate control system in the recirculated air position may allow humidity to increase inside the vehicle which may fog the glass and obscure visibility
- Keep inside glass as clean as possible to reduce window fogging
- Defrost mode activates A/C and opens Fresh Air Vent
- During Auto Operation the A/C indicator will NOT illuminate. The fan speed, air intake, airflow and air conditioning may automatically engage at any time to reach desired temperature and reduce humidity

Your Automatic Climate Control system may differ from those in the illustrations. See section 4 in the Owner's Manual for more information.

Auto Defogging System (ADS):

Auto defogging is designed to reduce the fogging up of the inside of the windshield by automatically sensing the moisture of the inside of the windshield. The system will automatically change to defrost mode when needed.

Auto Defogging is set ON by default. To cancel Auto Defogging, press the Front Defrost button for three seconds, when the ignition is in on (ADS OFF icon will illuminate). To turn Auto Defogging on again, press the Front Defrost button for three seconds.

QR CODES

Automatic Climate Control Operation Video



Auto Defogging System (ADS) Video




Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

REMINDERS:

- Cold or warm ambient air may flow in through vents if Recirculated Air button is not pressed ON (LED lit)
- Pressing any button during AUTO operation will deactivate the AUTO function and switch to manual mode, except for Temperature Control
- When in AUTO mode, Air Flow Mode and Fan Speed do not display on the Climate Control Display
- Continuous use of the climate control system in the recirculated air position may allow humidity to increase inside the vehicle which may fog the glass and obscure visibility

Manual Climate Control*



Defrost Outside Windshield:

1. Set **Fan Speed** to the highest position
2. Set **Temperature** to **Hot**
3. Rotate knob to the **Front Defroster** mode

Defog Inside Windshield:

1. Set **Fan Speed** to desired position
2. Set desired **Temperature**
3. Rotate knob to the desired **Front Defrost** mode

QUICK TIPS

- Defrost Mode activates A/C and opens Fresh Air Vent
- MAX A/C Mode automatically engages Recirculated Air
- Keep inside glass as clean as possible to reduce window fogging

Air Flow Modes

To select Air Flow Modes, press the Mode selection buttons:

- Face-Level
- Face/Floor-Level
- Floor-Level
- Floor/Defrost-Level
- Defrost-Level

REMINDERS:


- Continuous use of the climate control system in the recirculated air position may allow humidity to increase inside the vehicle which may fog the glass and obscure visibility
- Warm air may flow in through vents if Recirculated Air button is not pressed ON (LED lit)

Your Manual Climate Control system may differ from those in the illustrations. See section 4 in the Owner's Manual for more details.

Wireless Smartphone Charging System*†19

Charge a Qi Certified smartphone wirelessly by placing it on the charging pad **A** at the front of the console, near the Multimedia USB ports and the charging indicator, while the ignition is on.

1. Enable Wireless Smartphone Charging System in the User Settings* in the Instrument Cluster LCD or the Vehicle Settings* in the infotainment system, select Convenience then Wireless Charging System
2. Place a compatible smartphone on the center of the charging pad **B**
3. The indicator light **A** may change to amber once the wireless charging begins
4. Once charging is complete, the amber light may change to green



(Located in front of Gear Shift)

QUICK TIPS

- The smartphone must be a Qi certified compatible phone with Qi function available. Some smartphone models are not Qi certified, which may affect the availability, speed or performance of the wireless charging
- Wireless charging must be enabled in user settings
- If wireless charging does not work, move the smartphone around the pad until the charging indicator turns amber. Avoid placing other metal items in the bin while charging as to not impede the charging area
- For wireless charging to occur, all doors (excluding rear hatch) must be closed & the Smart Key Fob must be detected inside the vehicle

REMINDERS:

- Avoid placing other metal items in the bin while charging as to not impede the charging area
- This vehicle is equipped with wireless charging technology which allows for a device to be charged using inductive charging; however, device compatibility varies. See your Owner's Manual for more detailed information and the back page for legal disclaimers
- Inductive charging systems are less efficient than conventional charging through cable. As a result, higher device operating temperatures may be experienced during use
- Charging Performance - Device position on the wireless charging system can affect charging performance. Other factors that may affect the charging rate includes foreign objects, such as coins or pens, and phone case thickness
- If the driver door is opened, charging will be disabled

QR CODE

Wireless Charging Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

For illustrative purposes only. Your actual display, buttons and/or features may vary.

Refer to section 4 in the Owner's Manual for more information.


Idle, Stop & Go (ISG) System*

The ISG system is designed to help reduce fuel consumption by automatically shutting down the engine when the vehicle is at a standstill.

When the ISG system is ON, the vehicle is at a standstill, and all preconditions have been met, the engine will stop and the green AUTO STOP indicator  on the instrument cluster will illuminate.

The engine will restart when the brake pedal is released or the shift lever is moved from D (Drive) to the R (Reverse) position or to Manual Shift mode*. When engine restarts, the green AUTO STOP indicator on the instrument cluster will turn off.

To deactivate the ISG System, press the ISG OFF button  (LED lit). If you press again, the system will be activated.



(Button located in panel to the left of steering wheel)

QR CODE

Idle, Stop & Go Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

QUICK TIPS

- The ISG system is disabled when:
 - A seat belt is unfastened
 - The hood or a door is opened
 - Battery condition is poor
 - The front or rear defroster is turned on
 - Engine coolant temperature is low
 - The outside ambient temperature is too low/high
 - Emission control devices activate
 - The vehicle is on a steep slope

REMINDERS:

- When the AUTO STOP indicator illuminates solid yellow, the system is activated without faults, but will not operate until all the conditions are met
- ISG is active by default at vehicle start-up. When ignition is cycled, ISG will turn ON again
- Under certain conditions, the engine will restart automatically even if the brake pedal is still depressed
- If the AUTO STOP indicator  is continuously blinking yellow and the ISG button LED is on, please contact an authorized Kia dealer

Refer to section 5 in the Owner's Manual for more information.

Electronic Parking Brake (EPB)*

The Electronic Parking Brake (EPB) system utilizes an electric motor to engage the parking brake.

Applying the Parking Brake

Depress the brake pedal and pull up the EPB switch **A**. Ensure that the indicator light is illuminated on the instrument cluster.

Releasing the Parking Brake

The EPB will automatically release when the shifter is placed in Reverse or Drive.

To release EPB manually, depress the brake pedal and then press the EPB switch **A** with the ignition switch in the ON position. Ensure that the indicator light **(OFF) BRAKE** is OFF.

QUICK TIPS

- When leaving your keys with parking lot attendants or valet, make sure to inform them how to operate the EPB
- If parked on a steep incline/decline, pull up the EPB switch for more than 3 seconds for a firmer EPB application
- Pull up and hold the EPB switch a second time to increase brake pressure if parked on a decline or incline

REMINDERS:

- As a bulb check, the EPB malfunction indicator will illuminate for approximately 3 seconds when the ignition switch is turned ON
- If the warning light does not illuminate temporarily, or continues to remain lit, take your vehicle to an authorized Kia dealer and have the system checked
- The EPB should not be operated while the vehicle is moving
- A click or electric brake motor sound may be heard while operating or releasing the EPB, but these conditions are normal and indicate that the EPB is functioning properly

Refer to section 5 in the Owner's Manual for more information.

Auto Hold*

Auto Hold temporarily maintains the vehicle at a standstill even if the brake pedal is released. Auto Hold can be turned ON/OFF using the AUTO HOLD switch **B** on the center panel. Before Auto Hold will operate, the driver's door, engine hood and trunk must be closed, and the driver's seat belt must be fastened.


The Auto Hold indicator has four states:

Standby (white): With vehicle in Park and at a standstill, and AUTO HOLD switch **B** turned ON, the indicator will illuminate white. While driving the vehicle (vehicle is not at a standstill), the Auto Hold indicator will remain white.

Engaged (green): When coming to a complete stop and depressing the brake pedal, the Auto Hold indicator changes from white to green.

OFF (not illuminated): The indicator will turn OFF when the AUTO HOLD switch **B** is turned OFF or when the EPB is manually turned ON.

Malfunction (yellow): When the indicator is illuminated yellow, there may be a system malfunction. Take your vehicle to a local Kia dealer.



(Located below gear shift knob)

QR CODE

Electric Parking Brake /
Auto Hold Video



Refer to the inside front cover for
more information on QR codes.
www.youtube.com/KiaFeatureVideos

REMINDERS:

- To reduce the risk of an accident, do not activate Auto Hold while driving downhill, backing up or parking your vehicle
- Do not solely rely on the Auto Hold system to keep the vehicle stopped. Always pay attention to traffic and road conditions, and be prepared to depress the brakes
- Auto Hold turns off when ignition is cycled

Automatic Gear Shift with Sportmatic® Shifting^{†‡}

P: Park

R: Reverse

N: Neutral

D: Drive



[+]: Manual Mode Upshift

[-]: Manual Mode Downshift

Manual Mode:

To enter Manual mode, move shift lever from D to left gate **A**.

To shift while in Manual mode, move shift lever up [+] to upshift or down [-] to downshift **A**.



QUICK TIP

- Press brake pedal and depress release button to move gear shift from N to P, N to R or from P to any gear
- Manual Mode downshifts are made automatically when the vehicle slows down. When the vehicle stops, 1st gear is automatically selected

QR CODES

Automatic Transmission - Sportmatic Shifting with Gear Shift Video





Intelligent variable transmission (IVT) Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Power Adjustable Driver's Seat*†12

Move/Press controls to adjust Seat forward/backward, Seat Cushion height, Seatback recline or Lumbar forward/backward.




REMINDER: Do not attempt to adjust the seat while the vehicle is moving. This could result in loss of control of the vehicle.

Refer to section 3 in the Owner's Manual for more information.

Seat Warmers*†14

Press button once for high setting (2 LEDs lit). Press button again for low setting (1 LED lit). Press a third time to turn OFF.



QUICK TIPS

- System is OFF by default. To turn system ON, press the seat warmer switch
- With the seat warmer switch in the ON position, the heating system in the seat turns off or on automatically depending on the seat temperature

REMINDER: Use extreme caution when using the seat warmers to avoid burns. Refer to the Owner's Manual for more information.

Images are for illustrative purposes only. Actual feature may vary.

Refer to section 3 in the Owner's Manual for more information.

QR CODES

Power Adjustable Driver's Seat with Memory Settings Video



Seat Warmers Video




Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Front Seat Headrest Adjustment^{†8,12}

To raise headrest: Pull headrest up.

To lower headrest: Press lock release **A**, then press the headrest down.



QUICK TIP

For easy adjustments, hold a headrest post with one hand while using the other hand to pull the headrest from underneath.

REMINDERS:

- The headrest only moves up and down as described above. It does not adjust forward or backward
- Do not operate the vehicle with the headrests removed. Headrests can provide critical neck and head support in an accident

Refer to section 3 in the Owner's Manual for more information.


6-Way Manual Adjustable Driver's Seat^{†12}

Pull lever **B** to slide Seat forward/backward.

Pull lever **C** up several times to raise Seat Height.

Push lever **C** down several times to lower Seat Height.

Pull lever **D** to adjust Seatback Recline.



QUICK TIP

When adjusting seat forward or backward, ensure seat clicks or locks into place before driving the vehicle.

REMINER: Do not attempt to adjust the seat while the vehicle is moving. This could result in loss of control of the vehicle.

Refer to section 3 in the Owner's Manual for more information.

QR CODE


Manual Seat Adjustment Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Unfastening Center Seat Belt

1. If Seat Belt is buckled, press the release button on the buckle
2. To retract the 2nd-Row Center Seatbelt **A** into the headliner, press the "release button" on the buckle by inserting the seat belt tongue plate **B** in the small slot on the center buckle **C**



Refer to section 3 in the Owner's Manual for more information.

Folding Rear Seats†12


To Fold:

1. Adjust the Front Seatback to the upright position and/or slide the Front Seat forward
2. Insert the rear seat belt buckle into the pocket* between the Rear Seatback and Seat Cushion **D**. Insert the rear seat belt strap into the guide on the side panel next to the Seatback
3. Lower the Rear Headrests to the lowest position
4. Pull on the Rear Seatback folding lever **E**, then fold the seat towards the front

REMINDER: When you return the seatback to its upright position, always be sure it has locked into position by pushing on the top of the seatback.

To Unfold:


1. Lift and pull the Seatback backward by pulling on the folding lever **E**. Pull the Seatback firmly until it clicks and is locked into place
2. Return the rear seat belt to the proper position



QUICK TIP

It may be necessary to remove the headrests and/or adjust the front seatbacks to fully lower rear seats.

Refer to section 3 in the Owner's Manual for more information.



QR CODE

Unfastening Center Seat Belt Video





Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Rear Occupant Alert (ROA) System with Door Monitoring*†3

Rear Occupant Alert (ROA) System with Door Monitoring can help alert the driver when a rear passenger may be left in the vehicle. The alert will be a message on the Instrument Cluster stating to "Check rear seats" **A** and a chime will sound.

- ROA can be turned on/off by going to the User Settings* in the Instrument Cluster or the Vehicle Settings* in the Infotainment System
- Only adjust settings when the vehicle is at a standstill, gear shift is in Park and the ignition is on or the Engine Start/Stop button* in the on position
- **To access User settings* in the Instrument Cluster** - Press the Mode button **B** on the Steering Wheel to toggle to User Settings. Press the OK button **C** up/down to toggle to Convenience, then press OK button **C** to enter. Check/uncheck Rear Occupant Alert to turn it on/off
- **To access Vehicle settings* in the Infotainment System** - Press the **SETUP** key or the onscreen **SETUP** button. Press **VEHICLE** to enter Vehicle Settings. Select Convenience, then check/uncheck Rear Occupant Alert to turn it on/off

REMINDER: Always be sure to check the passenger areas before leaving the vehicle.



ROA is not a substitute for one's attention. Always check the vehicle's interior before exiting.

Image is for illustrative purposes only and may not reflect actual feature or operation.

Refer to section 4 in the Owner's Manual for more information.

QR CODE

Rear Occupant Alert (ROA) with Door Monitoring Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Smart Key with Remote Start*

Smart Key Fob:

- A** Press to lock All Doors; Press twice within 2 seconds to sound the horn
- B** Press to unlock Driver's Door. Press twice in 4 seconds to unlock All Doors
- C** Press and hold for more than 1 second to unlock Liftgate. Then lift by the handle to manually open Liftgate

REMINDERS:

- The Liftgate unlocks when the Smart Key fob is within close proximity of the rear liftgate
- The Liftgate does not automatically open when the **C** button is pressed
- D** Press and hold more than 1 second for Panic Alarm. To turn off Alarm, press any button
- E** Press to release Mechanical Key
- F Remote Start Button***: Press for more than two (2) seconds within four (4) seconds after locking doors to start the vehicle. Press once to turn off

REMINDER: If the Smart Key battery is weak or not working properly, hold the Smart Key fob up to the Engine Start/Stop button (Lock button side closest) and press to start engine

Driver's Door Lock/Unlock button **G**:



- Press button once to unlock driver's door
- Press again within 4 seconds to unlock all doors
- Press again to lock all doors

Mechanical Key **H**:

Use to unlock/lock Driver's Door

1. Remove door handle keyhole cover with Mechanical Key by pressing up into slot as shown **I**. (Note: Repeated removal could ruin the integrity of the keyhole cover)
2. Insert Mechanical Key **H** and turn right to Unlock Driver's Door. Turn twice within 4 seconds to Unlock all doors
3. Insert Mechanical Key and turn left to Lock Driver's Door
4. Return keyhole cover to its original position

Use to lock and unlock the glove box.



QR CODES

Kia Smart & Folding Key Fobs Video



Remote Start - Smart Key



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos


Refer to section 3 in the Owner's Manual for more information.

QUICK TIPS

- The Smart Key's signal can be blocked by the normal operation of a cellphone or smartphone. To help prevent this, store each device separately
- If the Smart Key battery is weak or not working properly, hold the Smart Key fob up to the Engine Start/Stop button (Lock button side closest) and press to start engine
- When reinserting the mechanical key into the fob, make sure it is pushed all the way in until there is a click sound

Remote Keyless Entry (Folding Key)*

- A** Press the release button to release the key
- B** Press to Lock All Doors
- C** Press to unlock Driver's Door. Press twice in 4 seconds to unlock All Doors and Liftgate
- D** Press and hold for more than 1 second to unlock Liftgate and manually open
- E** Press and hold more than 1 second for Panic Alarm. To turn OFF Alarm, press any button



REMINDERS:

- The Liftgate does not automatically open when the button **D** is pressed
- The Liftgate unlocks when the Smart Key fob is within close proximity of the rear liftgate
- Remote button configuration may vary depending on vehicle options

Refer to section 4 in the Owner's Manual for more information.

Double-Turn Lock / Unlock All

Turn counterclockwise once to unlock Driver's Door


Turn counterclockwise again within 4 seconds to unlock All Doors

Turn clockwise once to Lock All Doors

Refer to section 4 in the Owner's Manual for more information.

Fuel Cap Open Warning Indicator*

Tighten for ONE CLICK to prevent Fuel Cap Open Warning Indicator  or  from illuminating.



REMINDERS:


- The Fuel Door Release Lever is located on the lower part of the driver's door sill
- It is normal operation when tightening to hear one click and then when Fuel Cap is released, it clicks back

Refer to section 4 in the Owner's Manual for more information.

Fuel Door Release Lever

Lift the **F** lever upwards to release the fuel door.

(Lever located on the driver's floor near door sill)



Refer to section 4 in the Owner's Manual for more information.

QR CODES

Kia Smart & Folding Key Fobs Video



Kia Fuel Cap Video



Fuel Filler Door Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos


Map/Room Lamps

Map/Room Lamp Operation: Push the lens **A** to turn the Map Lamp ON/OFF. This light produces a spot beam for convenient use as a map lamp or personal lamp for the driver or front passenger.

Door Mode: When the door button **B** is pressed, the Map Lamp turns ON when any door is opened.

Front/Rear Room Lamps: When the room button **C** is pressed, the Map and Room Lamps turn ON.

Automatic turn off function*: The interior lights automatically turn off approximately 30 seconds after the Engine System Start/Stop button* is OFF.



(Type B)


Refer to section 4 in the Owner's Manual for more information.

QUICK TIPS

- When doors are unlocked by the Smart Key*, the lamp turns ON for approximately 30 seconds
- If your vehicle is equipped with the theft alarm system, the interior lights automatically turn off approximately 3 seconds after the system is in armed stage
- Using interior lights for an extended period of time may cause battery discharge

Sunvisors^{†16}

Use the Sunvisor to shield direct light through the front or side windows. Slide the Sunvisor out and adjust as needed.



REMINDERS:

- Sunvisor may not shield all direct light
- The Sunvisor may impair visibility if not adjusted properly. Do not operate the vehicle if Sunvisor is impairing your visibility
- Be aware of seating position when adjusting or swinging Sunvisor around to or from the front or side windows
- Do not operate the vehicle if Sunvisor is impairing your visibility

Refer to section 4 in the Owner's Manual for more information.

Sunroof Operation


The sunroof operation is controlled by a multidirectional button/lever **A**.
The ignition needs to be in the ON position to operate the Sunroof.

To slide the Sunroof:

- Auto open: Slide the switch **A** backward to the farthest position (second detent)
- Auto close (glass only): Slide the switch **A** forward to the farthest position (second detent)

Tilt the Sunroof:

- Tilt open: Press switch **A** upward
- Tilt close: Press switch **A** forward



(Type A)

QUICK TIP

To stop the Sunroof/Sunshade at any position, push or pull the sunroof control lever in any direction (one detent).

REMINDERS:


- Sunshade needs to remain OPEN while Sunroof is open and vehicle is moving
- When closing, be mindful of any objects or persons

Sunroof Open Warning*

If the Sunroof is not fully closed, the warning will chime and display on the Instrument Cluster LCD screen* **B** when:

- The ignition is turned off (Smart Key*)
- The ignition key is removed
- The driver's door is opened

Do not adjust the sunroof or sunshade while driving. This could result in loss of control of the vehicle.



*For illustrative purposes only.
Display may vary*

QR CODE

Sunroof Operation Video



*Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos*

QUICK TIPS

While driving with the rear windows down or with the sunroof* in an open or partially open position, a wind buffeting or pulsation noise may be heard. This noise is a normal occurrence and can be reduced or eliminated by the following:

- If the noise occurs with one or both of the rear windows down, partially lower both front windows approximately 1 inch
- If the noise occurs with the sunroof open, slightly reduce the size of the sunroof opening


Refer to section 4 in the Owner's Manual for more information.

Hood Release Lever and Latch

Opening the Hood:

Located on the bottom left of the driver's panel, pull the Hood Release Lever **A** to unlatch the Hood.

In the front of the vehicle, lift the Hood slightly, push the secondary Latch **B** inside of the Hood's center to the left, and lift the Hood.



Closing the Hood:

Lower the Hood by pressing the front center of the Hood. Then, release hood to drop into place and securely latch.


REMINDERS:

- While lowering and closing, keep hands away from under the Hood
- Open the Hood only after turning the engine off, on a flat surface, with the gear shift in P (Park) position and setting the parking brake
- Make sure the hood is securely closed before driving

Refer to section 4 in the Owner's Manual for more information.

Liftgate Release Button

With Liftgate unlocked, press the Liftgate Release button **C** and pull the Liftgate lid up by the handle to open.



(Button is located underneath the Liftgate lid)

QUICK TIPS

- The Liftgate must be unlocked before it can be opened by the Liftgate Release Button
- The Liftgate unlocks automatically and then can be opened manually when the Smart Key* is within close proximity to the vehicle

REMINDER: When closing, be mindful of any objects or persons.

Refer to section 4 in the Owner's Manual for more information.

QR CODE


Liftgate Buttons and Operation Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Child-Protector Rear Door Locks

Located on the rear edge of the rear passenger doors, adjust switch **A** to the LOCK position to disable the inner door handles from opening the rear doors.



REMINDER: Child-Protector Rear Door Lock is located on both rear passenger door jambs.

Refer to section 4 in the Owner's Manual for more information.


Occupant Detection System (ODS)^{†9,13} / PASSENGER AIRBAG OFF Indicator^{†13}

ODS is designed to detect the presence and position of the front passenger and adjusts or turns off airbag deployment accordingly.

Depending on the situation and type of accident, the system may:

- Deploy airbag (Adult)
- Not deploy the airbag (Unoccupied)

If the system determines that the airbag should not be deployed, the "PASSENGER AIRBAG OFF" light will illuminate.



REMINDER: Do not allow an adult passenger to ride in the front seat when the Passenger Airbag Indicator is illuminated OFF because the airbag will not deploy in the event of a crash. The driver must instruct the passenger to reposition her/himself in the seat.

Refer to section 4 in the Owner's Manual for more information.

QR CODE

Latch Anchors for the Child Restraint System Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

Seat Belts^{†13}


To properly fasten your seat belts:

1. Insert the belt tongue plate **A** into the buckle **B** until it clicks
2. Position the lap portion of the belt across your lap as LOW ON THE HIPS as possible **C**.
Adjust the belt to a SNUG FIT by pulling up on the shoulder portion **D**

QUICK TIP

The Seat Belt warning chime operates for driver's seat only, unless the passenger seat is also occupied (or heavy cargo also placed in passenger seat)

REMINDER: For maximum protection, always wear your seat belt.



Seat Belt Retractor Locks

Retractor locks allow lap/shoulder seat belts to remain unlocked during normal vehicle operation for freedom of movement and increased comfort.

During a STRONG STOP, SUDDEN TURN OR CERTAIN COLLISIONS, seat belt retractors will automatically lock the belts to reduce the risk of injury.

Refer to section 3 in the Owner's Manual for more information.

LEGAL DISCLAIMERS

Driving while distracted is dangerous and should be avoided. Drivers should remain attentive to driving and always exercise caution when using the steering-wheel-mounted controls while driving.

Driving while distracted can result in a loss of vehicle control that may lead to an accident, severe personal injury or death. The driver's primary responsibility is in the safe and legal operation of a vehicle. Handheld devices, other equipment or vehicle systems which take the driver's eyes, attention and focus away from the safe operation of a vehicle or that are not permissible by law, should never be used during operation of the vehicle.

Safety Features: No system, no matter how advanced, can compensate for all driver error and/or driving conditions. Always drive safely.

- Kia Connect:** Purchase/lease of certain 2022 and newer Kia vehicles with Kia Connect includes a complimentary 1-year subscription starting from new vehicle retail sale/lease date as recorded by the dealer. After your complimentary 1-year Kia Connect subscription expires, continued access to the full suite of Kia Connect services available on your Kia will require a paid subscription at the then-current subscription rate or your use of certain Kia Connect features may immediately terminate. Use of Kia Connect is subject to agreement to the Kia Connect Privacy Policy (available at owners.kia.com/us/en/privacy-policy.html) and Terms of Service (available at owners.kia.com/us/en/terms-of-service.html). Complimentary Kia Connect subscription is transferable to subsequent owner during the original Kia Connect service term. Only use Kia Connect when safe to do so. Kia Connect may currently be unavailable for Model Year 2022 and newer vehicles sold or purchased in Massachusetts; please see the Kia Owners Portal for updates on availability. Kia Access app is available from the Apple® App Store® or Google Play Store®. Kia America, Inc. reserves the right to change or discontinue Kia Connect at any time without prior notification or incurring any future obligation. Message and data rates may apply. Cellular and GPS coverage is required to use most features. Kia Connect features may vary by model, model year, and trim level. Features, specifications, and fees are subject to change. For more on details and limitations, visit www.kia.com or your authorized Kia dealer. Apple® and App Store® are registered trademarks of Apple Inc. Google™ and its logos are trademarks of Google LLC.
- Android Auto™, Apple CarPlay®, Bluetooth® Wireless Technology, Google Play™ Store, iPhone, SiriusXM®, Sportmatic®:** Fair Use of Trademark - The commentary reference to trademarked material is for educational purposes only and not an endorsement by or of the holder of the mark.
- Driver Assist Features:** Blind-spot Collision-Avoidance Assist (BCA), Rear Cross-traffic Collision-Avoidance Assist (RCCA), Lane Following Assist (LFA), Lane Keeping Assist (LKA), Forward Collision-Avoidance Assist (FCA), Highway Driving Assist (HDA), Intelligent Speed Limit Assist (ISLA), Manual Speed Limit Assist (MSLA), Rear View Monitor (RVM), Surround View Monitor (SVM), Rear Occupant Alert (ROA), Leading Vehicle Departure Alert (LVDA), Navigation-based Smart Cruise Control (NSCC), Cruise Control (CC): These features are not substitutes for safe driving, and may not detect all objects surrounding vehicle. Always drive safely and use caution.
- Driver Attention Warning (DAW):** Driver Attention Warning is not a substitute for safe driving and may not detect all instances of driver fatigue or inattentive driving practices. Failure to pay attention to travel conditions and vehicle operation could result in loss of vehicle control. Always drive safely and use caution.
- Electronic Stability Control (ESC)/ Traction Control System (TCS)/Hill-start Assist Control (HAC):** No system, no matter how advanced, can compensate for all driver error and/or driving conditions. Always drive safely.
- Engine Start/Stop Button with Smart Key:** Always come to a complete stop before turning the engine on or off. However, if you have an emergency while the vehicle is in motion and must turn the engine off, you can turn the engine off to the ACC position by pressing the Start/Stop button for more than 3 seconds or 3 times in succession. If the vehicle is still moving, you can restart the engine by pressing the Start/Stop button with the shift lever in Neutral (N). With the engine off, hydraulic power assist for steering and braking will be disabled and the vehicle will be more difficult to control.
- Navigation:** Distracted driving can result in a loss of vehicle control. When operating a vehicle, never use a vehicle system that takes your focus away from safe vehicle operation. Navigation is for information purposes only, and Kia does not make any warranties about the accuracy of the information.
- Front Seat Headrest Adjustment:** Never attempt to adjust headrests when vehicle is in motion.
- Occupant Detection System (ODS):** Kia vehicles use a number of different ODS types that vary by model. Children age 12 and under should always be seated in the REAR seats.
- Rear Occupant Alert (ROA) with Door Monitoring:** When engaged, ROA with Door Monitoring is not a substitute for one's attention. Always check the vehicle interior when exiting the vehicle.
- Roadside Assist:** 24-hour Enhanced Roadside Assistance is a service plan provided by Kia America, Inc. Certain limitations apply. Coverage details are available in the Kia Warranty and Consumer Information Manual. For access to Enhanced Roadside Assistance, a connected mobile phone via Bluetooth® within the cellular service coverage area is required.
- Seat adjustments:** Reclining the passenger seats can reduce the effectiveness of the safety restraint system and may lead to additional injury in an accident.
- Seat belts / airbags:** For maximum protection, always wear your seatbelt.
- Seat warmers:** Use extreme caution when using the seat warmers to avoid burns. Refer to the Owner's Manual for more information.
- Steering-wheel-mounted controls:** Driving while distracted is dangerous and should be avoided. Remain attentive to driving and be cautious when using steering-wheel-mounted controls while driving.
- Sunvisors:** Sunvisor may not shield all direct light. Do not operate the vehicle if sunvisor is impairing your visibility.
- Tilt/Telescoping Steering Wheel:** Never attempt to adjust steering wheel position when vehicle is in motion.
- Tire Pressure Monitoring System (TPMS):** Even with Tire Pressure Monitoring System, check tire pressure on a regular basis.
- The **myQ logo** is a registered trademark of The Chamberlain Group, Inc.



SOUL NORMAL MAINTENANCE SCHEDULE 2.0 GDI NON-TURBO

(up to 64,000 miles)^A

MAINTENANCE ITEMS	MAINTENANCE INTERVALS (MILES)							
	8,000	16,000	24,000	32,000	40,000	48,000	56,000	64,000
Rotate tires, check tire pressure and tread wear (Every 8,000 miles)	P	P	P	P	P	P	P	P
Engine oil & filter (Full Synthetic Oil)	R	R	R	R	R	R	R	R
Climate control air filter ‡	I	R	I	R	I	R	I	R
Air cleaner filter (engine)	I	I	R	I	I	R	I	I
Brake fluid ‡	I	I	I	I	I	I	I	R
Brake lines, hoses and connections	I	I	I	I	I	I	I	I
Brake discs and pads	I	I	I	I	I	I	I	I
Suspension ball joints	I	I	I	I	I	I	I	I
Steering gear rack, linkage and boots	I	I	I	I	I	I	I	I
Air conditioning compressor/refrigerant	I	I	I	I	I	I	I	I
Exhaust system	I	I	I	I	I	I	I	I
Vacuum hoses	I	I	I	I	I	I	I	I
Battery Condition	I	I	I	I	I	I	I	I
Parking brake (hand type)		I		I		I		I
Fuel lines, fuel hoses and connections		I		I		I		I
Vapor hose and fuel filler cap		I		I		I		I
Fuel tank air filter, fuel tank, fuel cap ⁹		I		I		I		I
Drive shafts and boots		I		I		I		I
Cooling system [‡]				I		I		I
Drive belts (engine) [‡]						I		I

P=Perform **R**=Replace **I**=Inspect^{††}

QUICK TIPS

Check your Maintenance Schedule or schedule an appointment with a dealer using your Kia Connect account by logging into your Kia Access App or your account on <https://owners.kia.com> (Vehicles equipped with Kia Connect only - See page 30 for setup information)

QR CODE

Kia Full Synthetic Oil Video



Refer to the inside front cover for more information on QR codes.
www.youtube.com/KiaFeatureVideos

© 2022 Kia America, Inc.
All rights reserved.

Consumer - Roadside Assistance^{†††}:
1-800-333-4KIA (4542)

Part Number: SK230-PS-004

A. See the Owner's Manual for complete maintenance schedule. These are approximate estimated intervals. Refer to vehicle mileage for maintenance item schedule.

B. And, if necessary, adjust, correct, clean or replace.

C. If TOP TIER detergent gasoline is not available, one bottle of fuel additive is recommended. Additives are available from your authorized Kia dealer along with information on how to use them. Do not mix other additives.

D. Both the fuel filter & fuel tank air filter are generally considered to be maintenance free, depending on fuel quality being used. However, periodic inspection is recommended. If your vehicle is having issues like fuel flow restriction, power surging, loss of power, difficulty starting, etc., replace the fuel filter immediately and consult an authorized Kia dealer for service.

E. Inspect water pump when replacing the drive belt.

F. The drive belt should be replaced when cracks occur or tension is reduced excessively.

See your Owner's Manual for more details and complete maintenance information, including severe maintenance schedule. Warranty may be voided if maintenance schedule is not followed.

‡ If equipped.

†LEGAL DISCLAIMERS
ON BACK INSIDE COVER